

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

#### Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

#### **About Google Book Search**

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/

BOT GARD 73 H79H 1979






## HARVARD UNIVERSITY

LIBRARY

OF THE

**GRAY HERBARIUM** 





View of the BOTANIC GARDEN of the STATE of NEW-YORK.

# HORTUS ELGINENSIS:

OR

# A CATALOGUE

OF

# PLANTS,

## INDIGENOUS AND EXOTIC,

CULTIVATED IN THE

# ELGIN BOTANIC GARDEN

IN THE VICINITY OF THE CITY OF NEW-YORK.

ESTABLISHED IN 1801,

## BY DAVID HOSACK, M.D. F.L.S.

Professor of Botany and Materia Medica in Columbia College, Member of the American Philosophical Society, &c.

SECOND EDITION ENLARGED.

NEW-YORK:

Printed by T. & J. Swords, Printers to the Faculty of Physic of Columbia College, No. 160 Pearl-Street.

811. 289

#### HIS EXCELLENCY

# DANIEL D. TOMPKINS, Esq.

Governor of the State of New-York:

THE HONOURABLE

THE COUNCIL OF REVISION;

AND

THE MEMBERS OF THE

SENATE AND HOUSE OF ASSEMBLY,

THE PRESENT EDITION OF THE

CATALOGUE OF PLANTS

CULTIVATED IN THE

ELGIN BOTANIC GARDEN,

IS RESPECTFULLY INSCRIBED.



## PREFACE.

14 24 024

I HE establishment of a Botanic Garden in the United States, as a repository of the native plants of this country, and as subservient to the purposes of medicine, agriculture. and the arts, is doubtless an object of great importance. Impressed with the advantages to be derived from an institution of this nature, I have anxiously endeavoured ever since my appointment to the professorship of Botany and Materia Medica in Columbia College, to accomplish its establishment. Disappointed, however, in my first applieations to the Legislature of this State, soliciting their assistance in so expensive and arduous an undertaking, I resolved to devote my own private funds to the prosecution of this object; trusting, that when the nature of the institution should be better, and more generally known, and its utility fully ascertained, it would receive the patronage and support of the public.

Accordingly, in the year 1801, I purchased of the Corporation of the city of New-York, twenty acres of ground, situated on the middle road between Bloomingdale and Kingsbridge, and distant from the city about three miles and an half. The view from the most elevated part, is variegated and extensive, and the soil itself of that diversified nature, as to be particularly well adapted to the cultivation of a great variety of vegetable productions. The greater

part of the ground is at present in a state of promising cultivation, arranged in a manner the best adapted to the different kinds of vegetables, and planted agreeably to the most approved style of ornamental gardening. Since that time, an extensive conservatory, for the more hardy green house plants, and two spacious hot houses, for the preservation of those which require a greater degree of heat, the whole exhibiting a front of one hundred and eighty feet, have been erected, and which, experience has shown, are well calculated for the purpose for which they were designed. The whole establishment is surrounded by a belt of forest trees and shrubs, both native and exotic, and these again are enclosed by a stone wall, two and an half feet in thickness, and seven feet in height.

As it has always been a primary object of attention to collect and cultivate in this establishment, the native plants of this country, especially such as are possessed of medicinal properties, or are otherwise useful, such gardeners as were practically acquainted with our indigenous productions, have been employed to procure them: how far this end has been attained, will be best seen by an examination of the Catalogue.

Although much has been done by the governments of Great-Britain, France, Spain, Sweden, and Germany, in the investigation of the vegetable productions of America: although much has been accomplished by the labours of Catesby, Kalm, Wangenheim, Schoepf, Walter, and the Michaux; and by our countrymen Clayton, the Bartrams, Colden, Muhlenberg, Marshall, Cutler, and the learned Professor Barton of Pennsylvania, much yet remains to be done in this western part of the globe. The numerous articles of medicine which this country has already furnished; the variety of soils and climates which it comprehends, encourage the belief, that many more remain to be discovered, and that the Materia Medica may still be enriched by the addition of many indigenous plants, whose virtues yet remain undiscovered.

Another object of importance is, to afford to students of medicine, the means of acquiring a knowledge of the natural history of plants, and the principles of botanic arrangement; a science intimately connected with their profession, as it not only enables them to distinguish one plant from another, but frequently leads to an acquaintance with their medicinal virtues. For this purpose the grounds are divided into different compartments, calculated to exhibit the various plants according to their several properties: and these again are so arranged as to afford a practical illustration of the systems of botany at present most esteemed, viz. the sexual system of Linnaus, and the natural orders of Jussicu.

Hitherto the botanical gardens of Edinburgh, Oxford, Cambridge, London, Paris, Copenhagen, Leyden, Upsal, Goettengen, &c. have instructed the American youth in this department of medical education; and it is in some degree owing to those establishments that the universities and colleges of those places have become so celebrated, and have been resorted to by students of medicine from all parts of the world.

Since the publication of the first edition of this catalogue. in 1806, this institution has been greatly improved, and by an act of the Legislature, passed on the 12th day of March, 1810, has been purchased by the State for the benefit of the Medical Schools of New-York. For information upon this subject the reader is referred to a production entitled, " A Statement of Facts relative to the Establishment and Progress of the Elgin Botanic Garden, and the subsequent disposal of the same to the State of New-York," just published; in which the liberal and enlightened views of the Legislature, in making so large and honourable an appropriation for the promotion of science are more fully exhibited than would be proper upon this occasion. It will also be perceived by a comparison of the present with the former edition, that very considerable additions have been made to the collection both of the foreign and indigenous

plants contained in that establishment. Gratitude demands of me, on this occasion, an acknowledgment of the obligations I am under to many distinguished botanists, both abroad and at home, who have contributed to this institution. In this number are to be enumerated my much esteemed and respected friend and instructor, Dr. James Edward Smith, the learned President of the Linnæan Society of London; the late Professor Vahl, and Mr. Hoffman Bang. of Copenhagen: Mons. Desfontaines and Thouin. the celebrated Professors of Botany and Agriculture at the Medical Schools of Paris: Mr. Salisbury, Proprietor of the Botanic Garden at Brompton, near London: the late Dr. Fubroni. Director of the Royal Museum of Florence: Dr. Bostock, the learned President of the Botanic Institution of Liverpool; Dr. Lettsom, of London; Dr. Andrew Michaux. Editor of the Flora Boreali Americana, and Author of the very valuable History of the Forest Trees of North-America, now publishing at Paris: my much esteemed friend Dr. Alire Raffineau Delile, of the Institute of Egypt; Dr. Alexander Anderson, Superintendant of the Botanic Garden at St. Vincents: and Baron De Schack, of Martinique. From these gentlemen I have received many rare botanical works. and some of the most valuable plants in this collection. the state of the s

Nor must I be unmindful of the obligations I am under to several gentlemen in this country, distinguished for their taste and talents in this department of science. The Hon. Robert R. Livingston, our former Minister in France; Professor Mitchill, of this city; John Stevens, Esq. of Hoboken; Mr. Bernard M'Mahon, of Philadelphia; Mr. Stephen Elliot, of Beaufort, South-Carolina; Dr. Darlington, and Mr. John Vaughau, of Pennsylvania; John Le Conte, Esq. of Georgia; Mr. William Prince, of Long-Island; and Mr. Andrew Gentle, seedsman, of this city; are also among the contributors to this institution. It is but justice to the merit of my nephew, Dr. Caspar Wistar Eddy, a young but accurate botanist, to add, that he has largely aug-

mented the collection of American plants, especially of those of the island of New-York; some of which, viz. two new species of Gerardia, were first discovered by him in the vicinity of this city. From my other pupils now industriously prosecuting the study of botany and medicine, more especially Mr. John W. Francis, and Mr. Isaac Roosevelt, of this city, and Mr. Robert M. Barclay, of Orange county, I also anticipate many fruits of their labours in this department of science.

It would be injustice to my late gardener, Mr. Frederick Pursh, who with a knowledge of the science of botany unites a very extensive and accurate acquaintance with the plants of this country, not to notice the very numerous contributions he has made to the collection, of the native plants of the United States, during the period he had charge of this establishment. The institution is also at present, and has been for some months past, in a very flourishing condition, under the direction of Mr. Dennison, who has been very particularly recommended to me by Messrs. Lee and Kennedy, of Hammersmith. The present state of the collection is an evidence of his attention and skill, and from which I expect great improvements in every part of the establishment.

I avail myself of this occasion to observe, that as soon as measures may be taken by the Regents of the University for the permanent preservation of the Botanic Garden, it is my intention immediately to commence the publication of American Botany, or a Flora of the United States. In this work it is my design to give a description of the plant, noticing its essential characters, synonyms, and place of growth, with observations on the uses to which it is applied in medicine, agriculture, or the arts; to be illustrated by a coloured engraving, in the same manner in which the plants of Great-Britain have been published by Dr. J. E. Smith, in his English Botany. Considerable progress has already been made in obtaining materials for this publication: many of the drawings will be executed by Mr. James Inderwick,

a young gentleman of great genius and taste, and others by John Le Conte, Esq. whose acquaintance with botany and natural history in general will enable him to execute this part of the work with great fidelity. In Mr. Pursh, whose name has already been mentioned, I shall have a very industrious and skilful botanist to collect from different parts of the union such plants as have not yet been assembled at the Botanic Garden.

and the control of the state of New-York, March 12th, 1811. Per a state that the and kilganomentariongapost su den germont er et a enive There is not a second of the little و واد ها استالمنسلونا الله و و بور دو و و الله their of the Miled Some during in with the death caparo on entil combhishment e The nortection in piece at. Present, unde incomenter sime messeb-Samerelle, as very Philipping considering motion of full weeking \$1.74 to then a summer The second statement of the second of the second se state of the allege that is an activities of bismeaters to a course ai erhompsorghii ingligi phieks follow e romanico delli • के अपने के के कि अग्रामार्गिनोहित के क्षेत्र के अग्रामार्गिनोहित के कि कि अग्रामार्गिनोहित के कि en nome en l'alicente en or noise pour été la mouten er jungs vie to jungs stannegglich ut finder in jungs met ger in beschieben The same of the sa To any or the resonance of the contract of the security of the #E compared to the fourth of some contractions ्रेमधोद्यांका के क्रांके किया है देन एक स्वर्ण के सी है है। असे दे To make hear and month of the later with a line men ber Karol de article of the read of white is a minute of the figure ्रा पर रेक्टर सम्बद्ध **विषय विषय । तथा असे १८० प्रत्या** स्थानिक विषय स्थानिक रहे रिवास १००५ विक्रियोदी हो। योग हर सर का कार सामक की सर्वास र वेस हैं। of the children three been pablished by day, it is death whereto concerning the properties of the best of the contraction of the And the grant and the early always also the thing in the ex-Statement and the complete complete the property of the proper

D. H. L.

•	स्य रेक्कारकः है। अन्य स्थानस्य प्रवेश ग्रन्थ
he visited dis ARRREV	IATIONS.
- sigh driftens for the control of	ार्थ अक्षा कर वर्षा वर्षा वर्षा वर्षा
made the self to the self	na againg the states of the property
	Schr. Schreber.
•	
dite a tree Aiton. ess more	Scope. Scopoli. Smith.
Andrews.	Swz. Swartz.
Auctores.	Thunb. Thunberg.
Bartr. Bartram. Brous. Broussonet.	Vent. Ventenat.
	Vent. Ventenat. Wald. Waldstein. Walt. Walter.
	Walt. Walter.
Cav Cavinilles.	Wang Wangenheim 3500.
Decand. Decandolle.	Wend. Wendland.
Designitation.	Willd Willdenow.
Ehrt. Ehrhardt. Forster.	
Fral. Freelich.	COUNTRIES.
Gart. Gærtner.	
Haw. Haworth.	C. G. H. Cape of Good Hope. Can. Isl. Canary Isles.
Hort. Hortulanorum.	Can. 181. Canary Isles.
Hort. Hortulanorum. H. P. Hortus, Parisiensis.	S. Europe. South of Europe.
Huds. Hudson.	E. Indies. East-Indies. W. Indies. West-Indies.
Humb. Humboldt.	B. Indies. Both Indies.
Jacq. Jacquin.	Phillip Tel Phillippine Teles
Juss. Jussieu.	Phillip. Isl. Phillippine Isles. N. Holl. New-Holland.
L. Linnæus.	N. Amer. North-America.
Lmk. Lamarck.	S. Amer. South-America.
l'Heritier.	S. Sea Isl. South-Sea Islands.
Mich. Michaux.	o. oca isi. ooddi-sea isiands
Mich. f. Michaux filius.	a. annual.
Moench. Moenchausen.	b. biennial.
Muhl. Muhlenberg.	p. perennial.
Mur. Murray.	s. shrub.
Ort. Ortega.	t. tree.
Pal. Pallas.	h. hardy.
Pal. Pallas. Pers. Persoon.	g. h. green-house.
Retz. Retzius.	h. h. hot-house.
Rox. Roxburgh.	Agr. Agriculture.
Sal. Salisbury.	Med. Medicine.
Schous. Schousboe.	-,
,	•

It is very probable, that owing to the engagements, professional and others, with which I am occupied, that some errors may be found in the following Catalogue; but I trust they are few in number, as it has been printed under the constant inspection of my nephew before mentioned.

D. H.

# HORTUS ELGINENSIS.

Scientific Name.	English Name. N	at.country. 4	ise. Cult	. dur	ut.
ABROMA	ABROMA, or fulse cacoa	E. Indies		b.h	
augusta L.	maple leaved WILD LIQUORICE	E. Indies		11.u	•
ABRUS precatorius L.	Jamaica	B. Indies		h.h	5
ACACIA Willd.					
MIMOSA Auet \$	ACACIA				
arbores L. >	tree	W. Indies		h.h	8
filicifolia Lmk 5	acc	••••			
brachyloha Muhl 3 illinoensis Mich. 5	short podded	N. Amer.		h	P
illinoensis <i>Mich.</i> 3 discolor <i>Andr.</i> 3	•				_
botry cephala Fent.	two <del>col</del> oured	N. Holt.		g.h	8
falcata Willd.	sickle leaved	do.		g.h	8
obliqua Vent. 5					
tarnesiana L	Farnesian. Sponge-tree	W. Indies N. Holi.		h.h	5
floribunda Vent.	flowering	S. Amer.		g.h h.h	•
glauca L.	glaucous				-
glaucescens Willd.	two nerved	N. Holl.		g.h	5
julibrissin Ait.	oriental	Levant		h	8
latronum L.	robbers	F. Indies		h.h	8
lebbek L.	Egyptian	Egypt		h.h	8
pennata L.	feathered	E. Indies		h.h	5
pulcherrima Willd.	beautifu <b>l</b>	S. Amer.		h.h	8
speciosa Jacq.	shewy	E. Indies		h.h	8
suaveolens Sm.	sweet scented,	N. Holl,		g.h	\$
vera Willd.	gum-arabic tree	Egypt	Med.	h.h	5
nilotica L. S	ACALYPHA	<b></b>			
ACALYPHA .	Carolinian	N. Amer.		h	2
caroliniana Mich.	common	do.		ĥ	
virginica L. ACANTHUS	BEAR'S BREECH	40.		_	
mollis L.	soft leaved	Europe	Med	h	p
spinosus L.	spinous	do.		h	P
ACER	MAPLE TREE				
dasvearpum Ehrt.					
eriocarpon Mich	silver leaved, or soft	N. Amer.	Arts	h	t
tomentosum H. P.					
montanum Willd. 2	shrubby, or mountain	do.		h	5
spicatum Lmk. 5	5 4.55), C. 11.0411.				
pensylvanicum L.	Actor Display		Arts	h	t
striatum Lmk.	striped barked	do.	AIG	ш	•
canadeuse H. P.	ash leaved	do.		h	8
negundo L. rubrum L.	common red	do.	Arts	ĥ	t
saccharinum L.	sugar	do.	Arts &	ĥ	t
Section induit To	9***		Diet		
ACHANIA	ACHANIA				
malvavicus Swz.	•				
Hibiscus malvaviscus L.	mallow leaved	W. Indies		h.h	5
Malvaviscus arboreus	bashful mallow	** . 1114153		44.44	-
Cav	,				

ACHILLEA	YARROW, or milfoil				
asplenifolia Vent.	rose flowering	N. Amer.		h	P
decumbens Lmk.	trailing	Asia.		h	P
millefolium L.	common	N. Amer.		h L	P
ptarmaca L.	sneeze wort variety	Europe	Med.	h	P
v. flore pleno tanacetifolia L.	tansey leaved	do.		h	P
tenuifolia Lmk.	fine leaved	Levant	•	g.h	8
santolina Willd. \$ ACHRAS	SAPOTA		•		
Sapota L.	common, sour sop	W. Indies		g.h	5
ACHYRANTHES	CHAFF FLOWER		Med.		
argentea Lmk.	silvery	C. G. H.	ì	ı.h	
ACNIDA	WILD HEMP			_	
cannabina L. ACONITUM	common WOLF'S BANE	N. Amer.		h	2
napellus L.	common	Europe		h	p
ACORUS_	SWEET FLAG	•		_	•
calamus L. ACTÆA	aromatic calamus HERB. CHRISTOPHER	N. Amer.	Med.	h	P
racemosa L.	black snake root	N. Amer.	Med.	h	P
spicata L.	common, coral and pearl	do.		h	p
ADENANTHERA pavonina L.	PEACOCK FLOWER smooth leaved	B. Indies	,	h.b.	_
ADIANTUM	MAIDEN HAIR	D. Indies	•	1.11	8
pedatum L.	American	N. Amer.	Med.	h	P
ADONIS æstivalis L.	FLOS ADONIS, or pheas			L	_
autumnalis L.	autumnal	Europe do.		h h	2
ÆGILOPS	HARD GRASS	_			-
triuncialis L. ÆGLE	long spiked MARMELADE APPLE	Europe	•	h	2
marmelos Correa.	common	E. Indies	Diet & 1	Lı	
Cratæva marmelosL.					5
ÆSCHYNOMENE aspera L.	ESCHYNOMENE, Bast	E. Indies		: h.h	2
ÆSCULUS	HORSE CHESNUT		•		-
hippocastanum, L.	common	Asia	Med.	h	t
flava Ait. lutea Wang.	yellow flowered	N. Amer.		h	8
macrostachy a Mich.	long spiked	do.		h	_
parviflora Walt.	scarlet flowering	do.			8
pavia L. AGAVE	AGAVE	uo.		Ь	8
americana L.	American	S. Amer.	Arts	z.h	_
v. variegata	variegated, do	do.	•	· .	8
tuberosa <i>Ait.</i> virginica L.	tuberons Virginian	N. Amer.		g h h	8
vivipara L.	viviparous	S. Amer.		g.h	s
AGRIMONIA	AGRIMONY	N. Amer.	31.3 0.		
eupatoria L.	common	N.Amer.	Arts	n	P
parviflora Ait.	small flowered	ďо.		h	P
AGROSTEMMA	ROSE CAMPION	E.man			_
coronaria L. githago L.	common	Europe		h	b
Githago segetum Desf.	corn cockle	do.		h	а
AGROSTIS alba L.	BENT GRASS				
aida Li.	marsh or white Herd's grass. Penn.	do.	Agr.	h	p
canina L.	brown	do.	Agr.	h	r

compressa Willd.	small	Europe		h	p
dubia Leers.		do.		h	P
miliacea L.	millet sea	do.		ĥ	P
littoralis Sm.	Mexican	S. Amer.		h	P
mexicana L. rupestris Willd.	rock	Europe		h	ā
sciaces Sm.	bristly	do.	Agr.	h	P
spica venti L	silky	do.	Agr.	h	2
stricts Willd.	upright	N. Amer.	-	þ	P
virginica L.	barren	do.		h	P
vulgaris Sm. hispida Willd. eapillaris Leers.	common	Europe	Agr.	h	P
AIRA	HAIR GRASS			_	
aquatica L.	water	Europe		h	P
canescens L.	grey	do.		þ	P
eæspitosa L.	turly	do.		h	P
earyophyllea L.	silvery	do. do.		h h	p
flexuosa L.	heath, or zigzag melic like	N. Amer.		h	þ
melicoides Mich. obtusata Mich.	blunt	do.		'n	P
praecox L.	spring	Europe		ĥ	p
ALCHEMILLA	LADIES MANTLE	Dat of to		•••	
hybrida L. ?				1.	_
pulescens Lmk.	hair <del>y</del>	Europe		h	p
ALETRIS	ALETRIS				
	mealy; Devil's bit, star-	N.Amer.	Med	h	
farinosa L. Z alba <i>Mich</i> . S	grass	11.11.11.	272000	••	P
ALISMA	WATER PLANTAIN	37 4			
plantago L.	common	N. Amer.		h	P
v. minor	lesser, do				
ALLAMANDA cathartica L.	ALLAMANDA				
Orelia grandiflora Aubl.	{ purging; willow leaved	S. Amer.		h.h	. 8
ALLIUM	ONION GARLICK				
ascalonicum L.	eschallots	Levant	Diet	h	P
canadense L.	wild, or American	N. Amer.		h	p
cepa L.	common onion		Diet &	h	_
-			Med.		P
fistulosum L.	Welch do	Siberia	Diet	h	P
moly L.	yellow do	Europe	Diet	h	Þ
oleraceum L.	purple striped do	do.	Diet &	h	P
porrum L.	common leek	do.	Med.	h	b
sativum L.	common garlick	do.	Diet &		
GALLY WILL EAS		40.	Med.	h	p
sehnænoprasum L.	chives	Siberia	Diet	ĥ	ė
senescens L.	narcissus leaved	do.	Diet	h	p
ALNUS	ALDER				•
serrulata Willd. 2	common American	N. Amer.		'n	8
Betula rugosa Ehrt.				-	•
ALOE	ALOE				
fruticosa Pers.	tree	C. G. H.		g.h	5
arborescens Mill.	tongue :	do.		g.h	
lingua L. murgaritifera L. ?	tongue			٠.	3
pumila Thunb.	pearl	do.		g.h	8
perfolista [ )	amost soon sussetsning	A fries	31.3	- L	_
succotrina Lmk 5	great soap, succetorine	Africa	Med.	g.u	5
picta Thunb.	_			_	
maculosa Lmk.	spotted soap	C. G. H.		g.h	8
umbellata Decand.		.1.			_
retusa L.	cushion; thumb	do.		g.h	5

### HORTUS ELGINENSIS.

spiralis L. variegata L.	spiral partridge breast	C. G. H. do.	g.h g.h	5
verruensa Ait. ALOPECURUS	warted tongue FOX TAIL GRASS	do.	g.h	
bulbosus L.	bulbous	Europe	h	₽
geniculatus L.	floating	do. Agr.	h	Þ
pratensis L.	mendow	do. Agr.	h	P
ALSINE	CHICKWEED	37 4 TV: .		
media L. ALSTRŒMERIA	ASTREMERIA	N. Amer. Dict	h	a
ligtu L.	striped flowered	Peru	g.h	p
ALTH.E.	MARSH MALLOW	1 614	8	P
ficifolia Willd.		T 4	1	ь
Alcea ficifolia L.	fig leaved holly hock	Levant	h	U
officinalis L.	common	Europe Med.	h	P
rosea Cuv. } Alcea rosea L. }	common holly hock	China Med.	h	Ъ
ALYSSUM	MADWORT			
clypeatum L.	shield seeded	Europe	h	2
incanum L.	hoary	do	ĥ	p
saxatile L.	rock	Levant	g.h	Þ
utriculatum L.	bladder	do.	g.h	P
AMARANTHUS	AMARANTH or Cock's			
albus L. blitum L.	white	N. Amer.	h h	
cruentus L.	strawberry various leaved	Europe China	h	2
hybridus L.				_
retroflexus Lmk.	clustered	N. Amer.	h	2
hypochondriacus L.	Prince's feather	do.	h	2
lividus L.	lead coloured	_ do	þ	2
melancholicus L.	Love lies bleeding	E. Indies	h	3
oleracens L. paniculatus L.	cultivated	do. Diet N. Amer.	h h	2
sanguineus L.	panicled bloody	W. Indies	'n	•
scandens L.	climbing	S. Amer.	ĥ	
spinosus L.	thorny	B. Indies	h	
tricolor L.	three coloured	E. Indies	h	
tristis L.	mourning	do.	h	
AMARYLLIS	AMARYLLIS	C	_1	_
atamusco L. aurea l' <i>Her</i> .	Atamasco lily	Carolin <b>a</b> Peru	g.h h.h	P
belladona L.	golden Belladonna lily	S. Amer.	g.h	P
equestris Ait.	Barbadoes lily	W. Indies	ĥ.h	P
formosissima L.	Jacobaea fily	S. Amer.	g.h	P
longifolia L.	long leaved	C. G. H.	g.h	P
lutea L.	yellow	S. Europe	g.h h.h	P
ornata Ait.	Cape coast lily	Guinea Mexico		Þ
reginæ L. sarniensis L.	Mexican lily Guernsey lily	Japan	g.h g.h	P P
undulata L.	waved leaved	C. G. H.	g.h	p
vittata dit.	ribbon	do.	g.h	Þ
AMBROSIA	HOCMEED			_
artemisiæfolia L.	rough	N. Amer.	h	2
elatior L. trifida L.	smooth	do. do.	h h	2
AMOMUM	hemp CINGER	uo.	11	*
zingiber L.	true, narrow leaved	E. Indies Med. & Diet	c h.h	P
AMORPHA	BASTARD INDIGO	عادد		
fruticosa L.	shrubby	N. Amer. Arts	h	8
AMPELOPSIS	FALSE GRAPE			
Circus ampuloneis	red berried	do.	ħ	
Cissus ampelopsis Pers.	rea perrieg	uv.	••	•

### HORTUS ELGINENSIS.

5

				•
quinquefolia <i>Mich.</i> Hedera quinquefolia L	) was to	<b>**</b> *		
Cissus hederacea Pera		N. Amer.	p	•
bipinnata Mich.	,			
Vitis arbores L. }	upright	do.	ь	
Cissus stans Pers. )				•
AMYGDALUS	ALMOND	_		
communis L.	common	Barbary	h	t
nans L. flore pleno persica L.	dwarf double flowering	Tartary	h	t
v. nuci persica	common peach		ņ	t
v. fore bleno	nectarine do. double flowering do.		þ	t
v. flore pleno ANACARDIUM	CASHEW NUT		h-	Ţ
occidentale L.	common	B. Indies	Diet&ch.h	
4374644449			Med.	٠
ANAGALLIS	PIMPERNEL, Chick-w	eed		
arvensis L. v. flore coeruleo	common	** *		
v. flore themices	blue flowered red flowered	N. Amer.	Med. h	a
v. flore phæniceo ANCHUSA	BUGLOSS			
augustifolia L.	narrow leaved	Europe	h	_
officinalis L.	common or officinal		Med. h	P
sempervirens L.	evergreen	do.	h	P P
ANDROMEDA	ANDROMEDA	-		P
axillaris Lmk.	saw leaved	N. Amer.	1	_
catesbaei <i>Walt.</i> S calyculata L.			Ņ	8
ferruginea Ait.	box leaved ferrugineous	do.	h	8
muriana L.	oval leaved	do. do.	, h	8
nitida Bartr	ovas icaved	QO.	h	8
Jucida <i>Lmk</i> .	shining leaved	do.	h	_
coriacea Ait.	3			•
Paniculata Ait.	panicled	al a		
racemosa Lmk.	pamorca	do.	h	3
polifolia L. v. subulata Pers.	rosemary leaved	do.	h	
racemosa L.	•			•
paniculata Wait.	sweet scented	do.	h	
speciosa Mich		_		
cassinefolia Vent. S	cassine leaved	do.	h	3
v. pulverulenta Bartr.	_ powdered			
ANDROPOGON	BEARD GRASS			
schoenanthus L. scoparium <i>Mich</i> .	Lemon grass	E. Indies M	ed. h.h	P
virginicum L.	broom grass	N. Amer.	h	p
ANDRYALA	yellow broom grass ANDRYALA	do.	h	P
cheiranthifolia l'Her.				
`glandulosa <i>Lmk</i> .	stock leaved	Madeira	g.h	_
tomentosa Scop.			8·11	P
ANEMONE	ANEMONE—Wind flowe	r		
aconitifolia Mich. dichotoma L.	102 1			
pensylvanica L.	wolf's bane leaved	N. Amer.	h	P
eoronaria L.	common	T 4	_	-
hepatica L.	1	Levant N. Amer. M	g.h	P
v. flore pleno	double flowering	A. AZABET. IVI	ed. h	P
hortensis L.	garden	Europe	h	
nemorosa L.		N. Amer. M	ed. h	P
thalictroides L. Thalictrum anemo.				P
noides Mich.	rue leaved	do.	h	P
n. flore pleno	double flowered do.			
virginiana I.	crow foot leaved	d.		
<del>-</del>	3	do.	h	P
	•			

ANETHUM	FENNEL				
fæniculum L.	sweet	Europe	Med.	la	4
graveolens L.	dill	do.	do.	h	2
ANGELICA archangelica L.	ANGELICA garden or officinal	Europe	do.	h	ь
triquinata Mich.	American or wild	N. Amer.	do.	h	p
ANONA	CUSTARD APPLE				r
muricata L.	rough fruited	S. Amer.		h.h	
tripetala <i>Ait.</i> cherimolia <i>Lmk</i> .	broad leaved	Peru	Diet	h.h	8
ANTHEMIS	CHAMOMILE				
artemisiæfolia Willd.					
grandiflora H. P. stipulacea Moench.	artemisia leaved Chry-	China		h	••
Chrysanthemum indi-	santhemum	Cinna		μ	P
cum Curt.				_	
cotula L.	stinking—May weed	N. Amer.		h	P
nobilis L. tinctoria L.	common dy ers	Europe do.	Med. Arts	h h	P P
trilobata Ort.	-				r,
Zaluzania trilohata	three lobed 💆	Mexico		g.h	b
Pers. )	SPIDER WORT				
frutescens L.	shrubby	C. G. H.		g.h	P
ramosum L.				-	•
Phalangium ramosum	branching	Europe		h	P
Pers. )	ÆTHIOPIAN CORN F	LAG			
æthiopies L.	orange coloured	C. G. H.		g.h	P
cunonia L.	scarlet	do.		g.h	P
ringens L. ANTHOXANTHUM	gaping VERNAL GRASS	do.		g.h	P
odoratum L.	sweet scented	N. Amer.	Agr.	h	P
ANTHYLLIS	KIDNEY VETCH				-
barba jovis L.	Jupiter's beard	Europe		g.h	. 8
cretica Link. Ebenus cretica L.	black ebony	,Crete	Arts	g.h	` t
hermanniæ Vahl.	lavender leaved	Palest.		1.	_
Aspalathus cretica L. 3	_			g.h	5
vulneraria L. ANTIRRHINUM	common yellow SNAP DRAGON	Europe		h	P
canadense L.	Canadian	N. Amer.		h	a
eymbalaria L.	wall	Europe		h	P
junceum L.	rush	Spain	340	h	2
linaria L. majus L.	toad flax great	N. Amer. Europe	Med.	h h	P b.
purpureum I	purple	do.		ĥ	p.
triphyllum L.	three leaved	Barbary		h	â
APIUM	CELERY	Funova	Diet	h	ь
graveolens L. petroselinum L.	garden common parsley	Europe do.	Med.&		ь
-			Dict		•
APOCYNUM					
1	DOG'S BANE	<b>3</b> 7 <b>1</b>			-
androsæmifolium L.	tutsan leaved	N. Amer.		h b	P
androsæmifolium L. cannabinum L. AQUILEGIA		N. Amer. do.		h h	P P
cunnabinum L. AQUILEGIA canadensis L.	tutsan leaved Indian hemp COLUMBINE searlet or wild	do. N. Amer.		h h	P P
cannabinum L. AQUILEGIA canadensis L. vulgaris L.	tutsan leaved Indian hemp COLUMBINE searlet or wild common	do.		h	P
cannabinum L. AQUILEGIA canadensis L. vulgaris L. v. variegata	tutsan leaved Indian hemp COLUMBINE searlet or wild common variegated do.	do. N. Amer.		h h	P P
cannabinum L. AQUILEGIA canadensis L. vulgaris L.	tutsan leaved Indian hemp COLUMBINE searlet or wild common	do. N. Amer. Europe		h h h	P P
cannabinum L. AQUILEGIA canadensis L. vulgaris L. v. variegata v. ft. pleno ARABIS canadensis L.	tutsan leaved Indian hemp COLUMBINE searlet or wild common variegated do. double flowered WALL CRESS Canadian	do. N. Amer. Europe N. Amer.		h h h	P P P
eannsbinum L. AQUILEGIA canadensis L. vulgaris L. v. variegata v. ft. pleno ARABIS	tutsan leaved Indian hemp COLUMBINE searlet or wild common variegated do, double flowered WALL CRESS	do. N. Amer. Europe		h h h	P P

	HORTUS ELGINENSIS	•			7
ARACHIS	GROUND or PEA NUT	11	<b>D</b>		
hrpogæa L	American	W. Indies	Diet	h	3
-ARALIA	ARALIA bristly	N. Amer.		h	t
hispida Mich. nudicaulis L.	wild sarsaparilla		Med.	ĥ	p
racemosa L.	berry-hearing spikenard		do.	h	p
spinosa L.	angelica tree Prickly ash	do.	do.	h	t
ARCTIUM	BURDOCK		_	_	
lappa L.	common	N. Amer.	do.	h	Ъ
ARDISIA	ARDISIA	E. Indies	1	n.h	
aolonacea Roxò. ARENARIA	night shade flowering SAND WORT	L. muics	•	2-15	•
canadensis Pers.		<b>37</b> . 1		1.	
rubra v. marina L.	marsh	N. Amer.		h .	. 2
rubra L.	field or red	Europe		h	2
trinervia L.	three nerved	do.		h L	2 8
serpillifolia L. ARETHUSA	thyme leaved	N. Amer.		h	×
ARETHUSA	ARETHUSA adder's tongue leaved	N. Amer.		h	P
ophioglossoides L. ARGEMONE	HORNED POPPY	24		**	r
mexicana L.	Mexican	Mexico		h	2
*ARISTIDA	ARISTIDA				
dichotoma Mich.	small	N. Amer.		ь	P
ARISTOLOCIHA	BIRTH WORT—Snak	c-root		L L	_
odoratissima L.	sweet scented	W. Indies N. Amer.	Mcd.	h.h h	s P
serpentaria L. ARTEMISIA	Virginian WORMWOOD	M. Alliet.	.vacu.		P
abrotanum L.	southernwood	Europe	Med.	h	3
absynthium L.	common	do.	do.	h	p
dracunculus L.	Tarragon	Siberia	Dict	h	P
ARTOCARPUS	BREAD FRUIT TREE	C C 71	D* . 4		
incisa L.	South Sea	S. Sea Isl.	Diet	lı.h	t
ARUM	INDIAN TURNEP	N. Amer.	Med.	h	p
dracontium L. triphyllum L.	many leaved three leaved	do.	do.	'n	P
ARUNDO	REED GRASS	40.			r
arenaria L.	sand	N. Amer.	•	h	P
epigejos L.	small	do.		h	P
phraginitis L.	common	do.		h	þ
ASARÚM	ASARABACCA—Wild	N. Amer.	Med.	· lı	
arifolium <i>Mich.</i> canadense L.	heart snake root white snake root	do.	do.	h	ų P
ASCLEPIAS	SWALLOW WORT—S				P
amœna L.	oval leaved	N. Amer.		h	p
curassavica L.	CHINSSAO	W. Indies		g.h	5
fruticosa L.	willow leaved	C. G. H.		g.h	\$
hybrida <i>Mich.</i> 3 variegata <i>Walt.</i> 3 incarnata L.	variegated	N. Amer.		h	þ
variegata Wall.	flesh coloured	do.		h	р
incarnata L. longifolia <i>Much</i> .	long Laved	do.		'n	þ
nigra L.	)				•
Cynanchum nigrun	} black	Europe	Mcd.	. lı	P
Pers.					
obtusifolia Mich.	obtuse leaved	N. Amer. do.		h b	ľ
panpercula Mich.	linear leaved river	ao. đo.		h	P P
putchra Ehrt. purpurascens L.	purple	do.		ï	p
svriaca L.	common	do.	Arts		Þ
tuberosa L.	Pleurisy root. Butter-j	fly do.	Med	. h	p
decumbens Walt 3	weed	400	.v.cu		-
verticillata L.	whorl'd leaved	do.		h	´ P
vincetoxicum L	. } officinal	Eurone	Med	. h	p
Cynanchum vincetoxi cum <i>Pers</i>		Europe	AVE CU	. "	ī.
Cum I er	• •				

ASPARAGUS officinalis L.	ASPARAGUS common	Europe	Med.& Diet	. h	
ASPHODELUS	ASPHODEL-King's	spear			
fistulosus L.	fistulous	Europe		g.h	P
luteus L.	common	do.		Þ	P
ramosus L.	branching SPLEEN WORT	¹ do.	Med.	h	P
ASPLENIUM		NY 4		L	_
rhizophyllum L.	walking leaf	N. Amer.	Med.	h.	P
trichomanes L. ASTER	fine leaved STAR WORT	do.	TAT CO.	h	P
amplexicaulis Muhl.	stem clasping	N. Amer.		h	2
annuus L.	annual	do.		ĥ	ñ
chipensis L.	China Aster	China		ĥ	2
concolor L.	axillary	N. Amer.		h	P
conyzoides Willd.	flea bane	do.		h	_
Convza asteroides L.				-	P
Col univitus 11.	heart leaved	do.		þ	P
corymbosus Ait.	chistered	do.		þ	P
diffusus Ait.	spreading	do.		þ.	p
divarientus L.	straggling	do.		h h	P
dumosus L. ericoides L.	bushy	do. do.		'n	P
foliolosus Ait.	heath leaved leafy	do. do.		ĥ	P
humilis Willd.	dwarf	do. do.		ñ	P
hyssopifolius L.	hyssop leaved	do.		h	P
linariifolius L.	toad flax leaved	do.		ĥ	P
macrophyllus Ait.	large leaved	do.		h	p
multiflorus Willd.	many flowered	do.		h	ĝ
nemoralis $Ait$ .	wood	do.		h	P
novæ angliæ L.*	New-England	do.		h	P
novi belgii L.	small flowered	do.		h	P
paniculatus dit.	panieled	ďο.		þ	P
patens Ait.	open flowered	do.		'n	P
pendulus .lit.	nodding	do.		þ	P
phlogifolius Muhl.	phlox leaved	do. <b>d</b> o.		h h	P
puniceus L. rigidus L.	purple stalked stiff leaved	do.		h	P
solidaginoides Mich.	golden rod	do.		ĥ	P
subulatus Mich.	sea side	do.		ĥ	P
tenuifolius L.	narrow leaved	do.		'n	p
tradescantii L.	smooth stemmed	do.		h	p
umbellatus Ait.		do.		h	_
amygdalinus Mich.	peach leaved			11	P
undulatus L	waved leaved	do.		h	P
ASTRAGALUS	MILK VETCH				
alopecuroides L.	fox tail	Siberia		þ	P
depressus L.	trailing	Europe		h L	P
glaux L. uliginosus L.	common violet coloured	Spain Siberia		h h	8
ATRIPLEX	ORACHE	Dibelia		**	P
hortensis L.	garden	Europe	Diet	h	2
patula L.	spreading	N. Amer.	20.00	ĥ	- A
ATROPA	DEADLY NIGHT SH				
firitescens L.	shrubby	Spain	Med.	g.h	8
physaloides L.	·	•		•	
Nicandra physaloides	blue flowered	Peru	Med.	h	2
Pers.				•	
AUCUBA	AUCUBA—Gold tree	_			
japonica L.	japan Olah Grang	Japan		h.h	8
AVENA	OAT GRASS, OATS	P		L	_
brevis Roth.	ahort	Europe		h	
elatior L. Holcus avenaceus Sm.	{ tall	do.	Agr.	h	₽
TTOLOGO ULCHACCA DAVI	7				

	HORTUS ELGINENSIS	3.			,
fatus L.	wild	Europe		h	
favescens L.	yellow	do.		h	Þ
nuda L.	naked			h	
pensylvanica L.	Pennsylvanian	N. Amer.		h	
pratensis L.	mendow	Europe		h	P
pubescens L.	downy	do.		h	P
sativa L.	cultivated		Diet &	: h	
*4 <b>4</b>			Agr.		_
sesquitertia L.	hairy -	Europe		þ	
sibirica L. spicata L. 2	Siberian	Siberia		h	P
glumosa Mich.	rock	N. Amer.		h	P
sterilis L.	barren	Europe		h	
strigosa Schr.	slender	do.		<b>b</b>	2
AZALEA	UPRIGHT HONEY SU			_	
nudiflora L.	common	N. Amer.		h	5
v. alba	white flowered				
v. bicolor	two coloured				
v. carnea	flesh coloured				
v. coccinea	scarlet				
v. rutilans	deep red			Ł	8
pontica L. v. calendulacea Mich.	yellow flowered	do.	•	Þ	•
viscosa L.	marygold leaved viscous	do.		h	
v. glauca	glaucous leaved	40.			_
v. odoreta	sweet scented				
v. vittata	spotted flowered				
BALLOTA	STINKING HOREHOU	ND			
lanata	woolly	Siberia		Þ	P
Leonurus lanata Pers.	, <del>'</del>	_		_	_
nigra	black	Europe		h	P
BALSAMITA	COSTMARY				
vulgaris Willd.					
major <i>Desf.</i> Tanacetum balsamita	- garden	Europe	Med.	h	P
L.)	k				
BASELLA	MALABAR NIGHT SH	ADE			
rubra L.	red, or Chinese Spinach	E. Indies	Diet	h.h	Ъ
BAUHINIA	BAUHINIA, or Mountain				
acuminata L.	sharp pointed	E. Indies		h.h	
candida Ait.	white leaved	do.		h.h	
divaricata L.	spreading .	S. Amer.		h.h	8
porrecta Ait.	Jamaica	W. Indies		h.h	5
tomentosa L.	downy	E. Indies		h.h h.h	•
variegata L. BELLIS	variegated DAJSY	w.		ш.Ц	•
perennis, L.	garden	Europe		h	P
BERBERIS	BÄRBERRY	<b>vpv</b>		_	
vulguris 1. 3	common American	N. Amer.	Med. 8	c h	5
v. cunadensis \$			Diet	-	
BETA	BEET				
cicla L.	white	Europe	Diet	h	Ъ
v	scarcity root or mangel		<b>.</b>		
vulgaris L.	Common	do.	Diet	h	Ъ
BETONICA	BETONY	Funenc	Mad	L	_
officinalis BETULA	common or wood BIRCH	Europe	Med.	h	P
alba L.	white	Europe	Arts	h	t
lanulosa Mich.		· ·		_	
nigra L.	sweet-scented, or black	N. Amer.	Arts	h	t
. lenta L. >	hour beam larged	.1-	A	1.	
carpinifolia <i>Mich.</i> 5	horn-beam-leaved	do.	Arts	þ	t
populifolia .lit.	poplar leaved	₫o.	Arts	ь	
acuminata Ehrt. 5		44.			t
	ġ,				

		•			
pumila L.	dwarf	N. Amer.	Arts	h	t
BIDENS	BURR-MARYGOLD			_	
bipinuata L.	hemlock leaved	N. Amer.		h	2
chrysanthemoides Mich		do.		h	
connuta Mich.	marsh	do.		h	
frondosa L.	branching	do.		ь	
nivea L.	<b>)</b>				
Melananthera deltoide	leltoid leaved	W. Indics		g.h	P
Mich.			•	•	•
BIGNONIA	TRUMPET FLOWER				
capreolata L.	two leaved	N. Amer.		g.h	
cataipa L.				_	
Catalpa bignonicides	Catalpa tree	do.		h	t
Walt. )		_		_	_
radicans L.	common	do.		h	ť
sempervirens L.		_		_	
. Gelseminum nitidum	yellow Carolina jasmiue	do.		g.h	3
NEch. )		<b>.</b> .			
stans L.	tree	S. Amer.		h.h	ŧ
BIXA	ARNOTTO				
orellana L.	common	B. Indies	Arts	h.h	
BLITUM	STRAWBERRY BLITE				
empitatum L.	common	Europe		þ	2
virgatum L.	slender stalked	do.		h	2
BOERHAAVIA	HOGWOOD	T			_
difusa L.	spreading	Peru		h.h	P
BORAGO	BORAGE	A C .			
africana L.	African	Africa	37.3	þ	
officinalis L. BOTRYPUS	HEMLOCK FERN	Europe	Med.	h	*
	HEMLOCK FERN				
virginicus Mich. Osmunda virginica L.	snake root fern	N. Amer.		h	P
lunarioides Mich.	kidney leaved	do.		h	_
BRASSICA	CABBAGE	do.		ш	P
napus L.	rape, or Cole seed	Europe	Med.	h	_
oleracea L.	common or esculent	do.	Diet.	h	B
orientalis L.	perfoliate	do.	Diet	'n	ь
rapa L.	common Turnep	do.	Diet	ñ	b
BRIZA	QUAKING GRASS	40.	2.00	**	_
media L.	middle	Europe		h	ь
BROMELIA	PINE APPLE			••	_
ananas L.	common	W. Indics	Diet	h.h	8
BROMUS	BROME GRASS				_
asper L. ?	_	F			
hirsutus Curt. 5	rough	Europe		h	P
canadensis Mich.	Canadian	N. Amer.		h	p
erectus Sm.	uprigh <b>t</b>	Europe		h	p
inermis L.	smooth	do.		h	Þ
littoreus Retz.	sea	Siberia		h	P
madritensis Vahl.	wall	Europe		h	a
mollis L.	soft	N. Amer.		h	2
pinnatus L.	feathered	Europe		h	P
racemosus L.	variegated	do.		h	a
secalinus L.	rye	N. Amer.		h	a
sterilis L.	barren	Europe		h	
tectorum L.	nodding	do.		h	2
BRYONIA	BRIONY				
palmata L.	palmated	E. Indies		h.h	P
BROUSSONETIA	BROUSSONETIA				_
papyrifera Vent.	1	•			
Morus papyrifera L.	paper mulberry	Japan	Arts	h	t
Papyrius japonica Lmk.	PUONTALTA				
BROWALLIA	BROWALLIA	70			
elata L.	<b>u</b> pright	Pera		h	

BUBON	BUBON		_	
laevigntum Ait.	smooth	C. G. H.	<b>g</b> .]	3 8
BUDDLEJA	BUDDLEJA			
globosa L. BUPHTHALMUM	round headed	China	g.i	3 8
BCPHTHALMUM	OX EYE	_		_
grandiflorum L.	large flowered	Europe	P	P
helianthoides l'Her.	_	NT A		_
Melianthus luevis L.	- smooth	N. Amer.	p	P
Heliopsis lacvis Pers.			1	_
salicifo!ium	willow leaved	Europe	Ъ	P
BUPLEURUM	HARE'S EAR—Thoroug		Mad L	
rotundifelium L.	round leaved	Europe	Med. h	
BUXUS	BOX TREE	Minorca	g.b	
balearica Lmk.	minorca	Europe	Med. h	
sempervirens L.	evergreen dwa: * do.	Ediobe	MICG. II	•
v. suffruticosa v. variezula	variogated do.			
CACALIA	CACALIA			
articulata L.	CHOHELL			
runcinatus Lmk.	jointed	C. G. H.	g.h	
laciniata Jucq.	Jointed	<b>U.</b> U. 222	<b>a</b>	
atripicifolia L.	orache leaved	N. Amer.	h	D
sonchiiolia L.	scarlet	E. Indies	P	á
CACTUS	CACTUS		•	
coccineilifer L.	Cochineal Indian fig	S. Amer.	h.h	
ficus indica L.	White spined Indian fig	do.	g.h	
flugellitormis L.	creeping cereus	do.	g.h	
glomeratus Lmk.	smullest Indian fig	do.	Ď.h	P
grandiflorus L.	night flowering Cereus	W. Indies	h.h	
m muill wis L.	small Melon thistle	do.	<b>b</b> .h	P
ml.ocactus L.	great Meion thistle	do.	h.h	
opuntia L.	common Indian fig	N. Amer.	h	•
pentagonus L.	five sided torch thistle	S. Amer.	h.b	
pereskia L.	Barbadoes gooseberry	W. Indies	h.h	
triangularis L.	triangular Cereus	S. Amer.	g.h h.h	8
tuna L.	black spined Indian fig	W. Indies	h.h	8
CÆSALPINIA	CÆSALPINIA			
pulcherrim: Swz.				
Poinciana pulcherri-	Barbadoes flower fence	B. Indies	h.h	8
ma L. )	G . T . D. T. T.			
CALADIUM	CALADIUM			
esculentum Fent.	Esculent—Tannier	Africa	Diet b.h	8
Arum esculentum L. 5				_
CALENDULA	POT MARYGOLD	F	D' . C . 1	_
officinalis L.	common	Europe	Diet & h	2
er fore blove	double flowering		Med.	
v. flore pleno CALLA	double flowering			
æthiopica L.	Æthiopian	C. G. H.	ah	
palustris L.	marsh	N. Amer.	g.h h	P
CALLICARPA	CALLICARPA	24. 12.11.	13	P
americana L.	sage leaved	N. Amer.	h	
	white fruited		-	•
v. fructu albo CALTHA	MARSH MARYGOLD			
palustris L.	common	N. Amer.	h	P
CALYCANTHUS	CAROLINA ALLSPICE			<b>.</b> .
floridus L.	rough leaved	Carolina	h	
CALYMENIA	CALYMENIA			•
prostrata Cav.	jointed	Peru	h.h	5
CAMELLIA	CÁMELLIA			-
japonica L.	Japan rose	Japan	g h	
v. flore pleno albo	double flowered white	-	•	-
v. fiore pleno rubra	do. do. red			
v. flore plene variegata	variegated double flower	<b>લ્પે</b>		

0.100.100				
CAMPANULA	BELL FLOWER			
grandiflora L. gentianoides Lmk.	large	Siberia	L	7
lanuginosa Lmk.	woolly	Tartary	g.h	Ъ
medium L	Canterbury	Europe	h	Ъ
perfoliata L. amplexicaulis Mich.	perfoliate	N. Amer.	h	2
pyramidalis L.	pyramidal	Carniola	g.h	Ъ
rotundifolia L.	round leaved	N. Amer.	ь. Р	P
speculum L.	Venus's looking-glass	Europe	h	a
CANNA	INDIAN REED or SHOT	<u> </u>		
glauca L. v. flaccida	glaucous	Carolina	g.h	P
indica L.	common .	B. Indies	g.h	P
v. coccinea CANNABIS	scarlet flowered HEMP			
sativa L.	common	E. Indies Arts	h	
CAPRARIA	CAPRARIA	2. 2		-
biflora L.		W . Indies	h.h	8
CAPSICUM	CAPSICUM or Guinea F		_	
annuum L.	common	S. Amer. Diet	Ъ	2
v. longum baccatum L.	long podded	B. Indies Med.	a b	_
	Bird pepper Bell pepper	do. Diet		•
grossum L. CARDAMINE	CARDAMINE	40. 27.00	9	
impatiens L.	naked flowering	Europe	h	2
CARDIOSPERMUM	HEART PEA	· ·	_	
halicacabum L.	smooth leaved	N. Amer.	h	2
CARDUUS arvensis Sm.	THISTLE			
Serratula arvensis L.	Canada thistle	N. Amer.	h	Ъ
Cnicus arvensis Pers.				
defloratus I., 3		Vana	1.	
circioides Vill.	long leaved	Europe	h	ь
norridulus Pers.	.•		_	_
Cirsium horridulum	thorny .	N. Amer.	h	b
Mich. ) lanceolatus Sm.				
Cnicus lanceolatus	lanceolate-Spear thistle	do.	h	L
Willd.	Milecolate - Spoal villous	400	••	•
marianus L.	•			
Carthamus maculatus	milk	Europe Med.	h	Ъ
Lmk.				
personata Willd.	dressed	do.	h	•
Arctium personata L. S	PAPAW TREE			
papaya L.	common	E. Indies Diet	h.h	t
CARLINA	CARLINA			-
corymbosa L.	cluster flowering	Italy	g.h	P
CARPINUS	HORN BEAM	NT 1 1		-
Americana Willd. CARTHAMUS	American CARTHAMUS or Safflow	N. Amer. Arts	h	t
cœruleus L.	blue	Europe	h	P
mitissimus L.	smooth	do.	ï,	P
tinctorius L.	bastard Saffron	Egypt Med.&	۱ ĥ	8
		Arts		
CARUM	CARAWAY	Funone M. 4		
carui L. CASSIA	common CASSIA	Europe Med.	h	•
alata L.				
herpetica Jacq.	winged-Ring worm tree	S. Amer. Med.	h.h	t
arborescens Vahl.	tree	E. Indies	h.h	t
chamæcrista L.	dwarf. Magothy bay bean		h	
corymbosa Lmk.	clustered	S. Amer.	h <sub>i</sub> h	8
fusciculata Mich.	fasciculated	N.Amer.	Ъ	a

					•
marilandica L.	false Acacia	N. Amer.	Med.	h	1
nictitans L.	shining or sensitive	_ do.		h	- 1
senna L.	Egyptian senna	Egypt	Med.	þ	:
sophera L. tora L. ?	White	E. Indics		h.h	I
limensis Lnik.	oval leaved	S. Amer.		h	٠,
CASTANEA	CHESNUT				
vesca Gart.	common	N. Amer.	Diet &	t h	1
Fagus castanea L	Common		Arts		
Fagus punila L.	dwarf or <i>chinquapin</i>	do.	Diet	h	1
CATANANCHE	CATANANCHE				
lutea L.	yellow	Europe		h	
CATESBEA	LILY THORN				
spinosa L.	Bahama	W. Indies		h.h	8
CAUCALIS mauritanica L.	BASE PARSLEY				
CEANOTHUS	small NEW-JERSEY TEA-TI	Africa PFF		h	а
americanus L.	common	N Amer.	Med.	h	n
CELASTRUS	STAFF-TREE	11.12.11.11		ш	P
scandens L.	climbing—Bitter-sweet CELOSIA—Cock's comb	N. Amer.	Med.	h	5
CELOSIA					
argentea L.	silvery spiked	China		h	2
coccinea L.	scarlet spiked	do.		h	a
cristata L. CEIVIA	CELSIA	E. Indies		h	
CEL IA cred in L.	large flowered	Africa		- 1	1.
	NETTLE TREE	Airica		g.h	b
CELTIS crassifolia Lmk. cordata II. P.				_	
cordata <i>II. P.</i> 5	dwarf	N. Amer.		h	ŧ
occidentalis L.	common American	do.		h	t
CENCHRUS	CENCHRUS				
tribuloides L. CENTAUREA	hedge hog	N. Amer.		h	а
	CENTAURY	46.			
africana <i>Desf.</i> atropurpurea Willd.	African dark purple	Africa Europe		g.u	Ь
benedicta L.	Blessed thistle	do.	Med.	h h	P
centaureum L.	great	do.	wieu.	h	a P
.crocodylium L.	blush flowered	Syria		'n	2
erupina L.	black seeded	Levant		'n	8
cyanus L.	Blue Bottle		Med	ĥ	2
glanca Willd.	glaucous Sweet Sultan	N. Amer.		h	b
moschata L.	Sweet Sultan		Med.	i.	2
phrygia L. scabiosa L.	Austrian	Europe		h	P
solstitialis L.	scabious St. Barnaby's thist!e		Med.	h	P
	thorny	do. Cret <b>e</b>		h 	a
spinosa L. suaveolens Willd 3 amberboi Lmk.	•			g.h	5
	yellow sweet Sultan	Europe		h	2
CEPHALANTHUS	BUTTON WOOD				
occidentalis L.	American		Med.	h	8
CERASTIUM	MOUSE EAR CHICKWI				
semidecandrum L. viscosum L.	small	N. Amer.		h	2
vulgatum L.	elammy common	do. do.		à	3
CERATONIA	ST. JOHN'S BREAD	GO.		h	a
siliqua L.	common	Levant 2	Med.	a b	5
CERBERA	CERBERA or Rattle tree		cu.	9.11	•
thevetia L.	willow leaved	W. Indics	1	h.h	t
CERCIS	JUDAS TREE or Red by	ud			-
canadensis L.	American		Dict	h	t
siliquestrum L.	European	Europe		h	t
CERINTHE major L.	HONEY WORT	63			
100 D.	purple 5	Siberi <b>a</b>		h	3
	J				

3

CESTRUM	CESTRUM-Bastard Ja	emine			
diurna u L.	day smelling	W. Indies		h.h	8
vesperunam L.	fætid	do.		h.h	8
CHEROPHYLLUM	WILD CHERVIL				
	)				
Myrrhis elaytoni Alici.	sweet scented	N. Amer.		h	Ъ
CHEIRANTHUS	STOCK JULY FLOWER	3			
annuus L.	ten week	Europe		h	я
cheiri L.	common wall flower	do.	Med.	j,	b
fenestralis L.	waved	do.		ĥ	Ď
incanus L.	Brompton-Queens	do.		ĥ	Ď
limfolius Pers.					_
He peris lintolius H. P.	{ flax leaved	Spain		g.h	P
tricuspidatus L.	tricuspid	Africa		h	я
CHELIDONIUM	CELANDINE				
glaucium L.					
Gingeium luteum Sm 3	yellow horned poppy	Europe		h	а
mains L.	common—greater	N. Amer.	Med.	h	P
v. flore pleno	double flowered	211.2111011	2 Cu.	••	I.
CHELONE	HUMMING BIRD TRE	E.			
b.rbata Cav.	HOMENT BIRD TREE	<b>.</b>			
formosa Wend.	scarlet	Mexico		g.h	
melicoides Andr	acai ict	MEXICO		8	P
glabra	white	N. Amer.		h	
CHENOPODIUM	GOOSE FOOT	A. Allici.		**	P
album L.		N* A	Diet	h	
ambrosioides L.	common lamb's quarters Mexican	do.	Med.	h	A A
anthelminticum L.			Med.		
	wormseed, Jerusalem oak		MCG.	h 1.	P
atriplicis L.	purple	China	35.3	h	A
bonus henricus L.	English mercury	Europe	Med.	h	Þ
botrys L.	cut leaved	N. Amer.	Med.	h	Þ
glaucum L.	glaucous	do.		þ	2
hybridum L.	fœtid	do.	Med.	h	a
scopariu L.	{ Belvedere-Summer Cy- press	3 China		h	a
•		) en			•_
villosum Lmk.	hairy	Siberia	ATD: -4	h	a
virid. L.	green lamb's quarters	N. Amer.	Diet	h·	2
CHIONANTHUS	FRINGE TREE	37 1		٠.	
virginica L.	broad leaved	N. Amer.		h	8
CHIRONIA	CHIRONIA	3° 4	30.1		
angularis L.	angular stemmed	N. Amer.	Med.	h	Ъ
chloroides Mich.	many petal'd	do.		h	P
Chlora dodecandra L. S	. • •				-
linoides L.	flax leaved	C. G. H.		g.h	8
CHLORIS	WIRE GRASS	NT 4			٠,
mucronata Mich.	common	N. Amer.		h	а
CHRYSANTHEMUM	CHRYSANTHEMUM				
curinatum Schous.	three coloured	Barbary		h	a
tricmor Anar.		_ •			
coronarium L.	garden	Europe		þ	R
leucanthemum L.	ox eve daisy	N. Amer.	Med.	· h	P
CHRYSOCOMA	GOLDY LOCKS			_	
ecrnua L.	nodding	C. G. H.		g.h	8
CHRYSOPHYLLUM	STAR APPLE				
coinito L.	broad leaved	W. Indies		h.h	8
CI ER	CHICK PEA	•••		_	
arictinum L.	common	Europe	Med.	h	a
CICHORUM	SUCCORY				
endivia L.	garden Endive	E. Indies		h	b
	• • •		Med.	_	
intybus L.	wild	Europe	Med.	h	P
CICUTA	WATER HEMLOCK			_	
maculata I.	A merican	N. Amer.	Med.	7,	r

		•		
	CINCHONA			
pubens ——	Swing Conside hands	Carolina	~ L	
Pinckneva pubens Alich	} wiry—Georgia bark	Caronia	g.h	t
UINEKAKIA	ASH WORT			
eruenta l'Her. ?	purple	Can. Isl.	g.h	8
aurita Andr. S Janata l'Her.	woolly	do.	g.h	
populifolia l'Her.	poplar leaved .	do.	g.h	p
CINNA	CINNA	407	8	ľ
arundinacea L.	reedy	N. Amer.	h	D
CIRCEA	ENCHANTERS NIGHT			•
alpina L.	mountain	N. Amer.	h	P
lutctiana L. CISTUS	CISTUS - DOOF BOSE	do.	h	p
albidus L.	CISTUS or ROCK ROSE white leaved		~ L	
candensis L.	Canada	S. Europe N. Amer.	g.h	s b
caroliniana Mich.	Carolinian	Carolina	h g.h	5
halimitolius L.	sea pursiain leaved	S. Europe	g.h	8
helianthemum L.			B	•
Helianthemum vulgare	- dwarf	Europe	h	8
Pers.				
heterophyllus Desf.	different leaved	Barbary	g.h	8
inca us L.	hairy leaved	8. Europe	g.h	8
Iadaniferus L.	gum—Labdanum	do. Med.		
monspeliensis L.	Montpelier	do.	g.h	8
mutabilis <i>Jacq.</i> salicifolius <b>L</b> .	changeable willow leaved	do. do.	g.h	3
salvifolius L.	sage leaved	do.	g.h g.h	5
thy mifolius L.	thyme leaved	do.	g.h	5
Tracinatus Luca			_	٠
symphitifolius Lmk.	sheathed	Teneriffe	g.h	
vinosus L.	hairy	S. Europe	g.h	8
umbellatus L.	umbelled	do.	g.h	
CITRUS	CITRON TREE	D T 11 D T 1 1		
aurantium L.	common Orange	B. Indies Med.&	g.h	t
v. sinensis	China	Diet China Diet	L	ŧ
decumana L.	Chaddock	do. Diet	g.h g.h	ŧ
medica L.	Lemon tree	Levant Med.&	2.h	ŧ
		Diet	P	•
v. limon	lime trec			
japonica Thunb.	Japan	Japan Diet	g.h	t
CLAYTONIA	CLAYTONIA		-	
virgi, ica L. CLEMATIS	Virginian VIRGIN'S BOWER	N. Amer.	h	P
flammula L.	sweet scented	L'umon e		
ochroleuca . lit.	yellow flowered	Europe N. Amer.	h h	5 D
viorna L.	leather flowered	do.	h	P
virginiana L.	Virginian	do.	'n	5
viticella L.	purple	Europe	h	5
v. flore pleno	double flowered	•		
CLEOME "	BASE MUSTARD			
pentaphylla L.	five leaved	W. Indies Diet	h	2
CLETHRA alnifolia L.	CLETHRA	37 A	_	
v. pabescens	smooth alder leaved hairy do.	N. Amer.	þ	
CLINOPODIUM	FIELD THYME	do.	Ъ	s
vulgare L.	cominon	N. Amer. Med.	ı.	
	CLITORIA		h	P
oulactiu I.		W. L. R.		_
Galactia pendula Pers. S	nodding	W. Indies	h. h	P
ternatca L.	winged	E. Indies	h.h	P
virginica L. 💎 🕟	small flowered	N. Amer.	h	?

CNEORUM	WIDOW WAIL				
trienceum L.	yellow	S. Enrope		g.h	8
CNICUS	CNICUS—Thistle	6.0			
ensabonæ Willd.	fish	S. Europe N. Amer.		g.h h	b Ն
discolor <i>Muh!</i> . oleraceus L.	two coloured vellow	Europe		ĥ	P
COCCOLOB.	SÉA SIDE GRAPE	Darope			P
excoriata L.	small fruited	S. Amer.		h.h	ŧ
COCHLEARIA	SCURVY GRASS				
armoracia L.	horse radish	Europe	Diet &	h	P
officinalis L.		do.	Med. Diet &	L	ь
omerans L.	common	uo.	Med	п	Ð
COFFEA	COFFEE TREE				
arabica L.	common	Arabia	Diet &	h.h	5
			Med.		
COIX	JOB'S TEARS	n			
laeryma L. COLCHICUM	MEADOW SAFFRON	E. Indies	1	g.h	P
autumiale L.	common	Europe	Med.	h	p
v. flore pleno	double flowered do.	Datopo	1.104.	••	P
COLLINSONIA	COLLINSONIA-Ilorse	balm			
canadensis L.	common	N. Amer.	Med.	h	P
COLUTEA	BLADDER SENNA				
arborescens L. cruenta Ait.	common	Europe		h	8
orientalis Lmk.	variegated	do.		h	8
frutescens L.	scarlet	C. G. H.		g.h	8
pocoekii .dit.	pocock's	Levant		g.h	8
halepica Lmk. 5	•	Levant		g.u	•
COMMELINA	COMMELINA	C 4		1.	_
communis L. COMPTONIA	common COMPTONIA	S. Amer.		g.h	P
asplerifolia l'Her.	COME FOREST				
Liquidambar aspleni-	sweet fern	N. Amer.	Med.	h	8
folium L. )					
CONVALLARIA	SOLOMON'S SEAL	37 4			
bifolia L.	two leaved or small	N. Amer.	353	h ·	Þ
majalis L. multiflora L.	common lily of the valley many flowered	N. Amer.	Med. Med.	h	P
polygonatum L.	common	do.	Med.	'n	P G
raceinosa L.	clustered	do.	Med.	ĥ	p
CONVOLVULUS	BIND WEED			_	•
batatas L.	tuberous-sweet potatoc	B. Indies	Diet	h	P
farinosus L.	mealy fiddle leaved wild potatoe	Madeira	Med.	z.h h	
panduratus L. sagittifolius <i>Mich.</i>	arrow leaved	do.	MEG.	h	P
sepium L.	hedge	do.	Med.	'n	P P
soldanella L.	kidney leaved	Europe	Med.	h	a
tricolor L.	three coloured	do.		h	а
umbeliatus L.	umbelled	W. Indies		h.h	P
CONYZA fœtida Willd.				• •	
Erigeron fetidum L.	FLEA BANE				
	fœtid	Africa		g.h	Þ
marilandica <i>Mich.</i>		Africa		g h	ŀ
marilandica <i>Mich.</i> Erigeron camphora-		Africa N. Amer.	. •	g h h	l,
Erigeron camphora- tum L.	fœtid marsh	N. Amer.	. •	h	-
Erigeron camphora- tum L. saxatilis L.	fœtid marsh hyssop leaved	N. Amer. S. Europe	. •		-
Erigeron camphoratum L. saxatilis L. COPAIFERA	fætid marsh hyssop leaved COPAIBA BALSAM TF	N.Amer. S. Europe REE	. •	h g.h	a P
Erigeron camphoratum L. Sanxatilis L. COPAIFERA officinalis L.	fætid  marsh hyssop leaved COPAIBA BALSAM TI officinal	N. Amer. S. Europe	. •	h g.h	a
Erigeron camphoratum L. saxatilis L. COPAIFERA	fætid marsh hyssop leaved COPAIBA BALSAM TF	N.Amer. S. Europe REE	. •	h g.h	a P
Erigeron camphoratum L. Saxatilis L. COPAIFERA officinalis L. CORCHORUS	fætid  marsh hyssop leaved COPAIBA BALSAM TH officinal CORCHORUS	N.Amer. S. Europe REE S. Amer.	Med.	h g.h h.h	a P t

	HORTUS ELGINENSI	s.			17
CORDIA	CORDIA			•	
flavescens L.	yellow fruited	S. Amer.		h.h	8
COREOPSIS	TICK-SEED SUN-FLO			_	
angustifolia <i>Ait</i> .	narrow leaved	N. Amer.		h	P
auriculata L. tripteris L.	ear leaved three leaved	do. do.		h L	þ
verticillata L.	whorl leaved	do.		h h	P P
CORIANDRUM	CORIANDER	4.5.			r
sativum	common	Europe	Med.	h	2
CORNUS	DOGWOOD				
alba L. alternifolia L.	white berried alternate leaved	N. Amer.		h	5
canadensis L.	Canadian	do. do.		h h	5
circinata l'Her.					P
tomentulosa Mich.	hairy	do.		h	8
florida L.	com mon	do.	Med.	h	ŧ
mascula L.	Cornelian Cherry	Europe		h	t
paniculata L.	paniculated	N. Amer.		þ	8
sanguinea L.	bloody	do.		h	8
serices l'Her.	blue berried	do.		h	8
stolonifera Mich.	creeping	do.		h	8
stricta l'Her.	upright	ilo.		'n	8
CORONILLA	CORONILLA				_
aculeata Willd.	prickly	E. Indies		h	
Sesbania aculeata Pers.	prickly	v. indies		R	a
argentea L.	silvery	Crete		g.h	8
stipularis Lmk. \$	•			<b>P</b>	-
cannabina Willd. Sesbania cannabina	hemp	E. Indies		h	۵
Pers.	20	13. Inuics		и	
eoccinea Willd.					
Æschynomene cocci- (	scarlet flowered	do.		h.h	5
nea L. {	SCALLCE HOWELCO	uo.		11.11	3
Sesbania coccinca Pers.	<b>-</b>	P			
emerus L. glauca L.	scorpion senna seven leaved	Europe S. France		h	8
grandiflora Willd.	seven leaved	S. I rance		g.h	5
Eschynomene gran-	large flowered	E. Indies		h.h	5
diflora L. )	30			20.02	-
varia I.	various coloured	Europe		h	, p
CORYLUS	HAZEL-NUT or Filbert			_	•
americana Mich.	American common	N. Amer.	Diet	h	t
avellana L.	European common	Europe	Diet &	It	t
restrata <i>"lit.</i>	cuckold or beaked	N. Amer.	Diet	h	t
rostrata <i>.lit.</i> tubulosa <i>Willd.</i> 2					-
maxima Lmk. 5	large Spanish	Enrope	Dict	h	t
COSTUS	COSTUS				
speciosus Sm.					
arabicus Jacq.	large flowering	E. Indies		h.h	P
Amomum hirsutum Link.	0				٠
COTYELDON	NAVEL WORT				
hæmispherica L.	thick leaved	C. G. H.		g.h	8
CRAMBE	KALE or COLE WORT			<b>.</b>	-
maritima L.	sea	Europe	Diet	h	P
CRATÆGUS	HAW-THORN	· ·			
coccinea L.	scarlet fruited	N. Amer.	Arts	h	3
cordata <i>Ait.</i> corallina <i>H. P.</i>	maple leaved	do.		h	
Mespilus acerifolia Poir.	- maple leaved	110		n	5
crus galli L.	cock spur	do.		h	5
exyacantha L.	common white	Europe	Arts	ŗ.	t

4		-		
v. flore pleno	double flowered do.			
www.foliu 4it		37 4	h	
leucophleos Moench	pear leaved	N. Amer.	и	¥
CREPIS	HAWK'S BEARD			
coronopifolia Desf.				
succulenta .dit.	fine learned	Can. Isles	g.h	ь
Chondrilla hieracioi-	fine leaved	Can. Istes	8.11	•
des Roth.	)			
parviflors Desf.	small flowered	Levant	Ъ	2
pungens H. P.	pungent		h	3
rubra L.	red	Europe	h	5
CRINUM	CRINUM	•		
		B. Indies	g.h	P
asisticum L. Amaryllis vivipara Lmk	. S viviparous	D. Hillies	8.11	r
CROCUS	CROCUS or SAFFRON			
sativus L.		Levant	Arts& h	P
officinalis Sm. 5	autumnal		Med.	
vernus Willd.	spring	Europe	Med. h	P
CROTALARIA	CROTALARIA			
incanescens L			_	
capensis Thunb	downy or shrubby	C. G. H.	g.h	3
arborescens Lmk.)			_	
juncea L.	rush leaved	E. Indies	b	2
laburnifolia L.	laburuum leaved	do.	h	8.
parviflora Roth.	small flowered	N. Amer.	h	2
retusa L.	blunt leaved	E. Indies	h.h	2
sagittalis L.	arrow leaved	N. Amer.	h	2
verrucosa_Willd.				
cœrulea Jacq.	blue flowered	E. Indies	h	
angulosa Lmk.				
CUCUBALUS	CAMPION			
behen L. )	bladder	Europe	h	-
Silene inflata Sm.	Diadder	Darope	44	P
fabarius L.	thick leaved	Sicily	g.h	P
stellatus L.	four leaved	N. Amer.	h	P
CUCUMIS	CUCUMBER	^	•	
anguinis L.	snake	E. Indies	h	2
anguria L.	prickly fruited	W . Indies	h	2
chate L.	hairy	Egypt	h	2
colvernthis L.	bitter apple- Coloquintie	da Ç. G. H.	Med. h	2
dudaim L.	apple shaped	Levant	h	8
melo L.	Musk Melon	Tartary	Diet h	
sativus L.	common	do.	Diet & h	2
			Med.	
CUCURBITA	GOURD		_	
aurantia Willd.	or:.nge	~	h	a
eitrullus L.	Water Melon	5. Europe	Dict& h	8
		<b>C</b> ·	Med.	
idolatrica Willd.	pear	Guinea	. h	2
lagenaria L.	bottle	S. Amer.		2
meiopepo L.	Squash	<del></del>	Diet h	а
ovifera L.	egg .	Asia	h h	#
pepo L.	Pumpkin or Pompion	Levant	Diet h	8
v. potiro Pers.	large round		Diet	
verrue sa L.	warted		Diet h	3
CUNILA _	CUNILA	37 4		
mariana L.	mint leaved	N. Amer	Med. h	P
pulegioides L.	)			
Hedcoma pulegioides	pennýrogal leaved	do.	Med. h	2
Pers.	,			
CUPRESSUS	CYPRESS TREE	NT 4	4 4. 1	_
disticha L.	deciduous—Cypress	N. Amer.		t
sempervicens L.	common European	Crete	Med g.h	t
thuyoides L.	white cedar	N. Amer.	Arts h	t

	HORICS ELGINENSIS	•			4.7
CURCUMA longs L.	TUMERIC long rooted	E. Indies	Arts&	h.h	P
CUSCUTA americana L.	DODDER American	N. Amer.	27200.	h	
CYCAS revoluta L.	CYCAS or Sago Palm narrow leaved	E. Indies	Med	h.h	8
CYCLAMEN  persicum dit.	CYCLAMEN or Sow broading	ead Cyprus		g.h	P
CÝMBIDIUM hyemale Muhl.	CYMBIDIUM				
Arethusa racemos:	winter	N. Amer.		h	P
pulchellum Willd. Limodorum tuhero- sum L.	- beautiful	do.		h	P
—— pulchellum Sal. J CYNANCHUM	CYNANCHUM				
obliquum L. CYNARA	oblique flowered ARTICHOKE	N. Amer.		h	P
cardunculus L.	cardoon	Crete	Diet	þ	P
scolymus L.	garden	Europe	Diet& Med.	h	P
CYNOGLOSSUM	HOUND'S TONGUE	NT A		L	ь
amplexicaule <i>Mich.</i> linitolium L.	American flax leaved	N. Amer. Europe		h h	8
officinale L.	common	do.	Med.	'n	b
pictum Ait.		Crete		h h	
creticum <i>Vill.</i> cherifolium <i>Jacq.</i>	painted	Orece		ц	•
CYNOSURUS	DOG'S TAIL GRASS				
cristatus L.	orested	Europe	Agr.	h	P
echinatus L.	rough	do.	Agr.	h	2
erucæformis <i>Ait.</i> Phalaris erucæformisL.	linear spiked	N. Amer.	Agr.	h	P
indicus L. Eleusine indica Mich	opposite leaved	do.		h	8
CYPERUS	CYPERUS or Sedge				
compressus L.	flat stemmed	N. Amer.	Agr.	h	P
odoratus L.	sweet scented	do.	Agr.	ĥ	p
strigosus L.	rough	do.	Agr.	h	P
CYPRIPEDIUM	LADÝ'S SLIPPER				
humile Wild acaule Ait.	large purple flowered	N. Amer.		h	P
parviticrum Sal.	small flowered	do.		h	P
pubescens Willd. flavescens Red. calceolus Mich	American yellow	do.		h	P
spectabile Sal. canadense Mich. album Mit.	tall white flowered	do.		h	P
CYRILLA	CYRILLA				
caroliniana Mich.	<b>~</b>	<b>~</b> "			
racemiflora L Itea cyrilla <i>l'Her</i> .	Carolinian	Carolina		h	8
CYTISUS	CYTISUS				
austriacus L.	Austrian	Austria		h.	8
cajan L.	pigeon p <b>ea</b>	E. Indies		g.h	b
capitatus Jacq. divaricatus l'Her.	headed	Austria		n	8
Spartium complica- tum L.	spreading	Europe		h	8
hirzutus L.	hairy	do.		h	,

laburnum L.	laburnum	Austria		h	ŧ
nigricans L.	blackish	Europe		ĥ	8
sessilifolius L.	clammy podded	Italy		h	
supinus L.	trailing	Europe		ĥ	
DACTYLIS	COCK'S FOOT GRASS	-		_	_
_	{ round headed Or }				
glomerata L.	chard grass	N.Amer.	Agt.	h	P
DALEA	DALEA				•
alopecuroides Willd.	C 4-11111114	NT A		1.	_
	fox tail or silky spiked	N. Amer.		h	2
DAPHNE	DAPHNE				
mezereum L.	common Mezereon	Europe	Med.	h	8
odora <i>Ait</i> .	sweet scented	China		g.h	8
tartonraira L.	silvery	S. Europe		g.h	8
DATURA	THORN APPLE				
ferox L.	long spined	China		h	
lævis L.	smooth	Atrica		ĥ	2
metel L.	downy	do.		h	а
stramonium L.	common-Jameston weed	N. Amer.	Med.	h	а
tatula L.	blue	do.	Med.	h	2
DAUCUS	CARROT			_	_
· carota	garden	Europe	Diet &	h	Ъ
	8		Med.		_
v. sylvestris	wild	N. Amer.		h	Ъ
DELPHINIUM	LARK SPUR			_	_
ajacis L.	rocket	Europe		h	2
consolida L.	field	do.	Med.		
hybridum Willd. ?			2.200		_
birsutum Pers.	hair <del>y</del>	Siberia		h	P
-A 1 * * *	stavesacre	Europe	M ed.	h	. Ъ
DESMANTHUS WOLLS	DD035	224.01.0			
DESMANTHUS Willd. MIMOSA Auct.	DESMANTHUS				
cinereus Willd.	grey	E. Indies		h.h	
virgatus Willd.	slender twigged	do.		h.h	
DIANTHUS	DIX-17				•
	rink.				
	PINK nurnlish	Enrope		h	ъ
strombens Jacq.	purplish .	Enrope		lı lı	p
atrombens Jacq. barbatus L.	purplish Sweet William	do.		la	P
atrombens Jacq. barbatus L. carthusianorum I	purplish Sweet William Carthusian	do. do.	Med.	h h	P
atrorubens Jacq. barbatus L. carthusianorum I. caryophyllus L.	purplish Sweet William Carthusian Carnation or garden	do. do. Europe	Med.	h h h	P
atrorubens Jacq. barbatus L. carthusianorum L. cary ophyllus L. chinensis L.	purplish Sweet William Carthusian Carnation or garden Chinese	do. do. Europe China	Med.	h h h h	P P P
strorubens Jacq. barbstus L. carthusianorum I. caryophyllus L. chinensis L. collinus Wald.	purplish Sweet William Carthusian Carnation or garden Chinese Hungarian	do. do. Europe China Hungary	Med.	h h h h	P P P P
atrorubens Jacq. barbatus L. carthusianorum I. caryophyllus L. chinensis I. collinus Wald. deltoides Is.	purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden	do. do. Europe China Hungary Europe	Med.	h h h h h	P P P P P P
atrorubens Jacq. barbatus L. carthusianorum I. caryophyllus L. chinensis L. collinus Wald. deltoides Is. plunarius L.	purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered	do. do. Europe China Hungary Europe do.	Med.	h h h h h	P P P P P P P P
strorubens Jacq. barbstus L. carthusianorum L. caryophyllus L. chinensis L. collinus Wald. deltoides b. plumerius L. superbus L.	purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night scented or fringed	do. do. Europe China Hungary Europe	Med.	h h h h h	P P P P P P
atrorubens Jacq. barbatus L. carthusianorum I. caryophyllus L. chinensis I collinus Wald. deltoides Is. plumarius L. superbus L. DICHONDRA	purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night scented or fringed DICHONDRA	do. do. do. Europe China Hungary Europe do. do.	Med.	h h h h h h	
atrorubens Jacq. barbatus L. carthusianorum I. caryophyllus L. chinensis L. collinus Wald. deltoides L. plumarius L. superbus L. DICHONDRA sericea Swz.	purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night scented or fringed DICHONDRA silvery	do. do. Europe China Hungary Europe do.	Med.	h h h h h	P P P P P P P P
atrorubens Jacq. barbatus L. carthusianorum L. caryophyllus L. chinensis L. collinus Wald. deltoidos L. plamarius L. superbus L. DICHONDRA sericea Swz. DICTAMNUS	purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night scented or fringed DICHONDRA silvery FRANINELLA	do. do. do. Europe China Hungary Europe do. do. W. Indies		h h h h h h h h h	P P P P P P P P P P P P P P P P P P P
atrorubens Jacq. barbatus L. carthusianorum I. caryophyllus L. chinensis I collinus Wald. deltoides Is. plumarius L. superbuts L. DICHONDRA sericea Swz. DICTAMNUS albus L.	purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night seented or fringed DICHONDRA silvery FRAXINELLA common	do. do. Europe China Hungary Europe do. do. W. Indies	Med.	h h h h h h	
atrorubens Jacq. barbatus L. carthusianorum I. caryophyllus L. chinensis I collinus Wald. deltoides I plumerius L. superbus L. DIGHONDRA sericea Swz. DICTAMNUS albus L. DIGHYALIS	purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night seented or fringed DICHONDRA silvery FRANINELLA common DIGITALIS or Fox-glove	do. do. Europe China Hungary Europe do. do. W. Indies Europe		h h h h h h h h h	P P B P P P P
atrorubens Jacq. barbatus L. carthusianorum I. caryophyllus L. chinensis L. collinus Wald. deltoides L. plumarius L. superbus L. DICHONDRA sericea Szz. DICTAMNUS albus L. DIGITALIS lutea L.	purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night scented or fringed DICHONDRA silvery FRAXINELLA common DIGITALIS or Fox-glove yellow	do. do. Europe China Hungary Europe do. do. W. Indies Europe Europe	Med.	h h h h h h h h h h h	P P B P P P P
atrorubens Jacq. barbatus L. carthusianorum L. caryophyllus L. chinensis L. collinus Wald. deltoidos L. plumarius L. superbus L. DICHONDRA sericea Swz. DICTAMNUS albus L. DIGITALIS lutea L. purpurea L.	purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night scented or fringed DICHONDRA silvery FRANINELLA common DIGITALIS or Fox-glove yellow purple or common	do. do. Europe China Hungary Europe do. do. W. Indies Europe		h h h h h h h h h	P P P P P P P P P P P P P P P P P P P
atrorubens Jacq. barbatus L. carthusianorum I. caryophyllus L. chinensis I collinus Wald. deltoides L. plumarius L. superbus L. DICHONDRA sericea Swz. DICTAMNUS albus L. DIGITALIS lutea L. purpurea I. z. alba	purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night seented or fringed DICHONDRA silvery FRANINELLA common DIGITALIS or Fox-glove yellow purple or common white	do. do. Europe China Hungary Europe do. do. W. Indies Europe Europe	Med.	h h h h h h h h h h h	P P B P P P P
atrorubens Jacq. barbatus L. carthusianorum I. caryophyllus L. chinensis L. collinus Wald. deltoides L. plumarius L. superbus L. DIGHONDRA sericea Swz. DICTAMNUS albus L. DIGHTALIS lutea L. purpurea I. z. alba DIONÆA	purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night scented or fringed DICHONDRA silvery FRAXINELLA common DIGITALIS or Fox-glove yellow purple or common white VENUS'S FLY TRAP	do. do. do. Europe China Hungary Europe do. do. W. Indies Europe Europe do.	Med.	h h h h h h h h h h h h	
atrorubens Jacq. barbatus L. carthusianorum I. caryophyllus L. chinensis L. collinus Wald. deltoides L. plumarius L. superbus L. DICHONDRA sericea Stat. DICTAMNUS albus L. DIGITALIS lutea L. purpurea L. p. alba DIONEA muscipula L.	purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night seented or fringed DICHONDRA silvery FRANINELLA common DIGITALIS or Fox-glove yellow purple or common white	do. do. Europe China Hungary Europe do. do. W. Indies Europe Europe	Med.	h h h h h h h h h h h	P P B P P P P
atrorubens Jacq. barbatus L. carthusianorum I. caryophyllus L. chinensis L. collinus Wald. deltoides L. plumarius L. superbus L. DIGHONDRA sericea Swz. DICTAMNUS albus L. DIGHTALIS lutea L. purpurea I. z. alba DIONÆA	purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night seented or fringed DICHONDRA silvery FRAXINELLA common DIGITALIS or Fox-glove yellow purple or common white VENUS'S FLY TRAP sensitive YAM	do. do. do. Europe China Hungary Europe do. do. W. Indies Europe Europe do.	Med.	h h h h h h h h h h h	
atrorubens Jacq. barbatus L. carthusianorum I. caryophyllus L. chinensis I collinus Wald. deltoides Is. plumarius L. superbus L. DICHONDRA sericea Swz. DICTAMNUS albus L. DIGITALIS latea L. purpurea I. z. alba DIONÆA muscipula L. DIOSCOREA	purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night scented or fringed DICHONDRA silvery FRAXINELLA common DIGITALIS or Fox-glove yellow purple or common white VENUS'S FLY TRAP sensitive YAM winged stem'd	do. do. Europe China Hungary Europe do. do. W. Indies Europe do. Carolina	Med. Med.	h h h h h h h h h h h h	
atrorubens Jacq. barbatus L. carthusianorum I. caryophyllus L. chinensis I collinus Wald. deltoides L. plumarius L. superbus L. DICHONDRA sericea Swz. DICTAMNUS albus L. DIGITALIS lutea L. purpurea L. z. alba DIONÆA muscipula L. DIOSCOREA alata i sativa J villosa L.	purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night scented or fringed DICHONDRA silvery FRAXINELLA common DIGITALIS or Fox-glove yellow purple or common white VENUS'S FLY TRAP sensitive YAM winged stem'd cultivated	do. do. do. Europe China Hungary Europe do. do. W. Indies Europe do. Carolina E. Indies do.	Med.	h h h h h h h h h h h h h h	PP Pb PP Pb PP Pp
atrorubens Jacq. barbatus L. carthusianorum I. caryophyllus L. chinensis I collinus Wald. deltoides L. plumarius L. superbus L. DICHONDRA sericea Swz. DICTAMNUS albus L. DIGITALIS lutea L. purpurea L. z. alba DIONÆA muscipula L. DIOSCOREA alata i sativa J villosa L.	purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night scented or fringed DICHONDRA silvery FRAXINELLA common DIGITALIS or Fox-glove yellow purple or common white VENUS'S FLY TRAP sensitive YAM winged stem'd	do. do. do. Europe China Hungary Europe do. do. W. Indies Europe do. Carolina E. Indies	Med. Med.	h h h h h h h h h h h h	
atrorubens Jacq. barbatus L. carthusianorum I. caryophyllus L. chinensis I collinus Wald. deltoides I plumerius L. Superbus L. DICHONDRA sericea Swz. DICTAMNUS albus L. DIGITALIS lutea L. purpurea I. z. alba DIONÆA muscipula L. DIOSCOREA alata I sativa J villosa I purpuculata Mich. S	purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night scented or fringed DICHONDRA silvery FRAXINELLA common DIGITALIS or Fox-glove yellow purple or common white VENUS'S FLY TRAP sensitive YAM winged stem'd cultivated	do. do. do. Europe China Hungary Europe do. do. W. Indies Europe do. Carolina E. Indies do.	Med. Med.	h h h h h h h h h h h h h h	PP Pb PP Pb PP Pp
atrorubens Jacq. barbatus L. carthusianorum I. caryophyllus L. chinensis I collinus Wald. deltoides L. plumarius L. superbus L. DICHONDRA sericea Swz. DICTAMNUS albus L. DIGITALIS lutea L. purpurea L. z. alba DIONÆA muscipula L. DIOSCOREA alata i sativa J villosa L.	purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night scented or fringed DICHONDRA silvery FRAXINELLA common DIGITALIS or Fox-glove yellow purple or common white VENUS'S FLY TRAP sensitive YAM winged stem'd cultivated American	do. do. do. Europe China Hungary Europe do. do. W. Indies Europe do. Carolina E. Indies do.	Med. Med. Dict	hhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhh	PP Pb PP Pb PP Pp
atrorubens Jacq. barbatus L. carthusianorum I. caryophyllus L. chinensis L. collinus Wall. deltoides L. plumarius L. superbus L. DIGHONDRA sericea Swz. DICTAMNUS albus L. DIGHTALIS lutea L. purpurea L. z. alba DIONÆA muscipula L. DIOSCOREA alata J. sativa J. villosa L. pmiculata Mich. S DIOSMA	purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night scented or fringed DICHONDRA silvery FRAXINELLA common DIGITALIS or Fox-glove yellow purple or common white VENUS'S FLY TRAP sensitive YAM winged stem'd cultivated American DIOSMA	do. do. do. Europe China Hungary Europe do. do. W. Indies Europe Europe do. Carolina E. Indies do. N. Amer.	Med. Med. Dict	h h h h h h h h h h h h h h	PPPb PPb PPb PPP
atrorubens Jacq. barbatus L. carthusianorum I. caryophyllus L. chinensis I collinus Wald. deltoides Is. plumarius L. superbus L. DICHONDRA sericea Swz. DICTAMNUS albus L. DIGITALIS lutea L. purpurea I z. alba DIONÆA muscipula L. DIOSCOREA alata J sativa J villosa L. priniculata Mich. S DIOSMA ericoides L.	purplish Sweet William Carthusian Carnation or garden Chinese Hungarian maiden feathered night seented or fringed DICHONDRA silvery FRAXINELLA common DIGITALIS or Fox-glove yellow purple or common white VENUS'S FLY TRAP sensitive YAM winged stem'd cultivated American DIOSMA heath leaved	do. do. do. Europe China Hungary Europe do. do. W. Indies Europe Europe do. Carolina E. Indies do. N. Amer.	Med.  Med.  Dict:	h h h h h h h h h h h h h h h h h h h	PPPb PPb PPb PPP

-	LOIL OF BEGINEION	••			21
DIPSACUS	TEASEL				
fullopen. L.	fullers	Europe	Arts	h	b
lacmiatu: L.	wild	N. Amer.		h	b
DIPTERIX	TONKA BEAN				
odoruta Willd.  Bary osma tonga Gæri	& sweet scented	S. Amer.	Med.	h.h	t
DIRCA	LEATHER WOOD				
pulustris L.	marsh-Noose Wood	N. Amer.	Med	h	6
DODONÆA	DODONÆA	21.121001.	MEG.		
angustirolia L.	narrow leaved	B. Indies		g.h	8
triquetra IF end.	three sided	N. Holl.		g.h	8
DOLICHOS	DOLICHOS .			•	
biflorus L.	two flowered	E. Indies		h	1
capensis L.	cape	C. G. H.		h	
ensiformis L.	sword	W. Indies		h	2
lablab L.	purple flowered	Egypt		h	
pruriens L.	l Combana	TO T - 31	37.1		
Stizolobium pruriens Pers.	Cowhage	B. Indies	Med.	h.h	
sesquipedalis L.		S. Amer.		h	
sinensis L.	long podded Chinese	E. Indies		h	2 2
DOMBEYA	DOMBEYA	D. Indice		11	-
ferruginea Cav.	ferrugineous	E. Indies		h.h	ŧ
DORONICUM	LEOPARD'S BANE	25. 2114.45		M-11	·
glutinosum Willd.	)				
Aster glutinosus Cav.	} glutinous	Mexico		g.h	P
Inula glutinosa Pers.	<b>)</b> -			•	•
DORSTENIA	DORSTENIA			•	
contrajerva L.	angular—Contrajerva	S. Amer.	Med.	h.h	P
DORYCNIUM	DORYCNIUM				_
monspeliense Willd.	about box				
fruticans Pers.	> shrubby	S. Europe		g.h	
Lotus dorycnium L. DRABA	WHITLOW GRASS				
verna L.	apring	N. Amer.		h	
DRACOCEPHALUM	DRAGON'S HEAD	M. Amer.		п	
canariense L.	Balm of Gilead	Can. Isl.	Med.	~ h	
moldavica L.	Moldavian balm	Siberia	Med.	h h	•
sibiricum L.	Sihirian	do.		Ä	p
DROSERA	SUN DEW or Rosa solis			_	•
retundifolia L.	round leaved	N. Amer.	Med.	h	2
ECHIUM	VIPER'S BUGLOSS				
candicans L.	hoary	<b>M</b> adeira		g.h	
strictum L.	upright	Teneriffe		g.h	8
vuigare L.	COLIMON	N. Amer.		þ	Ъ
ECLIPTA	ECLIPTA	D T . 1'			
ELEPHANTOPUS	upright ELEPHANT'S FOOT	B. Indies	Arts	h	2
carolinianus Willd.					
scaber Mich.	Carolinian	N. Amer.	Med.	h	P
BLSHOLTZIA	ELSHOLTZIA				_
cristata Willd.					
Hyssopus ocymifolia	crested	C:1			
Lmk.	crested	Siberia		Ь	2
Mentha ovata Cav.	J				
BLYMUS	LYME GRASS	_			
arenarius L.	sand	Europe		h	P
canadensis L.	Canadian	N. Amer.		þ	P
striatus L.	striated Vincinian	do.		'n	P
virginicus L. EPIGÆA	Virginian EPIGÆA	do.		h	P
repens L.	creeping—Pigeon berry	N. Amer.		<b>L</b>	_
EPILOBIUM	WILLOW HERB	74. Tringl.		h	
angustifolium L.	narrow leaved	N. Amer.		h	Þ
•	7				¥

-				
spicatum <i>Lmk</i> . pubescens <i>Roth</i> .	narrow leaved	N. Amer.	h	P
villosum Ait. molle Lmk.	soft leaved	Europe	h	P
tetragonum L. ERICA	square stalked HEATH	N. Amer.	h	P
arborea L.	tree	Madeira	g.h	8
australis L.	Spanish	S. Europe	g.h	5
herbacea L.	early dwarf	da.	g.h	8
mediterranea L.	Mediterranean	do.	g.h	5
scoparia L.	small flowering	do.	g.h	8
tetralix L.	cross leaved	Europe	h	8
stricta Donn.	unrielit	Corsica	g.h	
triflora L.	three flowered	C. G. H.	g.h	3
tubiflora L.	tubular	do.	g.h	8
Vagans L.	Cornish	Europe	g.h	8
vulgaris L.	common	do.	g.h	8
v. flore pleno			-	
ERIGERÓN	ERIGERON or Flea Bu	ne		
canadense L.	common field	N. Amer. Med.		a
heterophyllum Muhl.	different leaved	do.	h	2
philadelphicum L.	spreading	do.	h	a
strigosum . Muhl.	harsh	do.	h	
ERIOPHORUM	COTTON GRASS—Woo	ol grass.		
cyperinum L.				
Scirpus eriophorum		•• •		
Wich. >	tall	N. Amer.	Ъ	•
Trichophorum cype-				
polystachyon L.	common	do.	h	•
ERODIUM .lit.	HERON'S BILL GERA	MILIM		
GERANIUM Auct. 5				
ciconium Willd.	hairy	S. Europe	h	a
cicutarium Sm.	hemlock leaved	Europe	h	2
moschatum .lit.	musk smelling	do.	h	2
ERVUM	TARE			
lens L.	common '	Europe Med		2
tetraspermum L.	four seeded	do.	þ	2
ERYNGIUM	ERYNGO	N 4 Nr1	2.	_
aquaticum L.	water broad leaved	N. Amer. Med	. h h	P
dilatatum <i>Lmk</i> .	flat leaved	Europe do.	n h	Þ
		S. Europe		þ
suaveolens Brons. yuccifolium Mich.	sweet scented vucca leaved	N. Amer.	g.h h	
ERYSIMUM	HEDGE MUSTARD	A. Miller.	11	P
barbarea L.	winter cress	Europe Med	. h	
officinale L.	common	N. Amer. Med		P
ERYTHRINA	CORAL TREE	11.11.11.11. 1.11.0		-
corallouendron L.	common	S. Amer.	$\mathbf{h}.\mathbf{h}$	t
crista galli L. 2				•
laurifolia Jacq.	eockscom b	do.	h.h	8
herbacea L.	herbaccous	Carolina Med.	g.h	p
ERYTHRONIUM	DOG'S TOOTH VIOLE		P	1,
dens canis L.	common	N. Amer.	h.	P
EUCALYPTUS	EUCALYPTUS		•	r.
robusta Sm.	oval leaved	N. Holl.	g.h	t
EUCOMIS	CROWN ASPHODEL	==	S	-
punetata l'Her.	spotted	C. G. H.	g.h	p
EUGENIA	EUGENIA	- · · · · - • •	o	T.
	(Malabar plumb—Pome	E. Indies Mcd. 8	k g.h	s
jambos L.	{ rose	Diet	٠	
uniflora	Indian cherry tree		g.h	t
EUONYMUS	SPINDLE TREE		-	
americanus I	American	N. Amer.	h	5

	HORTUS ELGINENSIS	3.			23
enropæus L. EUPATORIUM	European EUPA FORIUM	Europe	Arts	h	
ageratoides Willd. 3 urticifolium Willd. 3	nettle leaved	N. Amer.		h	P
Mioininicam is.	aromatic	do.		h	P
coronopifolium Willd. Chrysocoma coronopi folia Mich	coronopus leaved	do.		h	P
fæniculaceum Willd. Chrysocoma capillace Mich.	dog's fennel	do.		h	Þ
maculatum L.	sported stalked	do.		h	P
perfoliatum_L.	bone-sett-Ti orough-wor		Med.	h	P
pupureum L.	purple stalked	do.		h	P
sessilifolium L.	sessile leaved	φo.		þ	P
tencrifolium Willd.	germander leaved	do.		h	P
tritoiistam L.	three leaved	do.		ļh	P
verticillatum Muld.	whorled	do.		h	P
EUPHORBIA	SPURGE	37			
chamasyes L.	small	Europe		h	2
characias L.	cypress	do.	Med.	h	P
cyparissias L.	willow leaved	S. Europe		g.h	8
hypericifolia L.	St. John's wort leaved	W. Indies		h	2
lathyris L.	caper	Europe	Med.	ņ	ь
maculata L.	spetted	N. Amer.		þ	2
peplus L.	petty	do.		'n	2
polygonifolia L.	polygonum leaved	do.		h	
punicea <i>Jacq</i> . spinosa L.	scarlet	W. Indies		g.h	8
verrucosa L.	thorny warted	S. Europe do.		g.h	8
FAGUS	BEACH	uo.		g.h	Ъ
ferragines Ait.	common American	N. Amer.	Arts	h	t
FERRARIA	FERRARIA				
maculata L. 3	spotted	C. G. H.		g.h	P
FESTUCA	FESCUE GRASS				
bromoide <b>s</b>	brome	Europe	Agr.	h	P
clatior L.	tall meadow	do.	Agr.	h	P
fluitans L.	floating	do.	Agr.	h	P
loliacen Sm. elongata Ehrt.	long spiked	do.	Agr.	h	P
monostachya Desf.	one spiked	Barbary		h	P
myurus L.	wall	Europe	Agr.	þ	P
oving L.	sheeps	do.	Agr.	h	P
poæformis Pers.	spreading	do.	Agr.	h	P
rubra L.	meadow	do.	Agr.	h	P
spadicea L.	sheathed	do.	Agr.	h	2
tenuifolia Leers.	fine leaved FIG TREE	do.	Agr.	h	
carica L.	common	S. Europe	Med. & Diet	g.h	t
stipulata Thunb.	emosping	E. Indies	Dies	1. L	_
stipulata Thunb.	creeping	L. Huies	Dict	11. D	3
FOTHERGILLA	FOTHERGILLA				
alnifolia L.	alder leaved	N. Amer.		h	t
FRAGARIA	STRAWBERRY				
chiloensis Ehrt.	Chili	S. Amer.	Diet	h	P
elation Ehrt.	hautboy	do.	Diet	h	P
grandiflora Ehrt.	pine-apple	_ do.	Diet	h	p
vesca L.	common garden	Europe	Diet	h	P
v. alpina	menthly	NT 4	<b>D</b> .		
virginiana <i>El.vt.</i>	wild	N. Amer.	Diet	h	r

FRAXINUS	ASH				
excelsion L.	European	Europe	Arts	h	t
platycarpa Mich.	Carolinian	N. Amer.	Arts	ĥ	ť
sambucifolia Muhl.	black or water	do.	Arts	ĥ	į
FRITILLARIA	FRITILLARY	40.		••	٠
		Persia		h	•
imperialis L.	Crown Imperial				P
meleagris L.	comizon	do.		h	P
persica L.	Persian 7	Europe		h	P
FUCHSIA	FUCHSIA or Ear drop				
coccines Ait. 3	scarlet	Chili		g.b	
magellanica Lmk.		<b></b>		9	•
FUMARIA	FUMITORY				
glauca <i>Curt</i> .	1				
sempervirens L.		NT A			_
Cory dalis sempervirens	> glaucous	N. Amer.		þ	2
Mich.					
officinalis L.	common	Europe	Med.	h	2
GALACTIA	GALACTIA	mar ope	22001		_
glabella Mich.	UNLACTER				
giabella JVIICII.	{ smooth	N. Amer.		h	P
Ervum volubile Walt.	ONOW DROP				-
GALANTHUS	SNOW DROP	-			
nivalis L.	common	Europe		P	P
v. flore pleno GALAX	double flowered				
GALAX -	GALAX				
aphylla L.	1				
Erythroriza rotundifo-					
lia Mich.	1				
Solanandra cordifolia	heart leaved	N. Amer.		h	D
Pers.	Carpenter's leaf	211. 22.22.01.		-4	Þ
	1				
Blandfordia cordata	İ				
Donn.	,				
GALINSOGEA	GALINSOGEA				
trilohata Cav.	three lobed	Peru		h	2
trilohata Cav. GALIUM	three lobed LADIES' BED STRAY	V		h	2
trilohata Cav. GALIUM	three lobed	V N. Amer.		h h	_
trilohata Cav.	three lobed LADIES' BED STRAY	N. Amer. do.		_	P
trilohata Cav. GALIUM asprellum Mich. cirewzans Mich.	three lobed LADIES' BED STRAY rough	V N. Amer.		h	P P
trilohata Cav. GALIUM asprellum Mich. circæzans Mich. claytoni Mich.	three lobed LADIES' BED STRAY rough branching	N. Amer. do.		h h	P P P
trilohata Cuv. GALIUM asprellum Mich. eirezzans Mich. elaytoni Mich. puneticulosum Mich.	three lobed LADIES' BED STRAY rough branching Claytons dotted	N. Amer. do. do.	Arts	h h h	P P P
trilohata Cav. GALIUM asprellum Mich. circæzans Mich. claytoni Mich. puncticulosum Mich. tinetorium L.	three lobed LADIES' BED STRAY rough branching Claytons dotted dyers	V N. Amer. do. do. do. do.	Arts	h h h h	P P P P
trilohata Cav. GALIUM asprellum Mich. circezzans Mich. claytoni Mich. puncticulosum Mich. tinetorium L. trifidum L.	three lobed LADIES' BED STRAY rough branching Claytons dotted dyers three cleft	N. Amer. do. do. do.	Arts	h h h	P P P
trilohata Cav. GALIUM asprellum Mich. cirewzans Mich. claytoni Mich. puneticulosum Mich. tinetorium L. trifidum L. GARDENIA	three lobed LADIES' BED STRAY rough branching Claytons dotted dyers three cleft CAPE JASMINE	N. Amer. do. do. do. do. do. do.	Arts	h h h h	P P P P P
trilohata Cav. GALIUM asprellum Mich. circæzans Mich. claytoni Mich. puncticulosum Mich. tinetorium L. trifidum L. GARDENIA florida L.	three lobed LADIES' BED STRAY rough branching Claytons dotted dyers three cleft CAPE JASMINE white	V N. Amer. do. do. do. do. do. C. G. H.	Arts	h h h h h	P P P P P
trilohata Cav. GALIUM asprellum Mich. cirewzans Mich. claytoni Mich. puncticulosum Mich. tinetorium L. trifidum L. GARDENIA florida L. thunbergia Ait.	three lobed LADIES' BED STRAY rough branching Claytons dotted dyers three cleft CAPE JASMINE white starry	N. Amer. do. do. do. do. do. do.	Arts	h h h h	P P P P P
trilohata Cav. GALIUM asprellum Mich. circæzans Mich. claytoni Mich. puncticulosum Mich. tinetorium L. trifidum L. GARDENIA florida L.	three lobed LADIES' BED STRAY rough branching Claytons dotted dyers three cleft CAPE JASMINE white starry MOUNTAIN TEA	V N. Amer. do. do. do. do. do. do. do.		h h h h h	P P P P P
trilohata Cav. GALIUM asprellum Mich. circezzans Mich. claytoni Mich. puncticulosum Mich. tinctorium L. trifidum L. GARDENIA florida L. thunbergia Ait. GAULTHERIA	three lobed LADIES' BED STRAY rough branching Claytons dotted dyers three cleft CAPE JASMINE white starry MOUNTAIN TEA	V N. Amer. do. do. do. do. do. do. do.		h h h h h g.h	P P P P P
trilohata Cav. GALIUM asprellum Mich. circezzans Mich. claytoni Mich. puncticulosum Mich. tinetorium L. trifidum L. GARDENIA florida L. thunbergia Ait. GAULTHERIA procumbens L.	three lobed LADIES' BED STRAY rough branching Claytons dotted dyers three cleft CAPE JASMINE white starry MOUNTAIN TEA procumbent—Patridge berry	V N. Amer. do. do. do. do. do. do. do.		h h h h h	P P P P P
trilohata Cav. GALIUM asprellum Mich. circezzans Mich. claytoni Mich. puncticulosum Mich. tinctorium L. trifidum L. GARDENIA florida L. thunbergia Ait. GAULTHERIA	three lobed LADIES' BED STRAY rough branching Claytons dotted dyers three cleft CAPE JASMINE white starry MOUNTAIN TEA 5 procumbent—Patridge berry GAURA	N. Amer. do. do. do. do. do. do. S. Amer.		h h h h h g.h	P P P P P
trilohata Cav. GALIUM asprellum Mich. circazans Mich. claytoni Mich. puncticulosum Mich. tinctorium L. trifidum L. GARDENIA florida L. thunbergia Ait. GAUTHERIA procumbens L. GAURA biennis	three lobed LADIES' BED STRAY rough branching Claytons dotted dyers three cleft CAPE JASMINE white starry MOUNTAIN TEA { procumbent—Patridge berry GAURA biennial	V N. Amer. do. do. do. do. do. do. do.		h h h h h g.h	P P P P P
trilohata Cav. GALIUM asprellum Mich. circezzans Mich. claytoni Mich. puncticulosum Mich. tinetorium L. trifidum L. GARDENIA florida L. thunbergia Ait. GAULTHERIA procumbens L. GAURA	three lobed LADIES' BED STRAY rough branching Claytons dotted dyers three cleft CAPE JASMINE white starry MOUNTAIN TEA 5 procumbent—Patridge berry GAURA	N. Amer. do. do. do. do. do. do. S. Amer.		h h h h h h h h h	P P P P P S S
trilohata Cav. GALIUM asprellum Mich. circazans Mich. claytoni Mich. puncticulosum Mich. tinctorium L. trifidum L. GARDENIA florida L. thunbergia Ait. GAUTHERIA procumbens L. GAURA biennis	three lobed LADIES' BED STRAY rough branching Claytons dotted dyers three cleft CAPE JASMINE white starry MOUNTAIN TEA procumbent—Patridge berry GAURA biennial GENISTA	N. Amer. do. do. do. do. do. do. N. Amer.		h h h h h h h h h h	P P P P P S S
trilohata Cav. GALIUM asprellum Mich. cirewzans Mich. claytoni Mich. puncticulosum Mich. tinetorium L. trifidam L. GARDENIA florida L. thunbergia Ait. GAULTHERIA procumbens L. GAURA biennis GENISTA	three lobed LADIES' BED STRAY rough branching Claytons dotted dyers three cleft CAPE JASMINE white starry MOUNTAIN TEA { procumbent—Patridge} berry GAURA biennial GENISTA Canary	N. Amer. do. do. do. do. do. do. N. Amer. N. Amer.		h h h h h h h h h h h h h s h g h g h	P P P P P P P P P P P P P P P P P P P
trilohata Cav. GALIUM asprellum Mich. circezzans Mich. claytoni Mich. puncticulosum Mich. tinetorium L. trifidum L. GARDENIA florida L. thunbergia Ait. GAULTHERIA procumbens L. GAURA biennis GENISTA canariensis L. candicans L.	three lobed LADIES' BED STRAY rough branching Claytons dotted dyers three cleft CAPE JASMINE white starry MOUNTAIN TEA procumbent—Patridge berry GAURA biennial GENISTA	N. Amer. do. do. do. do. do. do. N. Amer.		h h h h h h h h h h	P P P P P S S
trilohata Cav. GALIUM asprellum Mich. circæzans Mich. claytoni Mich. puncticulosum Mich. tinetorium L. trifidum L. GARDENIA florida L. thunbergia Ait. GAULTHERIA procumbens L. GAURA biennis GENISTA canariensis L. candicans L. decumbens Willd.	three lobed LADIES' BED STRAY rough branching Claytons dotted dyers three cleft CAPE JASMINE white starry MOUNTAIN TEA procumbent—Patridge berry GAURA biennial GENISTA Canary evergreen Cytisus	N. Amer. do. do. do. do. do. do. N. Amer. N. Amer. Can. Isl. S. Europe		h h h h h h h h h h g h g h h h	P P P P S S S S
trilohata Cav. GALIUM asprellum Mich. circezzans Mich. claytoni Mich. puncticulosum Mich. tinetorium L. trifidum L. GARDENIA florida L. thunbergia Ait. GAULTHERIA procumbens L. GAURA biennis GENISTA canariensis L. candicans L. decumbens Willd. Spartium decumbens	three lobed LADIES' BED STRAY rough branching Claytons dotted dyers three cleft CAPE JASMINE white starry MOUNTAIN TEA procumbent—Patridge berry GAURA biennial GENISTA Canary evergreen Cytisus decumbent	N. Amer. do. do. do. do. do. do. N. Amer. N. Amer.		h h h h h h h h h h h h h s h g h g h	P P P P P P P P P P P P P P P P P P P
trilohata Cav. GALIUM asprellum Mich. circezzans Mich. claytoni Mich. puncticulosum Mich. tinetorium L. trifidum L. GARDENIA florida L. thunbergia Ait. GAULTHERIA procumbens L. GAURA biennis GENISTA canariensis L. candicans L. decumbens Willd. Spartium decumbens Ait.	three lobed LADIES' BED STRAY rough branching Claytons dotted dyers three cleft CAPE JASMINE white starry MOUNTAIN TEA 5 procumbent—Patridge berry GAURA biennial GENISTA Canary evergreen Cytisus decumbent	N. Amer. do. do. do. do. do. V. G. H. do. N. Amer. N. Amer. S. Europe do.	Med.	h h h h h h h g.h g.h g.h g.h	PPPPPPPS s s s s
trilohata Cav. GALIUM asprellum Mich. circzzans Mich. claytoni Mich. puncticulosum Mich. tinetorium L. trifidam L. GARDENIA florida L. thunbergia Ait. GAULTHERIA procumbens L. GAURA biennis GENISTA canariensis L. candicans L. decumbens Willd. Spartium decumbens Ait. tinetoria L.	three lobed LADIES' BED STRAY rough branching Claytons dotted dyers three cleft CAPE JASMINE white starry MOUNTAIN TEA procumbent—Patridge berry GAURA biennial GENISTA Canary evergreen Cytisus decumbent dyers	N. Amer. do. do. do. do. do. do. N. Amer. N. Amer. Can. Isl. S. Europe		h h h h h h h h h h g h g h h h	P P P P S S S S
trilohata Cav. GALIUM asprellum Mich. circezzans Mich. claytoni Mich. puneticulosum Mich. tinetorium L. trifidum L. GARDENIA florida L. thunbergia Ait. GAULTHERIA procumbens L. GAURA biennis GENISTA canariensis L. candicans L. decumbens Willd. Spartium decumbens linetoria L. GENTIANA	three lobed LADIES' BED STRAY rough branching Claytons dotted dyers three cleft CAPE JASMINE white starry MOUNTAIN TEA procumbent—Patridge berry GAURA biennial GENISTA Canary evergreen Cytisus decumbent dyers GENTIAN	N. Amer. do. do. do. do. do. do. N. Amer. N. Amer. S. Europe do. Europe	Med.	h h h h h h h h h h h h h h h h h h h	PPPPPPPPPS s s s s s
trilohata Cav. GALIUM asprellum Mich. circezzans Mich. claytoni Mich. puncticulosum Mich. tinetorium L. trifidum L. GARDENIA florida L. thunbergia Ait. GAULTHERIA procumbens L. GAURA biennis GENISTA canariensis L. candicans L. decumbens Willd. Spartium decumbens Ait. GENTIANA crinita Froel.	three lobed LADIES' BED STRAY rough branching Claytons dotted dyers three cleft CAPE JASMINE white starry MOUNTAIN TEA procumbent—Patridge berry GAURA biennial GENISTA Canary evergreen Cytisus  decumbent dyers GENTIAN fringed	N. Amer. do. do. do. do. do. N. Amer. N. Amer. Can. Isl. S. Europe do. Europe N. Amer.	Med.	hhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhh	PPPPPPPS s s s s
trilohata Cav. GALIUM asprellum Mich. circzzans Mich. claytoni Mich. puncticulosum Mich. tinetorium L. trifidam L. GARDENIA florida L. thunbergia Ait. GAULTHERIA procumbens L. GAURA biennis GENISTA canariensis L. candicans L. decumbens Willd. Spartium decumbens tinetoria L. GENTIANA crinita Froel. saponaria L.	three lobed LADIES' BED STRAY rough branching Claytons dotted dyers three cleft CAPE JASMINE white starry MOUNTAIN TEA c procumbent—Patridge berry GAURA biennial GENISTA Canary evergreen Cytisus  decumbent dyers GENTIAN fringed soap wort leaved	N. Amer. do. do. do. do. do. S. H. do. N. Amer. N. Amer. Can. Isl. S. Europe do. Europe N. Amer. do.	Med.	h h h h h h h h h h h h h h h h h h h	PPPPPPPPPS s s s s s
trilohata Cav. GALIUM asprellum Mich. circezzans Mich. claytoni Mich. puneticulosum Mich. tinetorium L. trifidum L. GARDENIA florida L. thunbergia Ait. GAULTHERIA procumbens L. GAURA biennis GENISTA canariensis L. candicans L. decumbens Willd. Spartium decumbens Ait. GENTIANA crinita Froel. saponaria L. GERANIUM	three lobed LADIES' BED STRAY rough branching Claytons dotted dyers three cleft CAPE JASMINE white starry MOUNTAIN TEA procumbent—Patridge berry GAURA biennial GENISTA Canary evergreen Cytisus decumbent dyers GENTIAN fringed soap wort leaved CRANE'S BILL GERA	N. Amer. do. do. do. do. do. N. Amer. N. Amer. S. Europe do. Europe N. Amer. do. N. Amer.	Med.	hhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhh	P P P P P P P P P P P P P P P P P P P
trilohata Cav. GALIUM asprellum Mich. circezzans Mich. claytoni Mich. puncticulosum Mich. tinetorium L. trifidum L. GARDENIA florida L. thunbergia Ait. GAULTHERIA procumbens L. GAURA biennis GENISTA canariensis L. candicans L. decumbens Willd. Spartium decumbens linetoria L. GENTIANA crinita Froel. saponaria L. GERANIUM carolinianum L.	three lobed LADIES' BED STRAY rough branching Claytons dotted dyers three cleft CAPE JASMINE white starry MOUNTAIN TEA procumbent—Patridge berry GAURA biennial GENISTA Canary evergreen Cytisus decumbent dyers GENTIAN fringed soap wort leaved CRANE'S BILL GERA Carolina	N. Amer. do. do. do. do. do. S. H. do. N. Amer. N. Amer. Can. Isl. S. Europe do. Europe N. Amer. do.	Med.	hhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhh	P P P P P P P P P P P P P P P P P P P
trilohata Cav. GALIUM asprellum Mich. circezzans Mich. claytoni Mich. puncticulosum Mich. tinetorium L. trifidum L. GARDENIA florida L. thunbergia Ait. GAULTHERIA procumbens L. GAURA biennis GENISTA canariensis L. candicans L. decumbens Willd. Spartium decumbens Ait. GENTIANA crinita Froel. saponaria L. GERANIUM carolinianum L. columbinum L.	three lobed LADIES' BED STRAY rough branching Claytons dotted dyers three cleft CAPE JASMINE white starry MOUNTAIN TEA 5 procumbent—Patridge 6 berry GAURA biennial GENISTA Canary evergreen Cytisus  decumbent dyers GENTIAN fringed soap wort leaved CRANE'S BILL GERA Carolina long stalked	N. Amer. do. do. do. do. do. N. Amer. N. Amer. S. Europe do. Europe N. Amer. do. N. Amer.	Med.	h h h h h h h h h h h h h h h h h h h	PPPPPPPS s s b s s s b P
trilohata Cav. GALIUM asprellum Mich. circezzans Mich. claytoni Mich. puncticulosum Mich. tinetorium L. trifidum L. GARDENIA florida L. thunbergia Ait. GAULTHERIA procumbens L. GAURA biennis GENISTA canariensis L. candicans L. decumbens Willd. Spartium decumbens linetoria L. GENTIANA crinita Froel. saponaria L. GERANIUM carolinianum L.	three lobed LADIES' BED STRAY rough branching Claytons dotted dyers three cleft CAPE JASMINE white starry MOUNTAIN TEA 5 procumbent—Patridge 6 berry GAURA biennial GENISTA Canary evergreen Cytisus  decumbent dyers GENTIAN fringed soap wort leaved CRANE'S BILL GERA Carolina long stalked	N. Amer. do. do. do. do. do. C. G. H. do.  N. Amer.  N. Amer. Can. Isl. S. Europe do. Europe N. Amer. do. NIUM N. Amer. Europe	Med.	hhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhhh	PPPPP sa s b s s s b P a a
trilohata Cav. GALIUM asprellum Mich. circezzans Mich. claytoni Mich. puncticulosum Mich. tinetorium L. trifidum L. GARDENIA florida L. thunbergia Ait. GAULTHERIA procumbens L. GAURA biennis GENISTA canariensis L. candicans L. decumbens Willd. Spartium decumbens Ait. GENTIANA crinita Froel. saponaria L. GERANIUM carolinianum L. columbinum L.	three lobed LADIES' BED STRAY rough branching Claytons dotted dyers three cleft CAPE JASMINE white starry MOUNTAIN TEA procumbent—Patridge berry GAURA biennial GENISTA Canary evergreen Cytisus decumbent dyers GENTIAN fringed soap wort leaved CRANE'S BILL GERA Carolina	N. Amer. do. do. do. do. do. do. N. Amer. N. Amer. Can. Isl. S. Europe do. Europe N. Amer. do. N. Amer.	Med.	hhhhhhh ghh hh h shh hhhhhhhhhhhhhhhhhh	PPPPPPS SUPS SUPPA

	HORTUS ELGINENS	SIS.		ŧ.
sanguincum L.	bloody	Europe	b	P
v. prostratum	creeping	-		•
sylvaticum L. GERARDIA	Wood	do.	h	P
crinita ——	GERARDIA fringed	N. Amer.	h	
flava L.	yellow	do.	'n	P
glauca	glaucous	do.	Ä	p
pedicularia L.	louse wort leaved	do.	h	è
purpurea L.	purple	do.	h	2
tenuifolia Vahl. 3 erecta Walt. 3	fine leaved	do.	h	2
GEUM	AVENS or Herb Benn	net		
rivale L.	water	N. Amer. Med	1. h	P
strictum Ait.	upright	do. Me	1. h	_
aleppicum Jacq.				P
virginianum L. GLADIOLUS	virginianum CORN FLAG	do.	łı	P
carneus Jacq.	flesh coloured	C. G. H.	g.h	P
communis L.	common	S. Europe	S'ii	P
securiger Ait.	copper coloured	C. G. H.	g.h	P
tristis L.	square stalked	do.	g.h	P
GLECHOMA hederacea L.	GROUND IVY	N. Amer. Med		_
GLEDITSIA	GLEDITSIA	M. Amer. Mee	l. h	P
sinensis Lmk.	Chinese	China Art	g.L	ŧ
triacanthos L.	three thorned Acacia	N. Amer. Arts	b .	ť
v. inermis	amooth do.			
GLORIOSA	SUPERB LILY			١
superba L.  Methonica superba H. I	p { climbing	E. Indies	. <b>h.h</b>	P
GLYCINE	GLYCINE	• •		_
angulosa Muhl.	angular	N. Amer.	h	3
apios L.	tuberous	do.	h	P
bimaculata Curt. Kennedia monophylla Pers.		N. Holl.	g.h	8
caribæa Jacq.	hairy podded	W. Indies	h.h	\$
Kennedia coccinea	scarlet flowered	N. Holl.	g.h	9
eomosa L.	hairy	N. Amer.	h	3
frutescens L.	shrubb <b>y</b>	do.	h	3
monoica L. rubicunda <i>Curt.</i>	monæcious	do.	h	2
Kennedia rubicunda Pers.	red flowered	N. Holl.	g.h	6
GLYCYRRHIZA	LIQUORICE			
glabra L.	common	Europe Med	. h	P
GNAPHALIUM	CUDWEED—Life Eve			
margaritaceum L. obtusifolium L.	pearly	N. Amer.	h	P
polycephalum Mich.	obtuse leaved	do.	h	P
conoideum Lmk.	330003 002 02		••	P
plantaginifolium L.	plantain leaved	do. Med	. h	P
purpureum L.	purple	do.	h	P
stœchas L. uliginosum L.	narrow leaved marsh	S. Europe N. Amer.	g.h	5
GOMPHRENA	GLOBE AMARANTH		h	2
globosa L.	garden	E. Indies	ь	2
GÖODENIA	GÖODENIA		_	-
lævigata Curt.	smooth	N. Holl.	<b>3</b> .h	5
Sewyola lævigata Pers.	)	== =	a	_

â

GORDONIA .	GORDONIA			
franklini <i>l'Her.</i> Franklinia alatamaha Bartr.	Franklin's	N. Amer.	h	5
lasianthus L. GOSSYPIUM	loblotly bay COTTON	do.	h	8
herbaceum L. religiosum L.	common Nankin	B. Indies Arts E. Indies Arts		a 5
GRATIOLA anagallidea Mich.	HEDGE HYSSOP chickweed leaved	N. Amer.	h	2
officinalis L. v. caroliniensis Pers.	common	do.	h	2
GREWIA occidentalis L.	GREWIA elm leaved	C. G. H.	g.h	t
orientalis L. GUETTARDA	eastern GUE I TARDA	E. Indies	h.h	t
speciosa L.	shewy	E. Indies	h.h	t
GUILANDINA bondue L	BONDUC or Nicker tr	E. Indies Diet	h.h	t
GYMNOCLADUS canadensis Mich. 2	GYMNOCLADUS	N. Amer. Die	t h	t
Guilandina dioica L. S	'Kentucky coffee trec GYPSOPHYLLA	N.Amer. Die		•
perfoliata L.	perfoliate elammy	Europe do.	h h	p a
viscosu L. HALESIA	SNOW DROP TREE	or Silver Bell	_	-
tetraptera L. HALORAGIS	four winged HALORAGIS	Carolina	h	<b>5</b> .
cercodia Ait. tetragonia l'Her.	whorl leaved	·.	_	
alata Jacq.	wing seeded	S. Sea Isl.	g.h	\$
Tetragonia ivæfolia L. HAMAMELIS	WITCH HAZEL		_	
virginica L. HAMILTONIA	common HAMILTONIA	N. Amer.	h	
oleifera Muh!. Pyrularia pubera Mic HEDERA	h.} American oil nut	N. Amer.	h	8
IIIIDDIALE		Europe Me	d. h	
helix L. HEDYCHIUM	HEDYCHIUM	11410/10 1120		
coronarium Retz. HEDYSARUM	crowned . HEDYSARUM	E. Indies	h.h	Þ
canadense L.	Canadian hoarv	N. Amer.	h h	P P
caput galli L.	cock's head	Europe	h	а
coronarium L. gyrans L.	French Honeysuckle moving plant	do. Ar E. Indies	ts h h.h	a b
marilandicum L.	Maryland	N. Amer. do.	h L	P
nudiflorum L. onobrychis L.	naked flowering Saint Foin	Europe Ag	h gr. h	P P
n !! !! :!/		do.	h	P
buxhaumianum Pal. paniculatum I.	panicled	N. Amer.	h	P
saxatile L.	rock	Europe	h L	Þ
viridiflorum L. HELENIUM	green flowered HELENIUM	N. Amer.	h	Þ
autumnale L. HELIANTHUS	smooth SUNFLOWER	N. Amer.	h	Þ
altissimus L.	tall	N. Amer.	þ	p
annuus L.	common	S. Amer. Ag	gr. h h	a
decapetalus L. divaricatus L.	ten petal'd branching	N. Amer. do.	n h	P P
giganteus L.	giant	do.	h	p
tuberosus L.	Jerusalem artichoke	S. Amer. Di	et b	P

MBLICHRYSUM	GOLDEN SUNFLOWER			
chrysanthum Pers. Xeranthemum hrac-	Botany Bay	N. Holl.	g.h	ь
teatum l'ent. J	TUDN COLF			
HELIOTROPIUM	TURN SOLE	N. Amer.	h	2
indicum L peruvianum L	sweet		Arts g.h	8
parviflorum I.,	small flowered	E. Indies	h	2
LELLEBORUS	HOLLKBORE	· .		
tritolius L.	three leaved-Gold thread	N. Amer.	Med. h	Þ
viridis L.	Bi con	Europe I	Med. h	P
HELLENIA	HELLENIA			
allughas Willd. Heritiera allughas Retz.	broad leaved	B. Indies	h.h	P
HEMEROCALLIS	DAY LILY			
cœrulea Vent.	blue	Japan	g.h	p
flava L.	yellow	Europe	p	P
fulva L.	orange	China	h	P
HEMIMERIS	HEMIMERIS			
urticifolia Willd.	} scarlet or nettle leaved	S. Amer.	g.h	
Celsia urticifolia Curt.	HERMANNIA			
HERMANNIA alnifolia L.	alder leaved	C. G. H.	g.h	8
althæfolia L.	marsh mallow leaved	do.	g.h	5
denudata L.	smooth	do.	g.h	8
hirsuta Wend.	hairy	do.	g.ḥ	8
hyssopifolia L.	hyssop leaved	do.	g.h	8
salvifolia L.	sage leaved	do.	g.h	8
scabra Cav.	rough	do.	g.h	
aspera Wend.	ROCKET			
HESPERIS	garden	Europe	Med. h	P
matronalis L. tristis L.	vellow	do.	h	b
HEUCHERA	HEUCHERA			
	purple flowered	N. Amer.	L	P
americany L. 3 cortusa <i>Mich.</i> 3	• •		_	F
IIIBISCUS	HIBISCUS	B. Indies	Med. h.h	
abelmoschus L.	musk	do.	Diet h	3
esculentus L.	Okra large flowcred	Florida	g.h	P
grandiflorus Mich.	prickly	N. Holl.	g.h	8
heterophyllus Vent. manihot L.	palmated	B. Indies	g.h	5
militaris Cav.		Louisiana	h	P
lævis Scop.	hastated			_
moscheutos	common-Marsh Mallor	N. Amer.	Med. h	p
mutabilis L.	changeable	China N Amer.	g.h h	9
palustris L.	marsh	E. Indies	h.h	P
phœniceus L.	small flowering China rose	do.	h.h	
rosa sinensis L.	double flesh coloured	4.00	2	
v. fl. pleno carneo v. fl. pleno coccineo	double scarlet			
riperius Pers.			_	
hastatus Mich	river	N. Amer.	h	F
virginicus Walt. )		70 T at	1.	
sabdariffa L.	various leaved	E. Indies	h ~ b	
scaber Jlich.	rough	Georgia	g.h	1
speciosus Ait.	<b>sc</b> arle <b>t</b>	N. Amer.	. h	1
coccineus Walt.	spiral	Mexico	g.h	:
spiralis Cav. syriacus L.	garden or Althea frute		Ji.	:
v. flore pleno	double flowered	•		
v. foliis variegatis	variegated leaved	-		
trionum L.	bladder Ketmia	Europe	h	•

20				
virginicus L. HIERACIUM	Virginian HAWK WEED	N. Amer.	la	P
aurantiacum L.	orange coloured	Europe	h	P
gronovii L.	Gronovius's	N. Amer.	ĥ	P
kalmii L.	Kalm's	do.	ĥ	P
marianum Willd.	Maryland	do.	ĥ	P
scabrum Mich.	rough	do.	ь	p
venosum L.	veined	do.	ĥ	p
HOLCUS	SOFT GRASS	uo.	**	1
fragrans Willd.	SOLI GILLES		_	
odoratus Mich.	seneca grass	N. Amer. Agr	. h	P
lanatus L.	meadow	do. Agr.	. h	P
mollis L.	ereeping			
HOLOSTEUM	HOLOSTEUM	Europe Agr		Þ
cordatum L.	heart leaved	W. Indies	h	2
HOPEA	HOPEA	14 · 1Haic3	11	•
tinctoria L.	HOLEA			
	du ana	Carolina Mad	- 1	_
Symplocos tinetoria	dyers	Carolina Med.	g.h	5
HORDEUM	DADIEV			
	BARLEY	77 D'	. 1	_
distiction L.	two rowed	Tartary Diet		a
hexastichon	six rowed—winter	Die	-	2
maritimum Vahl.	sea	Europe Agr		8
vulgare L.	common	do. Diet		a
zeocriton L.	spratt or Battledore	Agr	. h	2
HOUSTONEA	HOUSTONEA			
coccinea Andr.	scarlet	Mexico	h.h	8
cœrulea L.	blue	N. Amer.	h	Ъ
HUMULUS	HOP		_	
lupulus L.	common	Europe Med	. h	P
HURA	SAND BOX TREE			-
crepitans L.	common	S. Amer. Arts	h.h	8
HYACINTHUS	HYACINTH			
botryoides L.	blue grape	Europe	h i	P
comosus L.	purple grape	do. ¯	h	p
muscari L	fragrant	Asia	~ h	P
orientalis L.	garden	do.	h	P
racemosus L.	h h-11	Funana	ı	_
junciformis Link.	hare bell	Europe	h	P
HYDRANGEA	HYDRANGEA			
arborescens L ?		NT 1	ı	_
arborescens L } vulgaris Mich }	common tree	N. Amer.	h	8
hortensis Sm.	`			
Hortensia rosea H. P.	1			
speciosa Pers.	changeable or Japan	China	g.h	s
opuloides Lmk	. ( Rose		•	
Primula mutabilis Loui				
er Anne humburen	purple flowered do.			
quercifolia Burtr.	• •	T21		
radiata Sm.	oak leaved	Florida	h	s
radiata Sm. 5 radiata Willd nivea Mich.		0		
nivea Mich.	radiated	Carolin <b>a</b>	h	8
HYDROCOTYLE	PENNY WORT			
americana L.	American	N. Amer.	h	•
repanda Pers. ?			_	F
ficarioides Mich.	angular leaved	Carolina	g.h	P
vulgaris L.	common	N. Amer.	h	P
HYMENÆA	LOCUST TREE			t,
courbaril L.	two leaved	W. Indies Med	h h	t
HYOSCYAMUS	HENBANE	···· znace Mcu		•
niger L.	black	N. Amer. Med.	h	ь
HYPERICUM	ST. JOHN'S WORT	ATTACATE ITACU.		J
canadense L.	Canadian	N.Amer.	h	a
elatum Ait.	Canaman Call	do.	h	
TIME MALLET		400.	**	L.

hirsutura L.	bairy	Europe	1	h p
maculatum .Mich.	spotted	N. Amer.		h p
monogynum L.	Chinese	China		h s
nudifiorum Mich.	naked flowered	N. Amer.	٩	h p
parviflorum Willd.	2 .	_		
quinquenervium Walt	five nerved	do.		h a
perforatum L.	com mon	do.	Med.	h p
prolificum L.	prolific	do.		
quadrangulum L.	square stalked	Europe		_
setosum L.				
· virginicum L.	bristly Viscipies	N. Amer.		h a
HYPOCHÆRIS	Virginian	do.	1	և թ
	CAT'S EAR	· <b>-</b>		
radicata L.	long rooted	Europe	1	h p
HYPOXIS	HYPOXIS		_	
erecta L.	upright	N. Amer.	]	h p
HYSSOPUS	HYSSOP			_
officinalis L.	common	Europe	Med.	h p
JASMINUM	JASMINE	•		•
azoricum L.	Azorian	Madeira	9	.h s
firuticans L.	vellow	Europe	ទ	1 S
grandiflorum L.	Catalonian	E. Indies		
humile L.	dwarf yellow	Europe	\$	.h s
odoratissimum L.	sweet scented	Madeira		. s
officinale L	white	China	71-3 8	h s
samhae Ait.	waite	China	Med.	3 8
Nyctanthes sambac L.	)			•
	- Arabian	E. Indies	g.	h s
Mongorium sambac			9.	
H. P.			•	
simplicifolium Forst.	simple leaved	N. Holl.	. g.	h .
australe Pers.	•	211 22011.	5	ta s
JATROPHA	PHYSIC NUT			•
curcas L.	angular leaved	S. Amer.	Med. h.	h s
multifida L.	cut leaved	do.	Med. h.	
IBERIS	CANDY TUFT			
suxatilis L.	rock	S. Europe	g.	h s
umbellata L.	common	Europe	j.	
ILEX	HOLLY	man op c		a
aquitolium L.	common	Europe	Med. h	
canadensis L.	Canadian	N. Amer.		
opaca Ait.	Carolinian	do.	h	
vomitoria Ait		uo.	h	t
Cassine peragua L.	South Sea tea	Florida	Med. g.	h t
ILLECEBRUM	KNOT GRASS		3	-
			_	
capitatum L.	headed	Europe	h	
echinatum Desf.	prickly	Barbary	h	
ficoideum L.	trailing	S. Amer.	g.	h p
ILLICIUM	ANISEED TREE			_
parviflorum Mich.	yellow flowered	Florida	g.i	a s
IMPATIENS	BALSAM		·	
balsamina L.	common	E. Indies	h	а
biflora <i>Walt</i> .	two flowered	N. Amer.	h	
INDIGOFERA	INDIGO			•
argentea <i>l'Her.</i> >	. 21			
argentea l'Her.	silvery	E. Indies	h.l	a s
frutescens L.	shrubby	C. G. II.	g.!	
sericea L.	silky	do.	ž.;	1 s
tinctoria L.	common	E. Indics	Arts h.l	1 8
INCA IEIGI		a. Audics	AUG ILI	1 5
MIMOSA Auct.	INGA			
	ameli loscol	C A		
microphylla Humb.	small leaved	S. Amer.	. h.	
purpures Willd.	purple	W. Indies	h.	
unguis cati Willd.	four leaved or cat's paw	do.	h.l	1 5
INULA	ELECAMPANE	-	_	
erithmifolia L.	samphire leaved	Europe	Iı	j,
	9			

1 1 1 mm V		N. Amer.	Med.	ь	<b>1</b> 2
helenium L. mariana L.	common Maryland		Med.	ħ.	P
oculus christi L.	hoary	Europe		h	P
IPOMÆA	IPOMÆA	•			-
coccinea L.	scarlet	N. Amer.		h	2
macrorhiza Mich.	large rooted	Georgia		g.h	P
nil Pers.	azure blue	Carolina		h	
trilobus Thunb. S purpurea Pers.	purple	America		h	2
quamoclit L.	winged—Cypress vine	B. Indies		ĥ	8
IRIS	IRIS or Flower de Luce				
fimbriata Vent.	fringed	China		g.h	P
florentina L.	Florentine—Orris	Europe	Med.	h.	Ŋ
germanica L.	German	do.	Med.	g.h h.h	P
martinicensis L.	Martinique	W. Indies		h.a	P P
ochroleuca L. persica L.	pale yellow Persian	Europe Persia		'n	P
pumila L.	dwarf	Europe		h	P
sibirica L.		do.		h	
pratensis Pers. 5	Siberian	•		_	P
. versicolor_ L.	various coloured	N. Amer.	Med.	þ	P
virginica L.	Virginian	do.		h h	P
xiphīum L. ISATIS	hulbous	Europe		п	P
tinctoria L.	WOAD dyers	Europe	Arts	h	ъ
ISNARDIA	ISNARDIA	23 at op 0			_
and the same of the T	•	N. Amer.		h	_
Ludwigia nitida Mich	swamp	M. Amer		22	•
IIIA				1	_
virginica L.	Virginian	N. Amer.		h	5
IVA	IVA or Bastard Jesuit's	Bark N. Amer.		h	
frutescens L. JUGLANS	WALNUT or HICKOR				•
alba T.			A	h	¹ t
tomentosa Mich.	white heart,	N. Amer.	Arts		
cinerea L. 2	butter nut-white	do.	Med.8	k h	8
cathartica Mich.f 5	batter nat—white		Arts		
compressa Gæri.	ak all hamb	đo.	Diet &	t h	t
alha Mich.	shell bark		Arts		
squamosa Mich.f J glabra Muhl.					
porcina Mich.f.	pig or hog nut	do.	Arts	h	t
nigra L.	black	do.	Arts &		t
-	•		Med.	,	•
obcordata Muhl.	bitter nut	તે૦.	Arts	h	t
amara Mich.f.					
olivæformis Mich.					
angustifolia Ait.	pecan or Illinois nut	do.	Diet	h	t
cylindrica Lmk.	• • • •				
rubra Gart.					
regia L.	common—Madeira nu	t Persia	Diet	h	t
sulcata Willd.	furrowed	N. Amer.	Arts	h	t
mucronata Mich.	RUSH GRASS				
JUNCUS butonius L.	toad	N. Amer.		h	
effusus L.	soft	do.	•	h	P
nodesus L.	knotty	do.		þ	P
pilosus L.	hairy	do.		þ	P
squarrosus L.	moss or Goose corn	do.		h	P
sylvaticus L.	wood	do.		h	Þ
temis Willd.	slender JUNIPER or <i>Cedar</i>	do.		h	P
JUNIPERUS hermudiana I	Bermudian	W. Indie	a Arte	h	t
Delinger, and av-	27. ( )))(0.))				•

	HORIUS ELGINEM	313.		31
communis L.	common	Europe	Arts& h Med.	t
oxycedrus L. phœnicea L.	brown berried Phænicean	do. do.	h h	ŧ
prostrata Mich. 3	creeping	N. Amer.	h	t
repens Donn. ) sabina L.	Savin	Europe	Med. h	t
virginiana L. JUSTICIA	red	N. Amer.	Arts h	t
JUSTICIA adhatoda L.	JUSTICIA Malabar nut	E. Indies	g.h	8
betonica L.	blue flowered	do.	g.h h.h	8
coccines Ail.	scarlet	S. Amer. W. Indies	h.h	
eomata Vahl. picta L.	whorled painted	E. Indies	h.h h.h	P
peruviana Cav.	Peruvian	Peru	h.h	P
scorpioides L.	revolute	W. Indies	h.h	8
sexangularis L.	six angled	do.	h.h	8
IXIA bulbocodium L.	IXIA European	S. Europe	g.h	P
maculata Thunb.	spotted	C. G. H.	g.h	
polystachya L. IXORA	many spiked	qó•	g.h	P
	IXORA	E. Indies	h.h	_
coccinea L. KÆMPFERIA	scarlet GALANGALE	E. Indica	11-11	•
galanga L.	officinal	E. Indies	Med. h.h	P
rotunda L.	round rooted	do.	Med. h.h	P
KALMIA	KALMIA or Laurel	. N. Amer.		
angustifolia L.	narrow leaved glaucous	do.	h h	-
glauca <i>Ait.</i> hirsuta <i>Bartr.</i>	hairy	Carolina	g.h	•
latifolia L.	broad leaved	N. Amer.	Med. h	•
KRIGIA	KRIGIA			
virginica Willd. Hyoseris virginica L.	} Virginian	N.Amer.	h	2
LACTUCA	LETTUCE		•	
crispa Roth.	curled	<del></del>	Diet h	
elongata Muhl.	narrow leaved common	N. Amer.	Diet & h	b
sativa L.			Med.	•
LAGASCA	LAGASCA soft	S. Amer.	h.h	_
mollis <i>Cav.</i> LAGERSTRŒMIA	LAGERSTRUEMIA	S. Amer.	п.ц	*
indica L.	Indian	E. Indies	h.h	
LAMIUM	DEAD NETTLE or			
amplexicaule L.	common woolly	N. Amer. Europe	h h	8
garganicum L. LANTANA	LANTANA	Barope		P
aculeata L.	prickly	W. Indie		
camara L.	various coloured	do.	h.h	_
involucrata L. trifolia L.	round leaved three leaved	do. do.	h.h b.h	
LATHYRUS	LATHYRUS	404	. 14-11	•
clymenum L.	various flowered	Levant	h	a
latifolius L.	everlasting pea	Europe	h	P
monanthos L. Ervum monanthos L.	one flowered	Russia	h	
Vicia monanthus Pers.		2000016	14	•
nissolia L.	crim <b>s</b> on	Europe	h	
odoratus L.	sweet pea	Sicily	h h	8
antivus L. sphæricus <i>Roth</i> . Z	chickling vetch	Europe	•	
axillaris Lmk.	sphericul	do.	h	
tingitanus L.	Tangier pes	Barbary	h	9

LAVANDULA	LAVENDER			
spica L.	common	Europe	Med. L	3
LAVATERA	LAVATERA	_	_	
arborea L.	Tree Mallow	Europe	h <sub>.</sub>	ь
maritima Cav.	sea side	S. Europe	• •	
olbia L. thuringiaca L.	downy leaved large flowered	do. Europe	g.h h	8
trimestris L.	common	do.	h	P a
unguiculata H. P.	•••••		-	••
tomentosa Dumont	clawed		g.h	5
LAURUS	BAY TREE or Laurel			
æstivalis L.	willow leaved	N. Amer.	h	t
camphora L.	Camphor	Japan	Med. g.h	t
caroliniensis Mich.	, Carolinian or red	Carolina	g.h	t
cinnamomum L.	Cinnamon	E. Indies	Med. h.h	t
geniculata Mich. ?	jointed	N. Amer.	h	t
axillaris <i>Lmk</i> . 5 nobilis L.	sweet	S Furone	Med. g.h	t
norman I	A vocado near	S. Amer.	Diet g.h	Ė
psendo benzoin Mich.	Benjamin tree-Wild Al-			_
benzoin L.	spice	N. Amer.	Med. h	t
sassafras L.	Sassafras	do.	Med. h	t
LAWSONIA	LAWSONIA			
inermis L.	smooth	E. Indies	Arts& h.h	5
LEBECKIA	LEBECKIA		Med.	
cytisoides Thunb.	LEBECKIA			
Spartium cytisoides Ait	Cytisus leaved	C. G. H.	g.h	8
Ebenus capensis L.	Sytisus icurcu	0. 0. 11.	P	٠
LECHEA	LECHEA			
major L.	large	N. Amer.	h	P.
minor L.	•mail	qo.	h	P
LEONTICE	LEONTICE			
thalictroides L. Caulophyllum thalic-	meadow ruc leaved	N. Amer.	Med. h	
troides Mich.	Poppoose root	M. AIMEL.	Mcu. II	ľ
LEERSIA	LEERSIA	•		
omezoides Hilld	`	N. Amer.		_
Phalaris oryzoides L.	f rough	N. Amer.	h	Þ
PEON LODON	DANDELION			
taraxacum L.	common	N. Amer.	Diet & h	P
LEONURUS	MOTHER WORT		Med.	
cardiaca L.	common	N. Amer.	Med. h	p
crispus L.	curled	Siberia	h	p t'
marrubiastrum L.	small flowered	Europe	h	à
LEPECHINIA	LEPECHINIA	•		
spicata Willd.			_	
Horminum caulescens	spiked	Mexico	h	а
LEPIDIUM	PEPPER WORT			•
latifolium L.	Dittander	Europe	Med. h	p.
sativum L.	garden cress		Med.& h	l' a
	Bur don ur con		Diet	••
suffruticosum L.	shrubby	S. Europe	g.h	5
virginicum L.	Virginian	N. Amer.	Ĭı	a
LEPTOSPERMUM	SOUTH SEA MYRTLE	•		
scoparium Sm.				
Melaleuca scoparia Wend.	( acus mn	N. Holl.	or 1.	5
Philadelphus scoparius	> common	11. IIUIL	g.h	3
Ait.				
•				

	HORIOS EDGINENSIS	•		•	
thea Willd. Melalenca thea Wend.	Botany-Bay tea	N. Holl.		g.h	5
	LESPEDEZA				
polystachy a Mich.	many spiked	N. Amer.		'n	а
procumbens Mich.	trailing SNOW FLAKE	do.		þ	3
LĖUCOJUM	SNOW FLAKE	_			_
æstivum L.	summer	Europe		h	P
vernum L.	spring	do.		h	P
LIATRIS	LIATŘÍS				
eleguns Willd.	} rose spiked	N. Amer.		h	P
Serratula speciosa Ait.	· •	do.		h	P
OCIOPATISSIEMA PPECCE.	aweer accured	do.		h	P
paniculata Willd.	panicled	do.		h	P
pilosa Willd.	hairy			•	_
spicata Willd.	long spiked	do.		h	P
macrostachya Mich LIGUSTICUM	LOVAGE				
levisticum L.	common	Europe	Med.	h	p
LIGUSTRUM	PRIVET or Prim				_
vulgare L.	common	N. Amer.	Med.	h	3
LILIUM	LILY				
bulbiferum L.	bulb bearing	Europe		h	P
ennedense I.	Canadian	N. Amer.		h	P
candidum L.	white or garden	Levant	$\mathbf{Med}.$	h	P
catesbiei Walt.					•
spectabile Sal.	Catesby's	N. Amer.		h	P
carolinianum Lmk.	,	_		_	
philadelphicum L.	Philadelphian	do.		þ	P
superbum L.	superb	do.		h	P
LIMODORUM	LIMODORUM				:
incarvillei Swz. 🤰	Incarvill's	China		h.h	P
tankervillæi Ait.					
LIMONIA	LIMONIA	E. Indies	Diet	h	
trifoliata L.	three leaved	E. Huies	Diet	111-111	•
LINUM	FLAX	Europe		h	n
maritimum L.	sea South Sea	S. Sea Isl.		g.h	P
monogynum Forst.	perennial	Europe		'n	
perenne L.	Virginian	N. Amer.		ĥ	P
virginianum L. viscosum L.	clammy	Europe		h	P
usitatissimum L.	common	do.	Arts&	h	â
Qaitatiesimum 23.	•		Med.		
LIQUIDAMBAR	SWEET GUM				
styraciflua L.	maple leaved	N. Amer.	Arts&	h	t
aty i actival 221			Med.		
LIRIODENDRON	TULIP TREE			_	
tulipifera L	white wood-white poplar	N. Amer.	Arts	h	t
LITHOSPERMUM	GROMWELL				
arvense L.	corn	Europe		h	а
officinale L.	officinal	do.	Med.	h	P
virginianum L.	<b>)</b>	<b>37</b> A		١.	_
Onosmodium hispidun	· } hispid	N. Amer.		h	P
Mic/:					
LOBELIA	LOBELIA	N. Amer.		h	_
amœna <i>Mich</i> .	deep blue scarlet—Cardinal flower		Med.		P
cardinalis L.		do.	Med.	'n	P
claytoniana Mich. ernesiuscula Mich. glandulosa IValt.	Clayton's				
erasauscum Juicu.	glandulou <b>s</b>	do.		h	P
glandulosa IValt. 5	inflated	do.	Med.	h	P
kalmii L.	Kalm's	do.		ĥ	P
longiflora L.	long flowered	W. Indies		h.h	P
syphilitica L.	large blue	N. Amer.			P
LOLIUM	DARNEL				•
maximum Willd.	large	Europe	Agr.	h	*
***************************************	10	•	•		

17

<b>43</b>				
perenne L. temulentum L.	common—Ray grass	Europe Agr. do. Agr.	h h	P a
LONICERA exprifolium L.	HONEY SUCKLE	Europe	h	
diervilla L.	<b>.</b>	N. Amer. Med.	h	8
Diervilla lutea Desf. dioica L.	5 ,			
parviflora Pers.	glaucous	do.	h	8
Caprifolium bracteo-	4 -	40.	_	
sum Mich., pericly menum L.	woodhine-common	Europe Med.	h	5
r. quercifolia	oak leaved do.	N. 4 am	h	
sempervirens L. symphoricarpos L.	trumpet	N. Amer.	11	•
Symphoricarpos vul-	St. Peter's wort	do. Med.	h	8
garis <i>Mich</i> .	) BIRD'S FOOT TREF(	OUT		
LOTUS jacobæus L.	dark flowered	S. Sea Isl.	g.h	8
LUDWIGIA	LUDWIGLA		•	
alternitolia L.	alternate leaved	N. Amer.	h	P
macrocarpa Mich. S	MOON WORT			
annua L.	annual	Europe	þ	2
rediviva L.	perennial	do.	h	P
LUPINUS fruticosus Donn.	LUPINE shrubby	S. Amer.	æ.h	8
hirsutus L.	great blue	Europe	g.h	2
luteus L.	yellow	do.	ņ	
perennis L.	perennial rose	N. Amer. Europe	h h	P
pilosus L. villosus Willd. Z			h	
pilosus Walt.	hairy	N. Amer.	n	p
LYCHNIS	LYCHNIS	Furence	h	
chalcedonica L. flos cuculi L.	scarlet Ragged Robin	Europe do.	'n	P
viscaria L.	clammy	do.	þ	P
LYCIUM	BOX THORN	A		_
barbarum L. carolinianum <i>Mich</i> .	willow leaved	Asia	þ	8
salsum Bartr.	<b>sa</b> mphire	N. Amer.	h	8
LYCOPODIUM	CLUB MOSS	37 4		
complanatum L.	arbor vitæ leaved fan	N. Amer. do.	h h	P P
obscurum L. rupestre L.	rock	do.	ĥ	P
LYCOPSIS	WILD BUGLOSS			-
ægyptiaca L.	<b>1</b>			
Asperugo ægyptiaca Willd.	warted	Egypt	h	2
Anchusa verrucosa  Lmk.	(	ω.		
LYCOPUS	WATER HOREHOU		_	
europæus L.	European	Europe • N. Amer.	h h	P
virginicus L. LYSIMACHIA	American LYSIMACHIA	M. Amer.	11	P
ciliata L.	ciliated	N. Amer.	Ъ	Þ
quadrifolia L. 3	four leaved	do.	h	p
hirsuta Mich				•
racemosa Mich. stricta Ait.	bulb hearing	do.	h	P
bulbifera Curt.				_
thyrsiflora L.	clustered LOOSE STRIFE	do.	h	P
LYTHRUM  parsonsia L.	small flowered	W. Indies	h.h	P
verticillata L.	whorled	N. Amer.	h	Þ

	HORI CS ELGINERO			••
MAGNOLIA acuminata L.	MAGNOLIA Cucumber tree	N.Amer.	h	t
auriculata Lmk. fraseri Walt.	ear leaved	Carolina	h	8
pyramidata <i>Bartr.</i> J glauca L	swamp sassafras—Beave tree	er N. Amer.	p	t
v. latifolia	broad leaved do.			
v. longifolia	long leaved do. large flowered	Carolina	g.h	t
grandiflora L.	large leaved	N. Amer.	g.h h	ŧ
macrophylla Mich. obovata Thumb. purpurea Curt.	purple	China	g.h	
discolor Vent. ) pumila Andr.	dwarf	do.	g.h	8
irin, tala L. 💙	umbrella tree	N. Amer.	h	t
umbrella Lmk. 5	MALAXIS			
MALAXIS liliifolia Swz. ?		N. Amer.	h	
Ophrys liliifolia L. 5	lily leaved	N. Amer.		P
MALVA	MALLOW	N. Amer.	ъ	
americana L. caroligiana L.	American creeping	do.	,	
crispa L.	curled leaved	Syria	h	2
fragrans Jacq.	sweet	Ç. G. H.	g.h	
moschata L.	musk small flowered	Europe Africa	h b	P
parviflora L. polystachya <i>Cav</i> .	many spiked	Peru	g.h	8
rotundifolia L.	round leaved	N. Amer.	Diet h	
scoparia Cav.	yellow upright	Peru W. Indies	g.h	3
spicata L.	spiked slender	C. G. H.	g.h g.h	
virgeta Cav. MANGIFERA	MANGO TREE	0. 0	_	-
indica L.	Indian	E. Indies	Diet h.h	t
MANULEA	MANULEA	C. G. H.	g.h	
oppositifolia <i>Vent.</i> MARANTA	opposite leaved ARROW ROOT	O. G. 11.	8·n	•
arundinacea L.	Indian	S. Amer.		P
			Diet	
MARICA	MARICA	S. Amer.	h.h	P
paludosa <i>Willd.</i> MARRUBIUM	marsh HOREHOUND	O. ILIMOI.	4-14	ľ
alyssum L.	plaited leaved	Europe	h	P
candidissimum L.	white	Levant	. h	P
vulgare L.	common MARTYNIA	N. Amer.	Med. h	P
MARTYNIA proboscidea Ait.				
atinua L. alternifolia Lmk.	Cuckold's horns	N. Amer.	h	2
MATRICARIA	MATRICARIA			
chamomilla L.	wild chamomile	Europe	Med. h	2
MAURANDIA	MAURANDIA			
semperflorens Jacq. scandens Pers. Ustera scandens Car	climbing	Mexico	g.h	P
MEDEOLA	MEDEOLA	~~ 4	*** . *	
virginica L	Cucumber root	N. Amer.	Diet h	3
MEDICAGO aculcata Willd.	MEDICK prickly		h	
arborea L.	tree	Italy-	g.h	5
denticulata Willd.	toothed	Europe	, <b>h</b>	2
elegans Jacq 👔	crenated	Sicily	h	7.8
rugosa <i>Lmk.</i> 5 glutinosa <i>Willd</i> .	clammy	Asia	h	·P
Iupulina	black-None-such	N. Amer.	Agr. h	ā
-				

marina L.	sea	Dumania	,	
sativa L.		Europe	h	P
	Lucern	. do. ¯	Agr. h	P
scutellata Lmk.	snail	do.	h	
tribuloides Lmk.	hedge hog	do.	h	
MELALEUCA	MELALEUCA			
genistifolia Sm.	genista leaved	N. Holl.	g.h	t
hypericifolia Sm. ?	-		8	•
myrtifolia Hort.	myrtle leaved	do.	g.h	t
MELANTHIUM	MELANTHIUM		•	
virginicum L.		37 A		
	Virginian	N. Amer.	h	P
MELAMPYRUM	COW-WHEAT			
lineare Lmk.	American	N. Amer.	h	_
americanum Mich.		M. Amer.	11	
MELIA	BEAD-TREE			
azedarach L.	common	Syria	Arts& h	t
	***************************************	Oy	Med.	
sempervirens Swz.	or organoon	W. Indies		
MELICA	evergreen	w. indies	g.h	ŧ
	MELIČ GRASS	_		
altissima_L.	tall	Europe	Agr. h	P
cœrulea L.	blue	do.	Agr. h	P
nutans L.	nodding	do.	Agr. h	. p
MELISSA	BALM "		8	P
officinalis L.	common	Europe	Med. h	_
v. hirsuta		Darope	Micu. II	P
MELOTHRIA	hairy do.			
	MELOTHRIA			
pendula L.	pendulous	Carolina	Diet g.h	P
MENISPERMUM	MOON SEED		•	-
canadense L.	Canadiau	N. Amer.	h	8
MENTHA	MINT			•
borealis Afich.	northern	N. Amer.	Med. h	_
piperita L.				P
	Pepper .	Europe	Med. h	P
pulegium L.	Pennyroyal	do.	Med. h	P
rotundifolia L.	round leaved	do.	Ъ	P
sylvestris L.	strong scented	do.	Med. h	P
tenuis <i>Mich</i> .	slender	N. Amer.	Med. h	P
viridis L.	spear	Europe	Med. h	
MENYANTHES	BUCK BEAN	24.01.0	1400, 11	P
trifoliata L.		3" 1	Mad 1	
	marsh trefoil	N. Amer.	Med. h	P
MESEMBRYANTHE				
acinaciforme L.	scymitar leaved	C. G. H.	g.h	8
albidum L.	white	do.	g.h	8
aureum L.	golden	do.	g.h	
barbatum L.	shrubby bearded	do.	g.h	ē
bicolorum L.	January Couract	40.	9	•
eocoineum Haw.	scarlet	do.	g.h	8
cordifolium L.	Laure 1	٠.	_	-
	heart leaved	do.	g.h	5
crystallinum L.	Ice plant	Greece	Med. h	8
dekoides L.	small delta	C. G. H.	g.h	8
glaueum L.	glaucous	do.	g.h	8
pienstifidum L.	jagged leaved	do.	ďh	
spectabile Haw.	sliewy	do.	g.h	5
tenuifolium L.	slender leaved	do.		_
MESPILUS		40.	g.h.	8
germanica L.	MEDLAR	T7 A	4.10.1	
Secumenca F.	common		Med.& h	t
Armoonnoores ere-			Diet	
MESSERSCHMIDIA	MESSERSCHMIDIA		•	
fruticosa L.	shrubby	Can. Isl.	g.h	8
METROSIDEROS	METROSIDEROS		o · - •	
lanceolata Sm. >		** ** **	_	
lanceolata Sm. 3	spear leaved	N. Holl.	g.h	8
saligna Sm.	willow larged	do.	_	_
3 C117 4 371 4 107:22 2	willow leaved	uo.	h.h	5
EUPATORIUM Auct.	<b>₹MIKANIA</b>			
EUFAIURIUM Auct.	>	***		
houstonis Willd.	Houston's	W. Indies	h.b	7
				•

•	HORTUS ELGINEN	IS <b>IS</b> .		37
· seandens Willd. MILIUM	elimbing MILLET GRASS	N. Amer.	Med. h	P
effusum L. MIMOSA	common MIMOSA	Europe	Agr. h	p
saponaria Rox.	handsome	E. Indies	h.h	5
pudica L. sensitiva L.	humble plant sensitive plant	S. Amer. do.	h.h	3
MIMULUS	MONKEY FLOWER		h.h	8
alatus <i>Ait.</i> ringens L.	winged stemmed	N. Amer.	h	P
MINIUSOPS	gaping flowered MIMUSOPS	do.	. р	P
elengi L.* MIRABILIS	oval leaved MARVEL OF PERU	E. Indies	h.h	5
jalapa L.	common—four o'Clo	ck Mexico	h	
longiflora L. MITCHELLA	long flowered MITCHELLA	do.	<b>h</b>	
repens L. MOLLUGO	creeping MOLLUGO	N. Amer.	Med. h	3
verticillata L. MOLUCELLA	whorled leaved MOLUCCA BALM	N. Amer.	h	
lævis L. MOMORDICA	smooth MOMORDICA or <i>Bai</i>	Syria Isam Abble	Med. h	
balsamina L.	common	E. Indies	Med. h	
luffa L. MONARDA	Egyptian MONARDA on Mour	do.	Med. h	3
didyma L.	MONARDA or Moun Oswego tea	N. Amer.	Med. b	P
fistulosa L.	Robin run-away	do.	Med. h	P
MORÆA chinensis L	MORÆA			
Ixia chinensis Ait.	} Chinese	China	h	P
MORUS	sword leaved MULBERRY	C. G. H.	g.h	P
alba L.	white	China	Diet h	ŧ
nigra L.	common	Europe	Diet& h Med.	ŧ
rubra L. MUHLENBERGIA	American MUHLENBERGIA	N. Amer.	Diet h	t
diffusa <i>Schr</i> . Dilepyrum minutiflo	small flowered	N. Amer.	L	_
rum Mic	7. <b>)</b>	A. Amer.	h	P
MUSA	MUSA	*** *		
MYAGRUM.	Banana tree GOLD OF PLEASUR		Diet h.h	P
perfoliatum L. MYOSOTIS	perfoliate SCORPION GRASS	Europe	h	3
lappula L.	marsh	N. Amer.	h	
scorpioides L. virginiana L.	prickly seeded Virginian	do. do.	h	2
MYRICA	CANDLE BERRY M	YRTLE or Ba	h u berru	3
caroliniensis Willd.	large seeded	N. Amer.	Arts h	s
cerifera L. MYRTUS	wax bearing MYRTLE	do.	Arts h	
communis L.	common	S. Europe	Med. z.h	5
v. boetica	broad leaved		But	•
v. belgica v. mucronata	narrow leaved small leaved			
v. romana	LOUISU IGRAEIT			
tomentosa Ait.	woolly	China .	g.h	3
NAPÆA lævis L.	NAPÆA	37 4	-	-
sc bra L.	smooth rough	N. Amer. do.	h h	P
NARCISSUS	NARCISSUS	20.	п	P
bicolor I	two coloured	Europe	la	P
	11	•		-

ORYZA	RICE			
sativa L.	cultivated	E. Indies Arts& Med.	h	2
OSMUNDA	OSMUNDA	37.4		_
cinnamomea Mich.	woolly	N. Amer.	h h	P
interrupta Mich.	interrupted flowering fern	do. do.	h	P
regalia L. OSTEOSPERMUM	BONE SEED	uv.	11	P
comleum dit.			_	
pinnatifidum l'Her.	blue flowered	C. G. H.	g.h	8
moniliferum L.	poplar leaved	do.	g.h	5
<b>Q</b> STRYA	HOP HORNBEAM		•	
virginiana Willd.			_	
Carpinus virginiana }	Virginian	N. Amer. Arts	h	ŧ
Lmk. )	WOOD SORREL			
OXALIS acctosella L.	common .	N. Amer. Med.	h	-
caprina L.	goat's foot	C. G. H.	g.h	P P
corniculata L.	procumbent	N. Amer.	Ъ.,,	P
incarnata L.	flesh coloured	C. G. H.	g.h	P
purpurea L.	purple	do.	g.h	Þ
stricta L.	upright	N. Amer. Med.	Ţħ,	P
versicolor L.	striped flowered	C. G. H.	g <sub>:</sub> h	P
violacea L.	violet coloured	N. Amer.	þ	P
PÆONIA	PÆONY			
anomala L. Jaciniata Pal.	jagged leaved	Siberia	h	P
eorallina Retz.	entire leaved	do. Med.	h	p
officinalis L.	common	S. Europe Med.	'n	P
PANAX	GINSENG	4. – 4	٠.	•
quinquesolium L.	officinal	N. Amer. Med.	h	P
trifolium L.	three leaved	do.	þ	P
PANCRATIUM	PANCRATIUM			•
fragrans Sal.	fragrant	S. Amer.	h.h	P
maritimum L. v. carolinianum	Sea Daffodil Carolinian do.	S. Europe Carolina	g.h	P
mexicanum L.	Mexican .	Mexico	g.h g.h	p T
PANDANUS	SCREW PINE		P	ľ
odoratissimus L	sweet scented	B. Indies	h.h	5
PANICUM	PANIC GRASS			
capillare L.	hair	N. Amer. Agr.	þ	2
clandestinum L.	hidden flowered	do. Agr.	h	P
erus galli L. dichotomum L.	cock's foot divided branched	do. Agr. do. Agr.	h h	2 R
germanicum L.	German	do. Agr. Europe Agr.	h	. 8
	glaucous	N. Amer. Agr.		2
glaucum L. hietellum L.	rough	W. Indies Agr.		2
italicum L.	Italian	Europe Diet	h	2
latifolium L.	broad leaved	N. Amer. Agr.	h	P
miliaceum L.	millet	E. Indies Med.		2
murie tum Mich.	rough seeded	N. Amer. Age		2
ramulosum L. sanguinale L.	branching bloody	do. Agr. do. Agr.	h h	2
verticillatum L.	whorl flowered	Europe Agr.		ā
virgatum L.	river	N. Amer. Agr.		P
viride L.	green	do. Agr.	h	
PAPAVER	PÖPPY	•		
dubium L.	small	Europe	þ	A
Thomas L.	corn	do. Med.		
somificum L.	officinal or garden	Levant Med.	h	2
v. flore pleno albo	double white flowered double red do.			
v flore pleno rubro PARKINSONIA	PARKINSONIA			
aculeata L.	prickly	W. Indies	hh	5
	- <del>-</del>			

	HORTUS ELGINENSI	s			41
PARNASSIA caroliniana Mich. PASPALUM	GRASS OF PARNASS Carolinian PASPALUM	US N. Amer.		lı	p
stoloniferum Jacq. PASSERINA	stoloniferous AFRICAN SPARROW	Peru WORT	_	. h	P
filitormis L. PASSIFLORA	heath leaved PASSION FLOWER winged stalked	C. G. H. W. Indies		,.h h	s
alat <i>s Jit.</i> cœrulea <b>L</b> .	blue flowered	S. Amer.		ç.h	5
hirsuta L.	hairy	W. Indies N. Amer.		i.h	5
incarnata L.	fiesh coloured	N. Amer. W. Indies	Dict Diet 1	h . 1.	S 5
laurifolia L.	laurel leaved vellow flowered	N. Amer.		lı	S
lutea L. rubra L.	red fruited	W. Indies	Ì	ı.lı	5
PASTIN ACA	PARSNEP			•	ь
sativa L.	garden	Europe	Med.& Diet	h	D
PAVONIA	PAVONIA				
præmorsa Willd. Hibiscus præmorsus L.	wedge leaved	C. G. H.	3	;.h	8
PEDICULARIS	LUCSE WORL	×	35	h	
canadensis L.	Canadian	N. Amer. do.		h	P P
gladista Mich. PELARGONIUM! Her	yellow flowered		2,200	••	•
GERANIUM .duct.	STORK'S BILL GERA	NIUM			
acerifolium l'Her 3	maple leaved or lemon	C. G. H.	9	.h	5
citriodorum Cav.	scented	do.	57	.h	5
acetosum <i>Ait.</i> alchemilloides <i>Ait.</i>	sorrel Lady's mantle leaved	do.		g.h	P
angulosum dit.	angular leaved	do.		g.h	8
acerifolium Cav	Beaufort's	do.		z.h	8
beaufortianum Donn. betulinum Ait.	birch leaved	do.		z.h	8
v. minor	smalier do.	_		•	_
capitatum Ait.	rose scented	do.		g.h	5
columbinum Jacq.	dove's foot	do.	8	g. b	P
cordatum Ait cordifolium Cav.	heart leaved	do.		g.h	5
crispum l'Her.	curled	do.		g.h	5
eucullatum Ait.	hollow leaved	do.	1	g.h	5
echinatum Curt. 3 hamatnm Jacq.	prickly stalked	do.		g.h	5
flavum Ait. Gaucifolium Cav.	carrot leaved	do.	8	g.h	P
gihbosum dit.	gouty stalked	do.	8	g.h	5
glaucum l'Her. lanceolatum Cav.	spear leaved	do.	:	z.h	5
glutinosum l'Her 2	clammy	do.	2	z.h	s
Viscosum Cav. 5	large flowered	do.	•	g.lı	3
grandiflorum Andr. graveolens l'Her.		-		_	_
terebinthinaceum Cav.	Odour of Rose	do.		g.h	5
hybridum Ait. 3	hybrid	do.	•	g.h	5
v. roseum	rose coloured do small flowered	N. Holl.		g.h	ь
incdorum <i>H. P.</i> inquinans <i>Ait.</i>	scarlet	C. G. H.		g.h	3
v. minor	lesser do.		•	-	
myrrhifolium Ait. } betonicum Jacq. }	myrrh leaved	do.	1	g.h	3
betonieum Jacq. 5	sweet scented	do.		g.h	
odoratissimum Ait. ovale l'Her.	oval leaved	do.		g.h	5
papinonaceum l'Her.	butterily	do.		g.h	5
	12				

peltatum .it.	shield leaved	C. G. H.	g.		5
quercitolium l'Her.	oak leaved	do.	g.	h	5
radula l'Her.	non langed	do.	g	lı .	s
revolutum Jacq. S	rasp leaved	uo.	•		-
<sub>บ.</sub> minus	lesser do.				
v. roseum	rose coloured do.	_			
scabrum l'Her.	rough	do.	g.	h	9
tabulare l'Her. 2	rough stalked	do.	g.	h	Ն
elongatum Cav.		-	_		_
tomentosum Jacq.	downy	do.	g.		S
tricuspidatum l'Her.	three pointed	do.	g		5
vitifolium . lit.	vine leaved	do.		.h	s
zonale Ait.	horse shoc	do.	8	h	5
v. album	white do.				
v. roseแm	red do.				
v. marginatum	variegated leaved do.				
PENSTEMON	PENSTEMON				
pubescens .lit.	} purple	N. Amer.	1	1	p
Chelone penstemon L					_
PENTAPETES	PENTAPETES	E. Indies	3,	.h	ь
phœnicea L.	scarlet	Li. Thuies	11	. 11	U
PENTHORUM	PENTHORUM	N. Amer.		h	n
sedoides L.	common DEDINI OCA	M. Amer.			P
PERIPLOCA	PERIPLOCA	Svria M	led.	h	8
græca L.	GUINEA-HEN WEED	Oyria 212	····	••	•
PĒTIVERIA		W. Indies	1	.h	9
alliacea L.	CANARY GRASS	W. Illuics	•		
PHALARIS		_		_	
arundinacea L.	{ reed	Europe .	Agr.	h	P
Arundo colorata Ait.	uibbon emes				
V. 411 111111	ribbon grass common	Can. Isl.	Agr.	h	2
canariensis L. PHASEOLUS	KIDNEY BEAN	Cum 1000 -	-5	••	_
capensis Thunb.	cape	C. G. H.	1	h.h	р
caracalla L.	snail flowered	E. Indies		h.h	S
helvolus L.	deltoid leaved	N Amer.		h	a
lathyroides L.	chickling vetch	W. Indies	Diet	ĥ	·a
multiflorus Willd.	. •				
coccineus Link.	scarlet runners	S. Amer.	Diet	h	a
v. albus	Dutch white runners				
nanus L.	six weeks	E. Indies I	Dict	h	a
semierectus L.	upright	S. Amer.		h	a
vulgaris L.	common	E. Indics	Diet	h	a
PHILADELPHUS	SYRINGA or Mock Or	ange			
coronarius L.	common	Europe	Arts	h	s
v. nanus	dwarf				
inodorus L.	large flowered	N. Amer.	Arts	h	s
PHILLYREA	PHILLYREA				
angustifolia L.	narrow leaved	S. Europe		g.h	8
latifolia L.	broad leaved	do.		g.h	8
media L.	privet leaved	do.		g.h	S
PHLEUM	CAT'S TAIL GRASS			_	
nodosum L.	knotted stalked	Europe		h	Þ
pratense L.	mendow—Timothy	do.		h	P
PHLOMIS	PHLOMIS	C D .			
fruticosa L	Jerusalem Sage	S. Europe	Med.		s
herba venti L.	rough leaved	do.		gh	P
leonurus L.	lion's tail	C. G. H.		g.h	3 1
martinicensis Swz. 3	globular leaved	W. Indies		h	а
caribæa Jucq.					
purpurea Sm.	purple	S. Europe		g.h	9
PHLOX	LYCHNIDEA	N. Amer.		h	
maculata L.	spotted stalked	do.		n h	Þ
paniculata L.	panicled	uv.		44	P

HORTUS ELGINENSIS.					48
pilosa L. setacea L.	hairy bristly	N. Amer. do.		h h	P P
surveolens Ait.	white flowered	do.		ĥ	p
subolaca L.	awl shaped	do.		ĥ	P
	DATE PALM				•
dactylitera I	common	Syria	Diet & 1 Med.	h.h	t
	PHRYMA	<b>NT</b> 4			
leptoscachya L.	small flowered	N. Amer.	Med.	h	P
PHYLICA ericoides L.	PHYLICA heath leaved	C. G. H.		g.h	s
plumosa L.	feathered	do.		g.h	s
	WINTER CHERRY	200		P	•
alkekengi L.	common	Europe	Med.	h	р
angulata L.	angelar	B. Indies		h	a
incana H. P.	heary			g.h	p
pensylvanica L.	Pennsylvanian	N. Amer.	Med.	h <sub>.</sub>	P
somnifera L.	cluster flowered	Mexico		g.h	s
	POKE WEED	NT 4	D: 0-	ı	_
decandra L.	common	N. Amer.	Med.	Ω	Į,
PICRIS	OX TONGUE				
globulifera <i>H. P.</i>	globular			h	-
hieracioides L.	hawk weed	Europe		h	P
	BURNET SAXIFRAGE		37.3	1	_
PINUS	Anise PINE or Fir tree	Egypt	Med.	h	2
alba Ait. lava Ehrt.	white or single Spruce	N. Amer.	Arts	h	t
Abies alba H. P. ) balsamea L. Abies balsamea H. P.	Silver Fir—Balm of Gilead	do.	Med.	h	t
canadensis L. Abies canadensis H. P.	Hemlock Spruce	do.	Arts	h	t
inops Ait.	Jersey or scrub Pine	do.	Arts	h	t
laríx L.	common Larch	Europe	Arts &		t
Larix europæa H. P.	COMMISSI ZINCII		Med.	٠,	
nigra Ait. mariana Ehrt.	black or double Spruce	N. Amer.	Arts	h	t
Abies nigra H. P.		_	• .		
palustris Ait.	long leaved or Georgia pitch Pine	do.	Arts	h	t
pendula <i>Ait</i> .	black Larch	_do.	Arts	h	t
pinea L.	Italian or stone Pine	S. Europe	Diet	h	t
resinosa Ait. rigida Mich.f.	pitch Pine	N. Amer.	Arts	h	t
serotina Mich.	pond Pine	do.	Arts	h	t
strobus L.	Weymouth or white	do.	Arts	h	t
PIPER uigrum 1	PEPPER black	B. Indies	Med.& Diet	h.h	5
PISCIDIA	PISCIDIA				
erythrina L.	Coral tree leaved	S. Amer.		h.h	
PISUM maritimum L.	PEA sea	N. Amer	. Diet	h	
sativum L.	common	Europe	Diet	ï.	p a
PLANTAGO	PLANTAIN	221.0[10		**	4
amplexicaulis Cav.	stem clasping	· Europe		h	а
crassa Willd. 2	thick leaved	do.		h	
crispa <i>Lmk</i> . 5					P
lanceolata L.	Ribwort	N. Amer.		þ	P
innjor L.	great	do.	Med.	h	P
maritima I	sea	do.		h	P
maxima Jacq.	broad or cowl leaved	Siberia		h	P

₩.					
virginica L.	· Virginian	N. Amer.		h	Þ
PLATANUS	PLANE TREE or Larg	re Button H	ood		
occidentalis L.	American	N. Amer.	Arts	h	t
PLUMBAGO	LEAD WORT				
rosea L.	red flowered	W. Indies		h.h	8
PLUMERIA	PLUMERIA	317 T 11			_
alba L.	white	W. Indies		h.h	8
rubra L.,	red	do.		h.h	3
POA	MEADOW GRASS	F	1	h	25
angustifolia L.	narrow leaved	Europe	Agr.	h	P
annua L.	dwarf	N. Amer. do.	Agr. Agr.	ĥ	p
compressa L.	blue grass	do.	Agr.	ii.	P
flava L.	yellow				_
lineata Pers. striata Mich.	striped seeded	do.	Agr.	h	P
pectinacea Mich.	comb flowered	do.	Agr.	h	а
protensis L.	common	do.	Agr.	h	Þ
trivialis L.	field	do.	Agr.	h	Þ
PODALYRIA	PODALYRIA or Wild I	ndigo	•		
australis Willd.	_	N. Amer.	Arts	h	n
Sophora australis L.	} blue flowered	A. Amer.	Aits	11	Þ
tinctoria Willd.	2 30000	do.	Arts	h	Þ
Sophora tinetoria L.	} dyer's		111.00		P
PODOPHYLLUM	DUCK'S FOOT or May	Apple			
peltatum L.	peltated	N. Amer.	Med.	h	P
POLYANTHES	TUBEROSE			. ,	_
tuberosa L.	common	E. Indies		g.h	P
POLYGALA	MILK WORT	37 4		L	_
incarnata L.	flesh coloured	N. Amer	Med.	h h	2
senega L.	Seneca snake root	do.	wieu.	h	P a
verticillata L.	whorled leaved	do.		11	-
POLYGONUM	PERSICARIA	N. Amer.		h	a
arifolium L.	spear leaved	do.	Med.	h	p
aviculare L.	Knot grass Bisto: t or Snake weed	Europe	Med.	ĥ	p
bistorta L. convolvulus L.	black bind weed	N. Amer.	Med.	h	a
	Buck-wheat	Asia	Diet	h	. a
fagopyrum L. hydropiper L.	water pepper	N. Amer.	Med.	h	a
Innethibition Ait	<b>1</b>			L	_
pensylvanicum Curt.	} pale flowered	do.		h	ຄ
minus Aut.		do.	Med.	h	á
angustifolium Roth.	small		Medi.		a
orientale L.	eastern or tall	F Indics		h	2
pensylvanicum L.	Pennsylvanian	N. Amer.	Med.	i.	а
persicaria L.	spotted	do.	Med.	h	÷1
ramosissimum Mich.	branched Knot grass	do.		h	:1
sogittatum L.	arrow leaved	do.		h	21
scandens L.	elimbing	do.		h h	P
tenue Mich.	slender Knot grass	do.		lı	а
virginicum L.	Virginian	do.		11	ħ
POLYPODIUM	POLYPODY	N. Amer.		h	7.
connectile Mich.	small flowered	do.	Med.	'n	Þ
vulgare L. CONTEDERIA	common PONTEDERIA	110.	Cu-	••	f,
cordeta L.	heart leaved	N. Amer.		'n	P
POPULUS	POPLAR TREE				• *
alba L.	European white	Europe		ħ	ŧ
die >	- ·	-	A	h	t
angulata Mich.	angular—Cotton tree	N. Amer.	Arts	11	C
balsamifera L.	Tacamahac	do.	Med.	h	ŧ
dilatata Ait.					
fastigiata Desf.	Italian er Lombardy	Italy		h	ŧ
in dien Hort.		<b>37</b> .		,	_
grandidentata . 12ich.	Canada	N. Amer.	$\Lambda vts$	h	ŧ

	HORTUS ELGINENSI	S.		43
heterophylla L.	various leaved	N. Amer. A	rts h	Ċ
nigra L.	biack		rts h	t
tremuloides Mich.	aspen	do. A	rts h	t
PORTULACCA	PURSLANE	N 4		_
oleracea L.	common	N. Amer. D	iet h	а
POTENTILLA	CINQUEFOIL	Europe	h	
argentea L. canadensis L.	silvery Canadian	N. Amer.	'n	P P
fruticosa L.	shrubby	do.	ĥ	5
hirta L.	hairy	Europe	ĥ	P
norvegica L.	Norway	Norway	lì	p
opaca Jucq.	saw leaved	Europe	h	p
reptans L.	creeping		ed. h	P
simplex Mich.	common	do. M	ed. h	P
POTERIUM	BURNET			
sanguisorba	common	Europe Me	d& h	P
	DOM:100	L	liet	
POTHOS	POTHOS			
foetida Ait.	skunk cabbage	N. Amer. 3	fed. h	P
Dracontium fætidum	DDENINTUE			_
PREMARINES	IMENANTHES	N. Amer. N	led. h	n
allia L.	white flowered tall	do.	h ·	p P
. altissima L. PRIMULA	PRIMROSE	du.	**	P
auricula L.	Auricula	Europe	ħ	P
v. lutea	yellow flowered do.	Butopo		
elatior L.	Oxlip	do.	h	P
farinosa L.	bird's eye	₫o₊	h	Þ
veris L.	Cowslip or Paigle	do. N	led. h	P
vulgaris L.				-
acaulis Sm.	common	do. I	)iet h	P.
grandiflora Lmk.				
PRINOS	WINTER BERRY			
glabra L.	evergreen—Ink berry		rts h	5
verticillatus L.	deciduous	do.	h	9
PROSERPINACA	PROSERPINACA	NT Amon	h	Ъ
palustri <b>s L.</b>	niarsh PROTE A	N. Amer.	A	D
PROTEA	PROTEA Silver tree	C. G. H.	g.h	t
argentea L.		do.	g.h	i
sericea L. PRUNELLA	SELF HEAL	uu.	8.4	-
pensylvanica Willd.		37.4 3		_
ovata H. P.	common American	N. Amer. M	led. h	P
PRUNUS	CHERRY TREE			
armeniaca I.	Apricot tree	Levant D	iet h	t
avium L.	small bird		led. h	t
caroliniana Ait.	evergreen		Diet g.h	t
cerasus L.	common		ict& h	t
,		V	1ed.	
v. flore pleno	double flowered do.	37 A D		
cerasifera Ehrt.	Myrobalans	N. Amer. D	ledecin.	ŧ
10 - 10 - 1	Chielessen Dlumb	_	Diet h	t
chicasa Mich.	Chickasaw Plumb common Plumb		Diet h	į
domestica L.	common Flumb		1ed. g.h	ì
lauro cerasus L.	black	N. Amer.	h	ŧ
nigra L. padus L.	common bird		led. h	ŧ
pensylvanica Ait.	upright		Diet h	t
pumila L.	dwarf		Diet h	t
pygmæa Willd.	American Sloe		Diet h	
semperflorens Ehrt.	•	do. N	led. h	t
serotina Roth.	S			
serotina <i>Ehrt.</i>	wild		fed. h	t
sphærecarpa Mich.	sea Plumb	do. I	lict h	t

spinosa L.	black thorn or European sloe	Europe	Med.	h	ŧ
virginiana L. PSIDIUM	Virginian GUAVA	N. Amer.	Dict	h	t
pomiterum L. PSORALEA	apple fruited PSORALEA	W. Indies	Diet	h.h	t
aculeata L.	prickly	C. G. H.		g.h	8
bituminosa L.	bituminous	Italy		g.h	6
hirta <i>.lit.</i> palæstina L.	hairy Palestine	C. G. H. Levant		g.h	<b>8</b> 6
pinuata L.	winged leaved	C. G. H.		g.h g.h	6
verrucosa Willd.	narrow leaved	do.		g.h	8
PTELEA	SHRUBBY TREFOIL				
trifoliata L. PTERIS	three leaved BRAKE	N. Amer.		h	S
aquilina L.	common	N. Amer.		h	p
atropurpurea L. PULMONARIA	purple LUNG WORT	do.		h	P
officinalis L.	common	Europe	Med.	h	P
virginica L.	Virginian	N. Amer.		h	Þ
PUNICA granatum L.	POMEGRANATE common	S. Europe	Med.& Diet	g.h	8
v. fiore pleno PYCNANTHEMUM	double flowered do. MOUNTAIN MINT		Dict		
incanum Mich.	Zhanne	N. Amer.	Mcd.	h	p
Clinopodium incanum I virginicum Pers.					•
Thymus virginicus L. Brachystemum virgi-	narrow leaved	do.	Med.	h	p
nicum Mich. ) PYRETHRUM	FEVER FEW				
parthenium Willd.  Matricaria partheni- um L.	- common	Europe	Med.	h	P
ptarmicæfolium B illd	`				
Anthemis ptarmicefolia Hort.	sneeze wort leaved	Tartary		h	P
serotinum Willd. PYROLA	late flowering WINTER GREEN	N. Amer.		h	P
maculata L.	variegated leaved	N. Amer.	Med.	h	p
rotunditelia L.	round leaved	do.	Med.	ĥ	P
umbellata L.	umbelled	do.		h	Ď
PYRUS	PEAR OR APPLE				•
arbutifolia <i>Willd.</i> Mespilus arbutifolia L.					
Aronia arbutifolia  Pers.	black fruited	N. Amer.		h	P
baccata L.	Siberian Crab	Siberia	Diet	h	t
botryapium Willd. Aronia botryapium Pers.	blue fruited	N. Amer.		h	t
communis L.	common Pear	Europe	Med.&	h	t
coronaria L.	sweet scented Crab	N. Amer.		h	t
cydonia L.	common Quince	Europe		h	i
malus L.	common Apple	do.	Med.& Diet	: h	t
pollveria L.	powdered	do.		h	ŧ
prunifolia Willd.	Lady Apple	Siberia	Diet	h	t
spectabilis Ait.	Chinese QUASSIA	China		h	t
QUASSIA amara L.	bitter	Surinam	Med.	<b>h</b> .h	t

		-			
QUERCUS	OAK			_	
alba L.	common white	N. Amer.		P	*
coccinea Mich.	scarlet	do.	Arts Arts	h	t
discolor Ait. tinctoria v. sinuosa Mich.	swamp white	do.	Arts	h	t
ilicifolia Willd. 3 banisteri Mich. 5	scrub or barren	do.		h	t
macrocarpa Mich.	large fruited	do.	Arts	h	t
montana Willd. prinus v. monticola	rock chesnut	do.	Arts	h	t
Mich. )	black	do.	Arts	h	ŧ
palustris Mich.	pin .	do.	Arts	ĥ	ť
phellos L.	willow leaved	do.	Arts	h.	t
prinus L.				_	_
prinus v. palustris Mich.	chesnut white	do.	Arts	h	t
rubra L.	red	do.	Arts& Med.	ь	t
stellata Willd. obtusiloha Mich.	post white	do.	Arts	Þ	t
tinctoria Bartr. tinctoria v. angulosa Mich.	Quercitron or black	do.	Arts& Med.	h	t
velutina Imk. ) virens Mich.	live	do.	Arts	h	t
QUERIA	QUERIA.			**	•
canadensis L. Anychia dichotoma Mich.	forked	N. Amer.		h	2
RANUNCULUS	CROW FOOT				
abortivus L.	kidney leaved	N. Amer.		h	
acris L.	upright	Europe	Med.	ĥ	P P
v. flore pleno	double flowered do.	•		_	1,
bulbosus L.	bulbous	N. Amer.	Med.	h	P
flammula L.	small Spear wort	do.		h	ā
hispidus Mich.	rough	do.		h	P
pensylvanicus L.	Pennsy Ivanian	do.		þ	P
repens L.	creeping celery leaved	do. do.	Med.	h	P
RAPHANUS	RADIŠII	<b>u</b> 0.	MI Cu.	h	SA.
raphanistrum	white	Europe		· h	
sativus L.	garden	China	Diet & Med.		2
RESEDA	RESEDA				
luteola L.	Dyer's Weed	Europe	Arts	h	2
odorata L.	Mignonette	Egypt		h	a
undata L.	wave leaved	Europe		h	ь
RHAMNUS	BUCK THORN	e r			
alaternus L. v. foliis variegatis	Alaternus variegated do.	S. Europe	•	g.h	8
RHEUM	RHUBARB officinal	Cluina	Mad	1	
palmatum L. undulatum L.	wave leaved	Siberia	Med. Med.	þ	P
RHEXIA	RHEXIA	DIOCITA	wed.	h	P
glabella Mich.	smooth leaved or Deer-	Carolina		g.h	P
mariana L.	ciliated	N. Amer.		h	p
virginica L.	common	do.		ĥ	P
RHODODENDRON	ROSE BAY				1-
maximum L.	Rock Rose—Mountain laurel	N. Amer.	Med.	h	

ponticum L.				_	
RHUS	purple SUMACH	- Europe		Ъ	2
copallinum L.	copal	N 1	A	L	
cotinus L.	Venice	N. Amer.		þ	8
glabrum L.	nemmon	Europe N. Amer.	Arts	h	5
•	3322.037,	M.M. Met.	Med.	ш	8
radicans L.	climbing-poison vine	do.	Med.	h	6
toxicodendron L.	poison oak	do.		ĥ	5
typhinum L.	woolly	do.	Arts	ĥ	S
vernix L.	poison ash or Varnish	do.		h	8
RIBES	tree				
	CURRANT	_			
grossularia L. nigrum L.	common Gooseberry	Europe	Diet	h	8
mgrum L.	European black	đo.	Med.&	h	8
pensylvanicum Lmk.	<b>.</b>		Diet		
pensylvanicum <i>Lmk.</i> floridum <i>Willd.</i>	American black	N. Amer.	Diet	h	8
rubrum L.	red	Europe	N1 and 8-	ı.	
		Darope .	Diet	п	8
v album	white		Dice		
uva crispa L.	smooth Gooseberry	do.	Diet	h	s
RICINUS	PALMA CHRISTI or	Castor Oil pl	ant	_	-
africanus Willd. 3 communis Desf. 5 communis L.	African	Africa -		h.h	
communis L.					.2
viridis Willd.	common	• E. Indies	Med.	h	8
RIVINA	green Divisia	do.		h	
lævis L.	RIVINA	337 T. J'			
ROBINIA	ROBINIA or Locust tree	W. Indies		h.h	3
caragana L.	Caragana	Siberia		h	
hispida Ait.	Rose Acacia	N. Amer.		ħ	ţ
pseud-acacia L.	common or Fulse Acacio		Arts	'n	ŧ
pygmæa_L.	dwarf	Siberia		ĥ	t
viscosa Vent.	clammy	N. Amer.			
glutinosa Curt. \$ ROSA	•	M. Ainer.		h	t
alba L.	ROSE				
bifera Poir.	white '	Europe	Med.	h	8
semperflorens H.P.	monthly	do.	_	h	9
burgundiaca H. P.	pompone or burgundy	do.			
carolina L.				h	5
corymbosa Ehrt. 3	Carolinian	N. Amer.	Med.	h	8
centifolia L.	hundred leaved	Europe	Med.	h	
chinensis Jacq.	pale China	China		g.h	8
cinnamomea L.			•		•
collincola Ehrt.	Cinnamon	Europe		h	3
majalis Retz.				_	
damascena <i>Ait</i> . eglanteria L. 7	damask	Europe 1	Med.	h	
lutes Ait.	single yellow	do.		h	8
gallica L.	red officinal	do.		_	•
v. versicolor	variegated	uo.	weu.	h	4
kamschatica Vent. ?					
ferox? Donn.	Kamschatka	Kamschatka		h	3
lævigata Mich.	Cherokee	Carolina		h	8
lucida Ehrt.	shining leaved	N. Amer.		ĥ	5
moschata Ait.	musk		Arts	h	8
multiflora Thunb.	meny flowering	Japan		h	5
muscosa Ait. parviflora Ehrt.	inoss	Europe		h	5
pensylvanica Mich.	Pennsylvanian	N. Amer.	Med.	h	g
narvifolia Ehrt.	•				~
pensylvanica Mach. \$ parvifolia Ehrt. } remeasis II. P.	Champagne	S. Europe		h	8
pimpinellifolia L.	burnet leaved	ďo.		b	-
		40.		T.	8

	HORTUS ELGINENSIS			49
provincialis <i>Ait.</i> rul·iginosa L.	Provence sweet briar	S. Europe N. Amer.	þ.	
semperflorens Curt. 3	red China	China	g.b	
setigers Mich.	bristly	N. Amer.	Ъ	
spinosissima L. v. flore pieno ROSMARINUS	Scotch double flowered do.	Europe	þ	
officinalis L.	ROSEMARY .	S. Europe	Med. g.h	5
ROTHIA cheirauthifolia IFilld	ROTHIA			
Andryala sinuata L —— laciniata Lmk.	stock leaved	Europe	p	2
RUBUS ideus L.	BRAMBLE garden Raspberry	Europe M		
occidentalis L.	American Raspberry	N. Amer. I		
odoratus L.	flowering Raspberry	go.	Aed. · h	8
saxatilis L. v. americana	small American	do.	р	8
strigosus Mich.	mountain	do.	h .	
trivialis Mich.	American Dewberry		Diet & h Med.	
villosus Ait. vulpinus Desf.	American Blackberry	do.	Diet& b Med.	=
RUDBECKIA amplexifolio Jacq. 2	RUDBECKIA atem clasping	S. Amer.	h	
perfoliata Cav. 5 Iaciniata L.	cut leaved	N. Amer.	ь	•
purpures L.	purple flowered	do.	ž.	P
RUMEX acetosa L.	DOCK garden Sorrel		Diet& h Med.	P
acetosella L.	sheep Sorrel	N. Amer. I		P
acutus L.	sharp pointed	do.	þ	P
alpinus L. erispatulus <i>Mich</i> .	Monk's Rhubarb common American	Europe :	Med. h h	P
persicarioides Poir. S	bloody	do.	h	P
xanthoriza Pers. 2	yellow rooted	do.	b	P P
brittanica L. 5 RUSCUS	BUTCHER'S BROOM	40,	-	P
aculestus L	prickl <del>y</del>		Med. h	8
androgynus L. RUTA	climbing RUE	Can. Isl.	g.h	5
graveolens L. SABAL	common DWARF PALM	Europe 1	Med. h	3
minor <i>Pers.</i> Corypha minor <i>Jacq.</i> Chemærops acaulis	- fan	Carolina	Arts g.h	s
Mich. J	SUGAR CANE			
officinarum L.	common	B. Indies	Diet h.h	P
SAGINA procumbens L.	PEARL WORT procumbent	Europe	h	b
SÁGITTARIA Isocifolia L.	ARROW HEAD spear leaved	N. Amer.	ь	24
latifolia Willd.	broad leaved	do.	. ₽	ħ
obtusa Muhl.	simple stalked	do.	h	P
SALICORNIA	GLASS WORT	N. Amer.	Diet h	•
virginica L.	common Samphire 14	M. Marier.	PICC II	-

SALIX	WILLOW	_			
alba L	white	Europe		h	ŧ
bahylonica L.	weeping	Levant	Arts	h	t
conifera Willd.	cone bearing	N. Amer.	Arts	h	ŧ
longirostris Mich. S lucida Muhl.	shining leaved	do.		h	ŧ
muhlenbergiana Willd.	) .	uo.		14	
- incana Mich.	hoary	do.	-	h	t
tristis Muhl. nigra Muhl. ?	,				
caroliniana Mich. 5	black	do.	Arts	h	t
Viminalis L.	common Osier	Europe	Arts	h	t
viticellina L.	yellow	do.	Arts	h	t
SALSOL A	SALT WORT	·		_	
caroliniana <i>Mich.</i> kali L.	red flowered	N. Amer.		þ	2
soda L.	prickly long leaved	do.	Arts	h.	8
SALVIA	SAGE	do.	Arts	h	2
acuminata Went.	narrow leaved	Carolina		<b>~</b> b	_
cerstophylla L.	stag's horn leaved	Persia		g.h	B
coccinea L.	scarlet flowered	Florida		g.h	8
erosa H.P.	torn leaved			g.h h	. S
formosa l'Her. Z	shining looned	· D		_	-
: nodosa Vent. S	shining leaved	Peru		g.h.	8
hispanica L.	Spanish	Spain	Med.	h	2
borminum L.	red topped	Europe		ħ	
lyrata L.	lyre leaved	N. Amer.		h	p
officinalis L.	officinal or common	Europe	Diet & Med.	h	5
patula Desf. ?		<b>-</b> .	MEG.		
atlantica Pers. 5	spreading	Barbary		g.h	P
, Piunaca Li.	wing leaved	Levant		g.h	Ъ
pratensis L.	mendow	Europe		'n	
sclarea L.	common Clary	do.	Med.	h	B
spielmannia Donn.	saw leaved	do.		h	2
verticillata L.	whorl flowered .	do.		· h	P
Viridis L.	green topped ELDER	do.		h	P
SAMBUCUS		- ·			
canadensis L. nigra L.	Canadian common	N. Amer.		h	. 8
pubescens Mich.	mountain	Europe	Med.	þ	8
SAMOLUS	WATER PIMPERNEL	N. Amer.		h	8
valerandi L.	common	N. Amer.	•		4
SANGUINARIA	BLOOD ROOT	M. Amer.		h	P
canadensis L.	American-Puccoon	N. Amer.	Med &	h	_
			Arts		P
SANUISORBA	BURNET SAXIFRAGE				
canadensis L.	Canadian	N. Amer.		h	P
officinalis L.	common	Europe	Med.	ĥ	P
SANICULA _	SANICLE				r
maribancica L.	American	N. Amer.	Med.	h	P
SAPINDUS	SOAP BERRY				
SAPONARIA	common SOAD WODE	Carolina		g.h	8
officinalis L.	SOAP WORT			_	
v. flore pleno	common double flowered do.	Europe	Med.	h	P
porrigens L.	hairy	.1-			
vaccaria L.	perfoliate	do. Lovent		þ	2
SARACENIA	SIDE SADDLE FLOWE	Levant		h	a
flava L.	yellow	N. Amer.			_
psyttacina Mich.	red	Carolina		h ~ b	P
purpurea L.	purple	N. Amer.		g.h h	P
variolaris <i>Mich</i> .	sinall	Carolina		g.h	P
				D	1"

	HORTUS ELGINENSIS.				źτ
SATUREJA hortensis L.	SAVORY summer	Europe 1	Med.& Diet	h	ä
montana L.	winter	do.		h	\$
SAURURUS cernuus L	LIZARD'S TAIL nodding	N. Amer.		h	P
SAXIFRAGA crassifolia L.	SAXIFRAGE thick leaved	Siberia		h	P
pensylvanies I.	common American	N. Amer.		þ	, P
sarmentosa Ail. }	creeping or strawberry	China		g.h	Þ
virginica Mich.	Virginian	N. Amer.		h	P
SCABIOSA	SCABIOUS	Europe	Med.	h	ь
atropurpurea L.	sweet cat's eye	do.		h	ā
steliata L. SCANDIX	CICELY				
cerefolium L.		Purene	Diet	'n	
Chærophy llum sati-	Chervil	Europe	Diet	11	
vum Pers. y odorata L.	sweet scented or Myrrh	do.	Med.	h	
pectens L.	Venus's comb	do.		h	P
SCHISANDRA	SCHISANDRA	Carolina		g.h	2
enceines Mich.	scarlet BOG RUSH	Caroinna		8·11	•
SCHŒNUS albus L.	white	N. Amer.		b	P
fuscus L.	brown	do.		þ	P
glomeratus L.	glomerated	do.		þ	P
SCILLA	SQUILL officinal	S. Europe	Med.	g.h	p
maritima L. nutans Sm.	)	-	_	Ξ.	-
Hyacinthus non scrip	} Hare bell	Europe	Arts	þ	P
tus L.	CLUB RUSH				
SCIRPUS americanus Pers.		N. Amer	Arts	h	
triqueter Mich.	three sided				P
capillaris Mich.	hair shaped	do. do.		h h	a P
capitatus L	headed bulrush	do.	Arts	ĥ	P
lacustris L. macrostachyus Mich.	large spiked	do.	Arts	þ	P P P
sylvations L.	wood	do.		h	P
SCLERANTHUS	KNAWEL	N. Amer	•.	h	
SCOLYMUS .	GOLDEN THISTLE	211.000	-		-
hispanions L.	perennial	Europe		h	P
SCORPIURUS	CATERPILLARS	Europe		ь	2
vermiculata L.	common VIPER'S GRASS	za cope			-
SCORZONERA hispanica L.	common	Europe	Diet	h	P
SCROPHULARIA	FIG WORT	N. Amer	. Med	. h	_
marilandica L.	American SCULL CAP	M. Ainei	. Micu	. 11	P
SCUTELLARIA hyssopitolia L.	hyssop leaved	N. Amer	·.	h	P
integritolia L. 2	oval leaved	do.		la	P
ovalitolia Pers. 3	• • • • • • • • • • • • • • • • • • • •	do.	Med	. h	P
lateriflora L.	lateral flowered RYE	uo.		•	P
SECALE cereale L.	common	S. Europ	e Die	t h	A
SEDUM	STONE CROP	Funces		h	•
anarampseros L.	evergreen Orpine poplar leaved	Europe do.	•	h	
populifolium <i>Ait.</i> reflexum	reflexed leaved	do.		h	P
rupestre L.	rock	do.		h	D
sexangulare L.	six angled	do.		þ	þ

	nonico abanandi	,,			
telephium L. ternatum Mich.	common Orpine three leaved	Europe N. Amer.	Med.	h h	P
SEMPERVIVUM arboreum L	HOUSELEEK	Levant		g.h	
tectorum L.	common	Europe	Med.	h h	P
SENECIO	GROUNDSEL	<b>P</b>		h	_
dorin L. elegans L.	broad leaved purple Jacobæa	Europe C. G. H.		h h	P
halimifolius L. Z	halimus leaved	do.		g.h	8
sessilis Thunb 5 hieracifolius L.	hawk weed leaved	N. Amer.	Med.	h	2
vulgaris L.	eom mon	Europe	Med.	h	2
SERISSA	BOX THORN	-			
fætida Willd. Lycia m fætidum L.  — japonicum Lmk.	Japanese	Japan		g.h '	
v. flore pleno SESAMUM	double flowered do.				
orientale L.	SESAMUM oriental—Bhenne	E. Indies	Diet & Med.	h	2
SHERARDIA arvensia L.	FIELD MADDER	Europe	Med	h	
SICYOS	SINGLE SEEDED CUC	UMBER		_	-
angulata L. SIDA	angular leaved SIDA	N. Amer.		þ	2
abutilon L. alnifolia L.	round leaved alder leaved	Europe		h h	Ь
angustifolia I. 3	narrow leaved	E. Indies		h	2
ulmifolia Retz.	small flowered			h ·	2
asiatica L. cristata L.		do.			
Anoda triloba Cav.	blue flowered	Mexico		h	2
indica L. populifelia <i>Cav.</i> ?	Indian	E. Indies		h	2
beloere l'Her. 5	poplar leaved	do.		ь	2
rhombifolia L. spinosa L.	rhomboid leaved prickly	do.		lı.h h	8 2
triloha Cav.	three lobed	do.		ĥ	2
SIDEROXYLUM	IRON WOOD				
lanuginosum Mich. Bumelia lanuginosa Pers.	Silver Thorn	Carolina		h	t
SILENE	CATCHFLY	_		_	
armeria L. antirrhina L.	Lobel's snapdragon	Europe N. Amer.		h h	2
conica L.	corn	Europe		ĥ ·	8
dichotoma Ehrt.	branched	Hungary		h	Ъ
fruticosa L. mutabilis L.	shrubby changeable	Sicily Europe		g.h h	s P
nocturns L.	night smelling	Europe		h	2
ornata Ait.	dark flowering	C. G. H.		g.h	þ
pensylvanica <i>Mich.</i> picta <i>H. P.</i>	Penusylvanian striped flowered	N. Amer.		h h	b a
quinquevulnera L.	spotted	Europe		'n	2
SILPHIUM	SILPHIUM	N. Amer.			_
laciniatum L. SINAPIS	jagged leaved MUSTARD	N. Amer.		h	P
alba L.	white	Europe	Diet & Med.	h	
nigra L.	black	do.	Diet & Med.	h	8
SIPHONANTHUS	TUBE FLOWER				
indica L.	Indian	E. Indies		h.h	8

5**S** 

1	HORTUS ELGINENSIS.				-
SISON	HONE WORT				
canadense L. Chærophyllum canadense Pers.	Canadian	N. Amer.		h	P
trifoliatum L.	three leaved SISYMBRIUM	do.	Med.	h	P
SISYMBRIUM Samphibium L.	Water Radish	N. Amer.	Med.	h	P
nasturtium L.	Water Cress	do.	Diet &	h	P
matuttium 13.	Water Ores		Med.		_
sophia L. SISYRINCHIUM	Flix weed SISYRINCHIUM	do.	Med.	h	a
anceps Lmk.		3T A		h	
gramineum Curt	grass leaved	N. Amer.			P
mucronatum <i>Mich</i> .	blue eved grass WATER PARSNEP	do.		h	P
falcaria L.	sickle leaved	Europe		þ	P
lineare Mich.	linear leaved	N. Amer.		p	P
rigidius L.	stiff stalked	do.		þ	P
sisarum L.	Skirrets	China	Diet	Ъ	P
	SMILAX				_
cordifolia Humb.	heart leaved	Mexico		g.h	8
herbacca L.	herbaceous	N. Amer.		Þ	P
laurifolia L.	laurel leaved	do.		h h	3
quadrangularis Muhl.	square staked	do.		h	- :
rotunditolia L.	round leaved	do.		_	•
peduncularis Muhl. 3 pulverulenta Mich. 3	powdered	do.		Ъ	P
sarsaparilla L. Z	medicinal	do.	Med.	h	3
glauca Mich. S syphilitica Humb.	true Sarsaparilla	S. Amer.	Med.	h.h	
SMYRNIUM	ALEXANDERS	37 4	M.d	h	_
cordatum Mich.	heart leaved	N. Amer.	Med.	n	Þ
SOLANUM_	NIGHTSHADE	N. Amer.	Med.	h	s
dulcamara L.	Bitter Sweet	E. Indies	IVI Cu.	'n	a
insanum L.	large prickly Egg plant Love apple—Tomatoes	S. Amer.	Diet	ĥ	
lycopersicum_L.	amaller prickly Egg plant		Diet	ĥ	2
mammosum L.	common Egg plant	do.	Diet	ĥ	2
melongena L.				h	_
nigrum L.	common	N. Amer	. Med.		2
v. virginicum S pseudo capsicum L.	Jerusalem Cherry	Madeira		g.h	3
tuberosum L.	common Petatoe	Peru	Diet	Ъ	P
SOLIDAGO	GOLDEN ROD			_	
altissima L.	tall	N. Amer		þ	P
bicolor L.	two coloured	₫o.	•	þ	P
eanadensis L.	Canadian	do.		þ	P
flexicaulis L.	bent stalked	do.		h h	P
lævigata <i>Ait</i> .	smooth leaved	do.		щ	Þ
lanceolata Ait.		do.		h	
Chrysocoma gramini- } folia L.	spear leaved	go.			P
lateriflora Ait.	lateral flowered	do.		h	P
nemoralis Ait.	wond	do.		h	P
noveboracensis L.	New-York	do.		Þ	P
odora Ait.	sweet scented	do.		h	P
procera Ait.	large	do.		þ	₽
reflexa Ait.	reflex leaved	ďo٠		þ	P
sempervirens L.	narrow leaved	do.		h	· P
SONCHUS	SOW THISTLE.	37 A	35. 1	٦.	_
oleraceus L.	common	N. Amer	. Med		3
pallidus Willd.	pale	do.		h	P
Lactuca canadensis L.	marsh	do.		11	P
palustris L.	auai 31	477			1.

54	HORTUS ELGINENSIS.				
SOPHORA	SOPHORA				
japonica L.	Japan	Јарац	1	g.h	3
microphylla Ait. 3	small leaved	S. Sea Isl.	8	g.h	8
tomentosa L.	silver <del>y</del>	E. Indies	ł	ı.h	8
SORGHUM Pers. 3 HOLCUS Auct. 3	BROOM CORN or Indian				
bicolor Pers.	two coloured	Persia	Arts	þ	2
saccharatum Pers. spicatum Pers.	common oval spiked	E. Indies do.	Diet Arts	h h	2
	cultivated	do.	Diet	ĥ.	2
vulgare Pers. SORBUS	SERVICE TREE	_		_	
aucuparia L.	Mountain Ash	Europe	Med.	h h	t
canadensis Donn. SPARGANIUM	Canadian BURR REED	N. Amer.		п	t
simplex Sm.	American	N. Amer.		h	P
SPARMANNIA africana L.	SPARMANNIA maple leaved	C. G. H.		g.h	8
SPARTIUM	BROOME	0. 0. 11.		8	_
junceum L. Genista juncea Desf.	Spanish	Europe	Arts	h	8
Genista juncea Desf.	- Paulin	•			_
linifolium Desf. Genista linifolia L.	flax leaved	Spain		g.h	5
monospernum L.	single seeded	do.		g.h	8
multiflorum l'Her. album Desf.	white Portugal	Portugal		h	8
Genista alba Lmk.	white i oreabar	7 01 tagar		••	•
scoparium L.	common	Europe	Med.	h	3
SPERGULA arvensis L.	SPURREY	N. Amer.		h	2
SPIGELIA	SPIGELIA or Worm gra	88			*
marilandica L.	Carolina Pink Root	N. Amer.	Med.	h	P
SPILANTHUS oleraceus L.	SPILANTHUS eatable	E. Indies	Diet	~ h	Ъ
SPINACIA	SPINACH	E. Indies	Diet	g.u	U
oleracea L.	common	E. Indies		h	2
SPIRÆA	SPIRÆA		Med.		
crenata L.	crenated	N. Amer.		h	g
hypericifolia L.	St. John's wort leaved	do.		h	8
opulifolia L.	Snowball leaved	do. do.		h	8
salicifolia L. tomentosa L.	willow leaved woolly	do.		h h	8
trifoliata L.	Bowman's root	40.		••	٩
Gillenia trifoliata	Indian Physic—Ipeca-	do.	Med.	h	Ď
Mænch. ) SPONDIAS	cuanha HOG PLUM				
dulcis Forst.		C C T.1	TO:		
cytherea Lmk. \$	Otaheite Goosberry	S. Sea Isl.	Diet	n.n	8
STACHYS	HEDGE NETTLE	Funence		1.	_
annua L. aspera <i>Mich</i> .	annual	Europe		h	8
tenuifolia Muhl.	rough leaved	N. Amer.		h	P
lanata L.	woolly	Siberia		h	P
STÆHELINA chamæpuce L.	STÆHELINA narrow leaved	S. Europe		g.h	
STAPELIA	STAPELIA	-		9	•
aperta Willd.	open flowered	C. G. H.		h.h	8
hirsuta L.	hairy variegated	đo. do.		h.h h.h	
variegata L. STAPHYLEA	BLADDER NUT	-		ae-11	•
trifolia L.	three leaved	N. Amer.		h	1
STATICE armeria L.	THRIFT common	Europe		ħ	
DIMELIA &A		Zaroye.		41	1

	HORTUS ELGINENSIS	3.			53
limonium L.	Sea Lavender—Marsh Rose:nary	N. Amer.	Med.	<b>P</b> .	P
sinusta L. STEWARTIA	wing stemmed STEWARTIA	Levant		g.h	P
malacodendron L. 3	Virginian	N.Amer.		h	•
STILLINGIA	STILLINGIA Tallow tree	China	Arts	e h	
Croton sebiferum I. S	FEATHER GRASS	N.Amer.		_	_
avenucea L. STRELITZIA reginæ Ait. 3	STRELITZIA			h	P
Heliconia alba L. )	oval leaved STYRAX	C. G. H.		h.h	P
grandifolium Ait.	bay leaved	N. Amer.	Med.	h	t
kevigatum Ait.	smooth leaved	do.		Þ	t
SYMPHITUM officinale L. SYRINGA	COMFREY officinal LILAC	Europe	Med.	h	P
chinensis Willd. 2	Chinese	China		h	
dubia <i>Pers</i> . S persica L.	Persian	Persia		h	8
v. laciniata vulgaris L. v. alba	common white do.	do.		þ	8
TAGETES erecta L.	TAGETES African Marygold	Mexico	Diet	h	
lucida Cav.	shining	do. do.	A 4	þ	
patula L. TAMARINDUS	French Marygold TAMARIND TREE	do.	Arts	h	2
indicus L.	common	B. Indies	Diet & Med.	h.h	t
TAMARIX germanica L.	TAMARISK German	Europe	Med.	h	_
TÄNACETUM	TANSEY				5
vulgare L. TEPHROSIA	common TEPHROSIA	Europe	Med.	h	P
toxicaria Pers. Galega toxicaria Swz.	Fish-poison	W. Indies		h.h	
I EOCKIOM	GENERALIDEIC	7			_
campanulatum L. canadense L.	small flowered nettle leaved	Levant N. Amer.	Med	h	Ъ
fruticans L.	shrubby	S. Europe		g.K	P
v. latifolium	broad leaved do.	٠			
massilense L. scorodonia L. THALIA	sweet scented ywood sage THALIA	do. Europe	Med.	g.h h	s P
dealbata <i>Donn.</i> THALICTRUM	white MEADOW RUE	Carolina		g.h	P
	glaucous			h	ŀ
glaucum <i>H. P.</i> Izvigatum <i>Mich.</i> dioicum L.	smooth leaved	N. Amer.		h	P
polygamum Muhl	tall	do.		h	P
purpurascens L.	purple	do.		h	þ
rugosum Ait.	rough leaved	do.		h	P
THËA bohea L.	TEA TREE.	China	Med.& Diet	g.h	3
viridis I.	greer,	đo.	Med.& Diet	g.h	8

THLASPI	BASTARD CRESS			
arvense L.	Penny Cress	N. Amer. Med	l. h	2
bursa pastoris L.	Shepherd's Purse	do.	h	2
campestre L.	Mithridate Mustard	do.	ĥ.	ā
THUYA	ARBOR VITÆ	w.		•
occidentalis L.	American-White Cedar	N. Amer. Arts	ı h	t
orientalis L.				-
	Chinese	China Med	. g.h	8
THYMUS	THYME			
acinos L.	basil	Europe Med	l. h	P
grandiflorus Curt. 7	large flowered	N. Amer.	h	P
carolinianus Mich. 5	in Be now cress	_		ľ
lanuginosus Willd.	lemon scented	Europe	h	8
serpyllum L.	wild-Muther of Thyme	do. Med	1. h	8
vulgaris L.	common	do. Med	& h	8
•		Die	t	
TIARELLA	TIARELLA			
cordifolia L.	heart leaved	N. Amer.	h	p
TIGRIDIA	TIGER FLOWER		-	r.
	' TODA TEST			
pavonia <i>H. P.</i> Moræa tigridia <i>Thunb</i> .	( )1 aminam	Mexico	mh.	•
	Mexican	DICKICO	g.h-	P
Ferraria tigridia L.	THE OF THE PROPERTY AND	True .		
TILIA	LIME OR LINDEN TR		. 1	
americana L.	American—Bass Wood			t
europæa L.	European	Europe Art	s h	t
TILLANDSIA	TILLANDSIA			
usneoides L.	Carolina moss	Carolina Art	s g.h	p
TOLPIS	TOLPIS			-
barbata Gært.				
Crepis barbata L.	<b>bearded</b>	Europe	h	а
Dunania kankuta II D		•		
TRACHYNOTIA Mich.	<b>3</b>			
TRACHYNOTIA Mich. DACTYLIS Auct.	EROUGH GRASS			
exposuroides Mich	dog's tail	N. Amer.	h	ħ
cynosuroides <i>Mich</i> polystachya <i>Mich</i>				P
TRADESCANTIA	many spiked	do.	h	Þ
TRADESCANTIA	SPIDER WORT			_
TRADESCANTIA discolor Sm.	SPIDER WORT purple leaved	S. Amer.	lı.h	P
TRADESCANTIA discolor Sm. roses Mich.	SPIDER WORT purple leaved rose coloured	S. Amer. Carolina	lı.h g.h	P P
TRADESCANTIA discolor Sm. rosea Mich. virginica L.	SPIDER WORT purple leaved rose coloured Virginian	S. Amer.	lı.h	P
TRADESCANTIA discolor Sm. rosea Mich. virginica L. TRAGOPOGON	SPIDER WORT purple leaved rose coloured Virginian COAT'S BEARD	S. Amer. Carolina N. Amer.	lı.h g.h h	P P P
TRADESCANTIA discolor Sm. rosea Mich. virginica L.	SPIDER WORT purple leaved rose coloured Virginian	S. Amer. Carolina N. Amer. Europe Med.	lı.h g.h h	P P
TRADESCANTIA discolor Sm. rosea Mich. virginica L. TRAGOPOGON porrifolium L.	SPIDER WORT purple leaved rose coloured Virginian GOAT'S BEARD purple—Salsafy	S. Amer. Carolina N. Amer.	lı.h g.h h	P P P
TRADESCANTIA discolor Sm. rosea Mich. virginica L. TRAGOPOGON porrifolium L. TRICHODIUM	SPIDER WORT purple leaved rose coloured Virginian COAT'S BEARD	S. Amer. Carolina N. Amer. Europe Med.	lı.h g.h h	P P P
TRADESCANTIA discolor Sm. rosea Mich. virginica L. TRAGOPOGON porrifolium L. TRICHODIUM laxiflorum Mich.	SPIDER WORT purple leaved rose coloured Virginian GOAT'S BEARD purple—Salsafy	S. Amer. Carolina N. Amer. Europe Med. Die	li.h g.h h & h	P P P
TRADESCANTIA discolor Sm. rosea Mich. virginica L. TRAGOPOGON porrifolium L. TRICHODIUM laxiflorum Mich.	SPIDER WORT purple leaved rose coloured Virginian GOAT'S BEARD purple—Salsafy	S. Amer. Carolina N. Amer. Europe Med.	lı.h g.h h	P P P
TRADESCANTIA discolor Sm. rosea Mich. virginica L. TRAGOPOGON porrifolium L. TRICHODIUM	SPIDER WORT purple leaved rose coloured Virginian GOAT'S BEARD purple—Salsafy HAIR GRASS	S. Amer. Carolina N. Amer. Europe Med. Die	li.h g.h h & h	P P P b
TRADESCANTIA discolor Sm. rosea Mich. virginica L. TRAGOPOGON porrifolium L. TRICHODIUM laxiflorum Mich. Cornucopiæ hy emalis	SPIDER WORT purple leaved rose coloured Virginian GOAT'S BEARD purple—Salsafy HAIR GRASS	S. Amer. Carolina N. Amer. Europe Med. Die	li.h g.h h & h	P P P b
TRADESCANTIA discolor Sm. rosea Mich. virginica L. TRAGOPOGON porrifolium L.  TRICHODIUM laxiflorum Mich. Cornucopiæ hyemalis Walt. TRICHOSANTHES	SPIDER WORT purple leaved rose ooloured Virginian GOAT'S BEARD purple—Salsafy HAIR GRASS fine TRICHOSANTHES	S. Amer. Carolina N. Amer. Europe Med. Die	li.h g.h h & h	P P P b
TRADESCANTIA discolor Sm. rosea Mich. virginica L. TRAGOPOGON porrifolium L. TRICHODIUM laxiflorum Mich. Cornucopiæ hy emalis Walt. TRICHOSANTHES anguina L.	SPIDER WORT purple leaved rose coloured Virginian GOAT'S BEARD purple—Salsafy HAIR GRASS fine TRICHOSANTHES Snake Gourd	S. Amer. Carolina N. Amer. Europe Med. Die	li.h g.h h & h	P P P P
TRADESCANTIA discolor Sm. rosea Mich. virginica L. TRAGOPOGON porrifolium L. TRICHODIUM laxiflorum Mich. Cornucopiæ hyemalis Walt. TRICHOSANTHES anguina L. TRICHOSTEMMA	SPIDER WORT purple leaved rose coloured Virginian GOAT'S BEARD purple—Salsafy HAIR GRASS fine TRICHOSANTHES Snake Gourd TRICHOSTEMMA	S. Amer. Carolina N. Amer.  Europe Med. Die N. Amer.	li.h g.h h & h	P P P P
TRADESCANTIA discolor Sm. rosea Mich. virginica L. TRAGOPOGON porrifolium L. TRICHODIUM laxiflorum Mich. Cornucopiæ hyemalis Walt. TRICHOSANTHES anguina L. TRICHOSTEMMA dichotoma L.	SPIDER WORT purple leaved rose ooloured Virginian GOAT'S BEARD purple—Salsafy HAIR GRASS fine TRICHOSANTHES Snake Gourd TRICHOSTEMMA branched	S. Amer. Carolina N. Amer.  Europe Med. Die N. Amer.  China N. Amer.	li.h g.h h & h	P P P P
TRADESCANTIA discolor Sm. rosea Mich. virginica L. TRAGOPOGON porrifolium L.  TRICHODIUM laxiflorum Mich. Cornucopiæ hyemalis Walt. TRICHOSANTHES anguina L. TRICHOSTEMMA dichotoma L. TRIENTALIS euronya L.	SPIDER WORT purple leaved rose coloured Virginian GOAT'S BEARD purple—Salsafy HAIR GRASS fine TRICHOSANTHES Snake Gourd TRICHOSTEMMA branched CHICKWEED WINTER	S. Amer. Carolina N. Amer.  Europe Med. Die N. Amer.  China N. Amer. GREEN	li.h g.h h & h t	P P P P
TRADESCANTIA discolor Sm. rosea Mich. virginica L. TRAGOPOGON porrifolium L.  TRICHODIUM laxiflorum Mich. Cornucopiæ hyemalis Walt. TRICHOSANTHES anguina L. TRICHOSTEMMA dichotoma L. TRIENTALIS euronya L.	SPIDER WORT purple leaved rose ooloured Virginian GOAT'S BEARD purple—Salsafy HAIR GRASS fine TRICHOSANTHES Snake Gourd TRICHOSTEMMA branched	S. Amer. Carolina N. Amer.  Europe Med. Die N. Amer.  China N. Amer.	li.h g.h h & h	P P P P
TRADESCANTIA discolor Sm. rosea Mich. virginica L. TRAGOPOGON porrifolium L.  TRICHOBIUM laxiflorum Mich. Cornucopiæ hyemalis Walt. TRICHOSANTHES anguina L. TRICHOSTEMMA dichotoma L. TRIENTALIS europæa L. v. americana	SPIDER WORT purple leaved rose coloured Virginian GOAT'S BEARD purple—Salsafy HAIR GRASS fine TRICHOSANTHES Snake Gourd TRICHOSTEMMA branched CHICKWEED WINTER American	S. Amer. Carolina N. Amer.  Europe Med. Die N. Amer.  China N. Amer. GREEN	li.h g.h h & h t	P P P P
TRADESCANTIA discolor Sm. rosea Mich. virginica L. TRAGOPOGON porrifolium L.  TRICHODIUM laxiflorum Mich. Cornucopiæ hyemalis Walt. TRICHOSANTHES anguina L. TRICHOSTEMMA dichotoma L. TRIENTALIS europæa L. v. americana TRIFOLIUM	SPIDER WORT purple leaved rose coloured Virginian GOAT'S BEARD purple—Salsafy HAIR GRASS fine TRICHOSANTHES Snake Gourd TRICHOSTEMMA branched CHICKWEED WINTER American CLOVER or Trefoil	S. Amer. Carolina N. Amer.  Europe Med. Die N. Amer.  China N. Amer. GREEN N. Amer.	h.h g.h h & h t	P P P P P P P P P P P P P P P P P P P
TRADESCANTIA discolor Sm. rosea Mich. virginica L. TRAGOPOGON porrifolium L. TRICHODIUM laxiflorum Mich. Cornucopiæ hyemalis Walt. TRICHOSANTHES anguina L. TRICHOSTEMMA dichotoma L. TRIENTALIS europæa L. v. americana TRIFOLIUM arvense L.	SPIDER WORT purple leaved rose coloured Virginian GOAT'S BEARD purple—Salsafy HAIR GRASS fine TRICHOSANTHES Snake Gourd TRICHOSTEMMA branched CHICKWEED WINTER American CLOVER or Trefoil hare's foot	S. Amer. Carolina N. Amer.  Europe Med. Die N. Amer.  China N. Amer. GREEN N. Amer. N. Amer.	li.h g.h h k h k h h h h h h h h	P P P P P P P P P P P P P P P P P P P
TRADESCANTIA discolor Sm. rosea Mich. virginica L. TRAGOPOGON porrifolium L.  TRICHODIUM laxiflorum Mich. Cornucopiæ hy emalis Walt. TRICHOS ANTHES anguina L. TRICHOSTEMMA dichotoma L. TRIENTALIS europæa L. v. americana TRIFOLIUM arvense L. coruleum L.	SPIDER WORT purple leaved rose coloured Virginian GOAT'S BEARD purple—Salsafy HAIR GRASS fine TRICHOSANTHES Snake Gourd TRICHOSTEMMA branched CHICKWEED WINTER American CLOVER or Trefoil hare's foot blue flowered	S. Amer. Carolina N. Amer.  Europe Med. Die N. Amer.  China N. Amer. GREEN N. Amer. N. Amer. Europe	li.h g.h h k k h h h	PPPP b b PP a a a PP a a a
TRADESCANTIA discolor Sm. rosea Mich. virginica L. TRAGOPOGON porrifolium L.  TRICHOBIUM laxiflorum Mich. Cornucopiæ hyemalis Walt. TRICHOSANTHES anguina L. TRICHOSTEMMA dichotoma L. TRIENTALIS europæa L. v. americana TRIFOLIUM arvense L. cæruleum L. dentatum Wald.	SPIDER WORT purple leaved rose coloured Virginian GOAT'S BEARD purple—Salsafy HAIR GRASS fine TRICHOSANTHES Snake Gourd TRICHOSTEMMA branched CHICKWEED WINTER American CLOVER or Trefoil hare's foot blue flowcred toothed	S. Amer. Carolina N. Amer.  Europe Med. Die N. Amer.  China N. Amer. GREEN N. Amer. Lurope Hungary	li.h g.h h k t h h h	PPPP b
TRADESCANTIA discolor Sm. rosea Mich. virginica L. TRAGOPOGON porrifolium L. TRICHODIUM laxiflorum Mich. Cornucopiæ hy emalis Walt. TRICHOSANTHES anguina L. TRICHOSTEMMA dichotoma L. TRIENTALIS europæa L. v. americana TRIFOLIUM arvense L. cœruleum L. dentatum Wald. indieum L.	SPIDER WORT purple leaved rose coloured Virginian GOAT'S BEARD purple—Salsafy HAIR GRASS fine TRICHOSANTHES Snake Gourd TRICHOSTEMMA branched CHICKWEED WINTER American CLOVER or Trefoil hare's foot blue flowered toothed Indian	S. Amer. Carolina N. Amer.  Europe Med. Die N. Amer.  China N. Amer. GREEN N. Amer. N. Amer. Hungary E. Indies	li.h g.h h k t h h h	PPP P b a a b a b a
TRADESCANTIA discolor Sm. rosea Mich. virginica L. TRAGOPOGON porrifolium L. TRICHODIUM laxiflorum Mich. Cornucopize hyemalis Walt. TRICHOSANTHES anguina L. TRICHOSTEMMA dichotoma L. TRICHOSTEMMA TRIENTALIS europæa L. v. americana TRIFOLIUM arvense L. cœruleum L. dentatum Wald. indicum L. involucratum Willd.	SPIDER WORT purple leaved rose coloured Virginian GOAT'S BEARD purple—Salsafy HAIR GRASS fine TRICHOSANTHES Snake Gourd TRICHOSTEMMA branched CHICK WEED WINTER American CLOVER or Trefoil hare's foot blue flowered toothed Indian stripe flowered	S. Amer. Carolina N. Amer.  Europe Med. Die N. Amer.  China N. Amer. GREEN N. Amer. N. Amer. Lurope Hungary E. Indies N. Amer.	li.h g.h h 8c h t h h h	PPP PP B a a b a p
TRADESCANTIA discolor Sm. rosea Mich. virginica L. TRAGOPOGON porrifolium L.  TRICHODIUM laxiflorum Mich. Cornucopiæ hyemalis Walt. TRICHOSANTHES anguina L. TRICHOSTEMMA dichotoma L. TRIENTALIS europæa L. v. americana TRIFOLIUM arvense L. cæruleum L. dentatum Wald. indieum L. involucratum Willd. officinale L.	SPIDER WORT purple leaved rose coloured Virginian GOAT'S BEARD purple—Salsafy HAIR GRASS fine TRICHOSANTHES Snake Gourd TRICHOSTEMMA branched CHICKWEED WINTER American CLOVER or Trefoil hare's foot blue flowered toothed Indian stripe flowered Melilot	S. Amer. Carolina N. Amer.  Europe Med. Die N. Amer.  China N. Amer. GREEN N. Amer. Europe Hungary E. Indies N. Amer. Europe Med.	l.h g.h h k t h h h	PPP PP b b a a a b a a b a a p a
TRADESCANTIA discolor Sm. rosea Mich. virginica L. TRAGOPOGON porrifolium L. TRICHODIUM laxiflorum Mich. Cornucopiæ hyemalis Walt. TRICHOSANTHES anguina L. TRICHOSTEMMA dichotoma L. TRICHOSTEMMA dichotoma L. TRIENTALIS europæa L. v. americana TRIENTALIS europæa L. v. americana TRIFOLIUM arvense L. cœruleum L. dentatum Wald. indicum L. involucratum Willd. officinale L. pratense L.	SPIDER WORT purple leaved rose coloured Virginian GOAT'S BEARD purple—Salsafy HAIR GRASS fine TRICHOSANTHES Snake Gourd TRICHOSTEMMA branched CHICKWEED WINTER American CLOVER or Trefoil hare's foot blue flowered toothed Indian stripe flowered Melilot meadow	S. Amer. Carolina N. Amer.  Europe Med. Die N. Amer.  China N. Amer. GREEN N. Amer. Europe Hungary E. Indies N. Amer. Europe Hungary E. Indies N. Amer. Europe Med. N. Amer. Agr.	li.h g.h h k t h h h h h	PPP PP B a a b a p
TRADESCANTIA discolor Sm. rosea Mich. virginica L. TRAGOPOGON porrifolium L. TRICHODIUM laxiflorum Mich. Cornucopiæ hyemalis Walt. TRICHOSANTHES anguina L. TRICHOSTEMMA dichotoma L. TRICHOSTEMMA TRIENTALIS europæa L. v. americana TRIFOLIUM arvense L. cœruleum L. dentatum Wald. indieum L. involucratum Willd. officinale L. pratense L. procumbens L.	SPIDER WORT purple leaved rose coloured Virginian GOAT'S BEARD purple—Salsafy HAIR GRASS fine TRICHOSANTHES Snake Gourd TRICHOSTEMMA branched CHICKWEED WINTER American CLOVER or Trefoil hare's foot blue flowered toothed Indian stripe flowered Melilot meadow hop	S. Amer. Carolina N. Amer.  Europe Med. Die N. Amer.  China N. Amer. GREEN N. Amer. In Amer. Lurope Hungary E. Indies N. Amer. Europe N. Amer. Europe Med. N. Amer. Europe Med. N. Amer. Europe Agr. Agr. Agr. Agr. Agr. Agr.	li.h g.h h k t h h h h h h h h h h h h h h h h	PPP PP b b a a a b a a b a a p a
TRADESCANTIA discolor Sm. rosea Mich. virginica L. TRAGOPOGON porrifolium L. TRICHODIUM laxiflorum Mich. Cornucopiæ hyemalis Walt. TRICHOS ANTHES anguina L. TRICHOSTEMMA dichotoma L. TRIENTALIS europæa L. v. americana TRIFOLIUM arvense L. cœruleum L. dentatum Wald. indicum L. involucratum Willd. officinale L. procumbens L. procumbens L.	SPIDER WORT purple leaved rose coloured Virginian GOAT'S BEARD purple—Salsafy HAIR GRASS fine TRICHOSANTHES Snake Gourd TRICHOSTEMMA branched CHICKWEED WINTER American CLOVER or Trefoil hare's foot blue flowered toothed Indian stripe flowered Melilot meadow hop dutch or white	S. Amer. Carolina N. Amer.  Europe Med. Die N. Amer.  China N. Amer. GREEN N. Amer. Europe Hungary E. Indies N. Amer. Europe Hungary E. Indies N. Amer. Europe Med. N. Amer. Agr.	l.h g.h h k t h h h h h h h h h h h h h h h h	PPP PP b a a b a p a b a p a p
TRADESCANTIA discolor Sm. rosea Mich. virginica L. TRAGOPOGON porrifolium L. TRICHODIUM laxiflorum Mich. Cornucopiæ hyemalis Walt. TRICHOSANTHES anguina L. TRICHOSTEMMA dichotoma L. TRICHOSTEMMA TRIENTALIS europæa L. v. americana TRIFOLIUM arvense L. cœruleum L. dentatum Wald. indieum L. involucratum Willd. officinale L. pratense L. procumbens L.	SPIDER WORT purple leaved rose coloured Virginian GOAT'S BEARD purple—Salsafy HAIR GRASS fine TRICHOSANTHES Snake Gourd TRICHOSTEMMA branched CHICKWEED WINTER American CLOVER or Trefoil hare's foot blue flowered toothed Indian stripe flowered Melilot meadow hop	S. Amer. Carolina N. Amer.  Europe Med. Die N. Amer.  China N. Amer. GREEN N. Amer. Lurope Hungary E. Indies N. Amer. Europe Hungary E. Indies N. Amer. Europe Med. N. Amer. Agr. Agr. Agr. Agr. Agr. Agr. Agr. Ag	l.h g.h h k t h h h h h h h h h h h h h h h h	PPPP b a a b a p a a b a p a p a
TRADESCANTIA discolor Sm. rosea Mich. virginica L. TRAGOPOGON porrifolium L. TRICHODIUM laxiflorum Mich. Cornucopiæ hyemalis Walt. TRICHOS ANTHES anguina L. TRICHOSTEMMA dichotoma L. TRIENTALIS europæa L. v. americana TRIFOLIUM arvense L. cœruleum L. dentatum Wald. indicum L. involucratum Willd. officinale L. procumbens L. procumbens L.	SPIDER WORT purple leaved rose coloured Virginian GOAT'S BEARD purple—Salsafy HAIR GRASS fine TRICHOSANTHES Snake Gourd TRICHOSTEMMA branched CHICKWEED WINTER American CLOVER or Trefoil hare's foot blue flowered toothed Indian stripe flowered Melilot meadow hop dutch or white	S. Amer. Carolina N. Amer.  Europe Med. Die N. Amer.  China N. Amer. GREEN N. Amer. Lurope Hungary E. Indies N. Amer. Europe Hungary E. Indies N. Amer. Europe Med. N. Amer. Agr. Agr. Agr. Agr. Agr. Agr. Agr. Ag	l.h g.h h k t h h h h h h h h h h h h h h h h	PPPP b a a b a p a a b a p a p a

	HORTUS ELGINENSIS	).			57
TRIGONELLA fæmm græcum L. TRILLIUM	FENUGREEK common TRILLIUM	Europe	Med.	p	a
cernuum L. erythrocarpum <i>Mich</i> .	drooping flowered, red fruited	N. Amer. do.	Med.	þ þ	P P
rhomboideum Mich. 3	upright flowered	do.	Med.	P	P
sessile L.	sessile flowered FEVER WORT	do.		þ	P
perfoliatum L. 3	perfoliate	N. Amer.	Med.	þ	P
TRIPSACUM dactyloides L. monostachyon Willd.	TRIPSACUM three spiked single spiked	N. Amer.		h h	P P
TRITICUM	WHEAT or Wheat Grass		TO!	_	_
æstivum L. compositum L.	summer Egyptian	Egypt	Diet Diet	h	2
hybernum L.	winter	267 PC	Diet	ĥ	•
junceum <i>Sm.</i> Ioliuceum <i>Sm.</i>	rush leaved	Europe	Agr.	Þ	
unilaterale Ait. Poo Ioliacea Huds.	sea	do.	Agr.	h	a
repens L.	creeping-Couch Grass	do.	Diet & Med.		P
spelta L. TROPÆOLUM	Spelt INDIAN CRESS		Diet	P	8
majus L.	greater	Peru	Diet & Med.	þ	
minus L.	smaller	do.	Diet	h	8
TROXIMON virginicum Pers.	TROXIMON		•		•
Tragopogon virgini-		•			
eum L. Hyoseris prenanthoi- des Willd.	Virginian	N. Amer.		h	P
amplexicau- lis Mich.	· •				
	TULIP				
gesneriana L.	garden	Levant		þ	P
suaveolens Roth. TURRITIS	sweet or Van Tol TOWER MUSTARD	Europe		h	P
hirsuta L.	hairy	Europe	Diet	h	ъ
TUSSILAGO	COLT'S FOOT			-	•
farfara L. integrifolia Mich.	common	Europe	Med.	h	P
Perdicium semifloscu- lare Walt.	entire leaved	Carolina	Med.	g.h	P
Chaptalia tomentosa Vent.					_
	CAT'S TAIL or Recd M				
angustifolia L. latifolia L.	narrow leaved broad leaved	N. Amer.	Arts	þ	Į,
VACCINIUM	WHORTLE BERRY	(IO.	Arts	h	P
album L.	white	N. Amer.	Diet	h	
corymbosum L.		do.	Diet &	1.	
amœnum Ait. disomorphum Mich.	Bilberry		Med.		5
frondosum L.	obtuse leaved	do.	Diet	h	
glaucum <i>Lmlc.</i> hispidulum L.	glaucous	do.	Dict	h	8
Oxy coccus hispidulus  Pers.	small fruited American	do.	Diet &	h	8
Arbutus thymifolia Ait.	Cranberry		Med.		
	18				

macrocarpon Ait.	large fruited American	do.	Med&	h	_
Oxycoccus macrocar- pus Pers.	Cranberry	ųo.	Diet		•
myrsinites <i>Lmk</i> . oxycoccos L.	myrtle leaved	do.	Diet	h	5
Oxycoccus palustris Pers.	European Cranberry	Europe	Diet	h	•
pensylvanicum <i>Link</i> .	sugar	N. Amer.	Diet	h	8
resinosum Ait.	clammy	do.	Diet	į.	8
stamineum L. tenellum <i>Ait</i> .	green wooded gale leaved	ძი. ძი.	Diet Diet	h h	8 8
VALERIANA	VALERIAN	uu.	THEC	**	•
olitoria L.	Lamb's Lettuce	Europe	Diet	h	а
phu L.	garden	do.	Med.	h	P
radiata Willd. Fedia radiata Mich.	radiated	N. Amer.	,	h	8
VANGUIERA	VANGUIERA				
edulis Vahl.	esculent	E. Indies	Diet	h.h	ŧ
VERATRUM	SWAMP HELLEBORE	3T 4	3.6 1		
viride Ait. VERBASCUM	green flowered MULLEIN	N. Amer.	Med.	h	P
blattaria L.	moth	N. Amer.	Med.	h	Ъ
v. alba 🚜	white do.	T			
lychnitis L. : thaspus L.	wedge leaved great	Europe N. Amer.	Med.	h h	b b
VELBENA	VERVAIN	14. 2XIII.	MEG.	11	U
angustifolia Mich.	narrow leaved	N. Amer.		h	р
hastata L.	halbert leaved	_ do.	Med.	þ	P
officinalis L. triphylla <i>l'Her</i> .	common	Europe	Med.	h	ь
Aloysia citriodora Ort.	lemon scented	Peru		g.h	8
urticifolia L. VERBESINA	nettle leaved VERBESINA	N. Amer.	Med.	h	P
alata L. VERONICA	wing stalked SPEEDWELL	S. Amer.		h.h	P
agrestis L.	field	Europe		h	2
anagallis L.	Pimpernel or water	N. Amer.		ĥ	p
arvensia L.	corn	≖ do.		h	R
hybrida L. maritima L.	Welsh sea	Europe		h	P
officinalis L.	officinal	N. Amer.	Med.	h h	P
neregrine L. 3	_	do.		h	
marilandica Mur.	knot grass leaved		•		a
scutellata L. serpitlifolia L.	scull cap or marsh Paul's Betony	do. do.		h	p
spuria L.	hybrid	Europe		h h	P
virginica L.	Virginian	N. Amer.		'n	P
VERNONIA	VERNONIA				•
noveboracensis Mich. VIBURNUM	common 371 D TID STITS &	N. Amer.		h	P
acerifolium L.	VIBURNUM maple leaved	N. Amer.		h	8
dentatum L.	toothed	do.		'n	. 8
lantanoides Mich.	Hobble bush	do.		h	8
lentago L.	pear leaved	do.		h	8
nudum L. opulus L.	oval leaved Guelder Rose	do. do.		h h	8
v. roseum	Snow Ball	40.		34	8
prunifolium L.	plum leaved	<b>d</b> о.		h	5
tinus L.	Laurestine	S. Europe		g.h	8
VICIA cracca L.	VETCH tufted	N. Amer			_
ervilia Willd.			_	h	P
Ervum ervilia L. 3	officinal	Europe	Med.	h	a
faba L.	garden Bean	Egypt	Diet	h	8

59

	HORTUS ELGINENSIS	•			39
v. minor	smaller do.				-
monantha II.P.	<b>)</b>				
Ervum monanthos L.	one flowered	Russia	1	h.	2
Luthy rus monanthos	(				
Willd.		Europe	1	h	
nissoliana L.	red flowered common	do.		).	
sative L. VINCA	PERIWINKLE				
major L.	greater	Europe		p .	
minor L	small			р	
rose: L.	Mudugascar	E. Indies	p	.h	8
v ulba	white do.				
VIOLA	VIOLET	37 4		h	_
canadensis L.	Canadian	N. Amer.		h h	P P
cucullata Ait.	hollow leaved	Europe		ĥ	P
odorata L.	sweet seented double flowered de	Barope		_	
v. flore pleno	oblique flowered	N. Amer.		h	P
obliqua - iit.	poimeted	do.		h	P
palmata L. pedata L.	multifid	do.		h	P
primulifolia L.	primrose leaved	do.		h	P
nubescens dit.		do.		h	P
pensylvanica Mich.	yellow flowered			h	_
sugitinta Ait.	SLLOM IGBAGA	do. *	Med.	Ä	P
tricoior L.	Heart's ease-Panety	Europe	MACU.	-	P
VITEX	CHASTE TREE	S. Europe	Med.	r.h.	•
ngnus castus L.	eommon VINE OR GRAPE	D. Ediopo		<b>J</b>	_
VITIS		N. Amer.	Diet	ь	
zstivalis Mich.	summer	M. Amer.	Dier	14	•
corditolia Mich		do.	Diet	h	•
vulpina L.	winter or Chicken	40-	2.50		_
laheusea L. )	fox	do.	Diet	h	
taurina Walt	_	do.	Diet	h	
riparia <i>Mich</i> .	river or sand	do. do.	Diet	ĥ.	=
rotundifolia Mich.	Muscadine or bullet		Diet &		5
vinifera L.	common	-	Med.	_	
ULEX	WHIN or Furze				
europæus L.	common	Europe	Arts	h	
ULMUS	ELM TREE				_
alata Mich.	dwarf	N. Amer.		þ	ŧ
americana L.	common	do.	Arts	h	t
campestris L.	English	Europe	Arts	ш	•
	-1!	N. Amer.		h	t
fulva Mich.	slippe <del>ry</del> UNIOLA				
UNIOLA		37 A on		h	
paniculata L. 3 maritima Mich.	sea Rush grass	N. Amer.		11	Þ
URTICA	NETTLE	_			
dioica L.	eom mon	Europe	Med.	þ	P
divaricata L.	branched	N. Amer.		h	P
pilulifera L.	Roman	Europe N. Amer		h	a 2
pumila L.	dwarf	N. Aluei	•		_
UVULARIA	UVULARIA	N. Amer.	Med.	h	P
perfoliata L.	perfoliate sessile leaved	do.	Med.	h	P
sessilifolia L. WEDELIA	WEDELIA				•
c. 11 177:11.1	•	Mexico		h	
Alcina perfoliata Co	rv. } perfoliate	741 GZ 1CO		••	•
XANTHIUM	XANTHIUM	_			
orientale L.	eastern	Japan		h	a
strumarium L.	lesser Burdock	N. Amer	•	р	2

XERANTHEMUM	XERANTHEMUM			
annuum L.	annual	Europe	h	æ
XEROPHYLLUM	BASKET GRASS	<del>-</del>		
setifolium Mich.				
Helonias aphodeloides }	narrow leaved	N. Amer. Arts	h	P
L.)				_
XIMENESIA	XIMENESIA			
encelioides Cav.	hoary leaved	Mexico	g.h	P
XYRIS	YELLOW EYED GRASS	}	•	-
anceps Pers. ?	A-4 -4	37 A	1.	_
jupicai Mich. S	flat stemmed	N. Amer.	h	P
YÜČCA	ADAM'S NEEDLE			
alcifolia L.	Aloe leaved	Carolina	g.h	8
filamentosa L.	thready or Adam's thread	N. Amer.	'n	8
gloriosa L.	broad leaved	Carolina	g.h	t
ZÄNTHORHIZA	YELLOW ROOT			
apiifoliu l'Her.	parsley leaved	N. Amer. Med.&	h	6
ZANTHOXYLUM	TOOTH-ACHE TREE			
fraxineum Willd.			_	
americanum Wang.	common	N. Amer. Med.	h	£
ZEA	MAIZE or Indian Corn			
mays L.	common	S. Amer. Diet	h	
ZINNIA	ZINNIA	U. II III CI. DICC	••	-
multiflora L.	red flowered	Carolina	h	•
pauciflora L.	vellow flowered	Peru	ĥ	-
ZIZANIA	CANADA RICE or Wate			-
aquatica L	common	N. Amer.	h	
ZORNIA Mich.		-4. 28tmct.	44	-
HEDYSARUM Auct.	ZORNIA			
diphyllum Pers.	two leaved	E. Indies	h.h	
strobiliferum Pers.	cone bearing	do.	b.h	
savimieram Pers.	cone hearing	u.	mn	

## ENGLISH INDEX.

	Pa	ige	P	age	P	age
1	ACACIA	ů	Bastard cress	56	Borage	ĭo
	Adam's needle	60	Bastard jasmine	14	Bondue	26
1	Adam's thread	60	Bastard Jesuit's bark	30	Botany-Bay tree	<b>3</b> 3
	African marygold	56	Bastard indigo	4	Bowman's root	54
	African sparrow wort	41	Bastard sensitive plant	2	Box thorn 34.	52
	Agrimony 114	2	Battledore	28	Box tree	ำเ
	\lder 220 7	5	Bay-berry 240	<b>S7</b>	Brake 256	46
	Vlexanders	53	Bay tree	32	Bramble	49
	Imond	5	Beach	23	Bread fruit tree	7
1	<b>\loe</b>	3	Bead tree	36	Briony	10
. A	Althæa frutex	27	Bean	58	Brome grass 26	10
	maranth 222	4	Beard grass 245	5	Broome	54
1	American oil nut	26	Bear's breech	1	Broom corn	54
Å	Angelica tree 68	17	Beaver tree 139	35	Broom grass	5
.4	hise	43	Beet	9	Broom rape	39
A	Aniseed tree	29	Belladonna lily	4	Buckbean プラ	36
1	Apple France 51	46	Bell flower 54	12	Buckthorn	47
A	Apricot	45	Bellpepper	12	Buckwheat	44
4	Arbor vitæ	56	Belvedere	14	Bugloss	5
A	\rnotto	10	Benjamin tree	32	Bulrush 5 53	51
·	Arrow grass 85	56	Bent grass 2/	8	Burdock 155 7,	59
Z - 2 - 3	Arrow head	49	Betony	9	Burnet	45
701	Arrow west pad	35	Bhenne	52	Burnet saxifrage 43,	50
, , ,	\rtichoke	19	Bilberry 92	57	Burr marygold 36	10
	\sarabacca	7	Bindweed 50	16.	Burr reed _ '&	54
1	<b>\sh</b> 2.47	21	Birch 23/	9	Butterfly weed 63	7
	\sh wort	15	Bird pepper	12	Butternut 2:0	<b>3</b> 0
	\sphodel	8	Bird's foot	S9	Button wood 233	13
	tamasco lily	4	Bird's foot trefoil	34	Butcher's broom	49
A	Lvens / 2,5	25	Birthwort	7	Cabbage	10
٠ 🎎	vocado pear	32	Bistort	44	Cactus	11
A	Luricula	45	Bitter apple	18	Calamus	2
	3alm.	36	Bitter sweet 5 3 13,	53	Camphor	33
F	Balm of Gilead 21,	43	Blackberry 122	49	Campion //	13
	3alsam 🐪	29	Black ebony	6	Canada rice	60
	Balsam apple	3 <b>7</b>	Black snake root	2	Canary grass	42
	Banana tree	37	Black thorn	46	Cancer root	39
	Barbadoes flower fence		Bladder ketmia	27	Candle berry myrtle	<b>S7</b>
	Barbadoes gooseberry		Bladder nut	54	Caudy tuft	29
	Barhadoes lily	4	Bladder senna	16	Cape-Coast lily	4
· •	Barberry 💯	9	Blessed thistle	13	Cape jasmine	37
	Barley '	28	Blood root /3/	50	Caraway	12
	Base mustard	15	Blue bottle	13	Cardinal flower 5	<b>33</b>
	Base parsley	13	Blue eyed grass 16/		Cardoon	19
	Basil 147	39	Bog rush / 5	51	Carnation	30
	Basket grass	60	Bone seed	40	Carolina alspice	11
F	Rasswood / 3/	56	Boneset	23	Carolina jasmine	10
			17			

## ENGLISH INDEX.

	Page		Page	P	age
Carolina moss	56	Cotton grass 16	22	Fennel	6
Carolina or sweet p	0-	Cotton thistle	<b>3</b> 9	Fennel flower	38
tatoe	16	Cotton tree	44	Fenugreek	57
Carolina pink root	55	Couch grass 27	57	Fern	38
Carpenter's leaf	24	Couhage /	21	Fescue grass 25	23
Carrot	20	Cowslip 134	45	Fever-few	46
· Cashew nut	.5	Cow wheek / C/	36	Fever-wort & b	57
Castor oil plant	48	Cranberry 92 : Crane's bill geranic	57, 58	Field madder	52
Catalpa tree	10	Crane's bill geranic	ım 24	Field thyme	15
Catch fly 1/0	52	Crow loot / 5	34, 4/	Fig marygold	36
Caterpillars	51	Crown asphodel	22	Fig tree	23
Catmint /45	38	Crown imperial	24	Figwort 150	51
Catnep /46 Cat's ear	<b>58</b>	Cuckheld's horns	<b>S5</b>	Filbert	17
Cat's ear	29	Cucumber	18	Fir tree	40
Cat's tail	57 42	Cucumber root 3		Fish poison	55
Cat's tail grass/	30	Cucumber tree	35 2 <b>5</b>	Flax	<b>33</b>
Cedar	14	Currants	25 48	Flea bane 1/3 16, Flix weed	53
Celandine /29	6		6	Flos adonis	33
Celery Centaury	13	Custard apple Cypress tree	18	Flower de luce 12	30
Cereus '	11	Cypress vine	30	Flowering fern 258	
Chaddock	15	Daffodil	38	Foxglove	20
Chaff flower	2	Daisy	9	Fox-tail grass 20	~~~
Chamomile	6	Dandelion 183	32	Fraxinella	26
Chaste tree	59	Darnel 27	33	French honeysuckle	26
Cherry tree //.º	45	Date palm	43	French marygold	55
Chesnut 2.2.4	13	Date plumb	20	Fringe tree	14
Chickling vetch	31	Day lily	27	Fritillary	24
Chick pea	14	Deadly nightshade		Fumitory	24
Chick weed /39	4, 5	Dead nettle	31	Furze	59
Chick weed winter		Dear grass	47	Galangale .	31
green & MS	56	Devil's bit	3	Garden cress	32
China rose	27	Dewberry /22	49	Garlick .	્ 3
Chinese spinach	9	Dill	б	Gentian Ou	24
Chinquapin	15	Dittander	32	Georgia bark .	15
Chives	3	Dittany of Crete	39	Geranium, 6/ 22, 24	, 41
Cicely	51	Dock S6	49	Germander 125	22
Cinnamon	32	Dodder .	19	Ginger	4
Cinquetoil / 24	45	Dog's bane 4	6	Ginseng	40
Citron	15	Dog's tail grass	24 19	Glass wort 2	49
Clary	50	Dog's tooth violet	VZ 22	Globe amaranth	25
Clover 67 Club moss 259	56	Dogwood 33	72 17	Goat's beard	56
Club moss 25 y	34	Dragon's nead	21	Golden rod 144	53
Club rush / 4	51	Duck's foot	44	Golden sunflower	27
Cochineal	11	Dwarf palm	49	Golden thistle	51 37
Cock's comb	4, 13 20	Dyer's weed	47 24	Gold of pleasure	27
Cock's foot grass Coffee	16	Ear drop	53	Gold thread 134.	8
Cole seed	10	Egg plant Elder //	50	Goldy locks	14
Cole wort	17	Elecampane	29	Gooseberry	48
Coloquintida	13	Elephant's foot	21	Goose foot 65	14
Colt's foot	57	Elm tree 66	. 59	Goose corn	30
Columbine 13	<i>6</i>	Enchanter's nigh		Gourd	18
Comfrey	55	shade &	15	Grape 5.7	59
Contrajerva	21	Endive	14	Grass of Parnassus	41
Copaila balsam	16	English mercury	14	Green tea	55
Coral and pearl	2	Eryngo	22	Gromwell	33
Coral tree	22	Eschallots .	3	Ground ivy /44	25
Coriander	17	Everlasting pea	31	Ground-nut , -, 3	7
Cornelian cherry	17	False acacia	48	Groundsel / 76	52
Corn flag	6, 25	False cacoa	1	Guava	46
Costmary	9	False grape	3	Guelder rose	59
Cotton	26	Feather grass	53	Guernsey lily	Ġ

53

14

Locust tree

Loblolly bar

Jerusalem cherry

Jerusalem oak

Mountain mint

Moantain tea

48

26

-						
	age	Ps Cod	ge	Pa	ge	
Mouse ear chickweed	13	Pine 233	43	Safficu 12,	18	
Mulberry	37	Pine-apple	19	Safflower	12	
Mullein 5 4	58	Pink 108	20	Sage	50 19	
Musk melon	18	Pink root	54	Sago Salt wort 65		
Mustard 15-9	52	Pitchpine	43	Sait Wort Es	50	
Myrtle	37	Plane trec 233	44	Samphire 2 34,	49	
Navel wort	17	Plantain 33	43	Sand-box tree	28	
Nectarine	5	Pleurisy root 6 ?	.7	Sandwort 19.5	7	
Nettle 220	59	Plumb	45	Sanicle 37	50 2	
Nettle tree	13	Poison ash	48	Sapota 54.7	53	
	13	Poison oak	48	Sarsaparilla 74 7, Sassafras 97 Savory	32	
Nicker tree	26	Poison tree	48 48	Savone	51	
Nightshade	58	Poison vine	43	Saxifrage 707	51	
None such	53	Pokeweed //2	38	Scabious	51	
Oak 225.	47 8	Polyanthus Pomerose	22	Scarcity root	9	
Out grass	8	Pomerose	46	Scorpion grass 47	37	
Oats	52	Pomegranate Pomegranate	18	Scorpion senna	17	
Oil seed or bhenne	27	Pompion Poplar 24/	44	Screw pine	40	
Okra	37	Poppoose root	32	Scurvy grass	16	
Olean <b>der</b>	39	Poppy	40	Scullcap 148	51	
Olive	3	Potatoe 16,		Sea daffodil	40	
Onion Orache 246	8		11	Sea lavender	54	
	15	Pot marygold Pride of India, see		Sea-side grass	16	
Orange	20	Bead tree.		Sedge	19	
Orchard grass 24 Orchis	30	Prim 5	33	Self heal /49	45	
	52	Primrose	45	Seneca grass 245	28	
Oswego tea	<b>S7</b>	Prince's feather	4	Seneca snake root	44	
Otaheite gooseberry	54	Privet 5	33	Senna	18	
Ox eye	11	Puccoon /3!	50	Sensitive plant	37	
Ox lip	45	Pumpkin	18	Service tree	54	
Ox tongue	43	Purslane //	45	Shaddock, see Chadde	ock.	
Palma christi	48	Quaking grass	10	Shield fern 252	58	
Panie grass 18	40	Quercitron	47	Shepherd's purse/56		
Pansey	59	Quince	46	Shrubby trefoil	46	
Papaw tree	12	Radish / 5-7	47	Side-saddle flower /2	<i>7</i> 50	
Paper mulberry	16	Ragged robin	34	Silk weed 6	7	
Parsley	6	Raspherry /2/	49	Silver bell	26	
Parsnep	41	Rattle tree	13	Silver fir	43	
Partridge berry 101	21	Ray grass 2	34	Silver tree	45	
Passion flower	4L	Reed grass 26	7	Single seeded cucum-		
Paul's betony	58	Recd mace 2.19	57	ber	52	
Pea	43	Red bud	1.5	Skirrets	53	
Pcach	5	Rest harrow	39	Skunk cabbage 3	45 45	
Peacock flower	2	Rhubarb	47 43	Slue Snail's	36	
Peanut	7	Rib wort 34	42	Snake wat A auc	7	15.
Pear	46	Ribbon grass Rice	40	Snake weed	44	,,,
Pearl wort	49	T	12	Snap dragon /5"/	16	
Penny cress	56 28	Ringworm tree Robin-runaway	37	Sneeze wort	2	
Penny wort 6	36	Rock rose	15	Snowball	58	
Pennyroyal 7'	30 43	Rocket	27	Snow-drop	24	
Pepper /	32	Rose /2/	43	Snow -drop tree	26	
Pepper wort	38	Rose acacia	48	Snow flake	33	
Pepperidge Periwinkle	59	Rose bay 10 ?_	47	Soap berry	50	
Persicaria	44	Rosemary	49	Soap wort	50	
Persimon	20	Rosemary marsh	55	Soft grass	28	
Pheasant's eye	2	Rough grass /6	56	Solomon's scal 80	18	
Physic nut	29	Rosa solis	21	Sorrel 87	49	
Pigcon berry	21	Rose campion	2	Sour gum	38	
Pigeon nea	19	Rush 2 3 30,		Sour sop	2	
Pimpernel	5	Rue	49	Southernwood	7	
Pimpernel water	50	Rye	51	South Sea myrtle	32	
- miletines				-		

Pı	ige	P:	ıge	P	age
South Sea tea	29	Tamarisk	55	Wall flower	î.i
Sowbread	19	Tangier pea	31	Wallnut 228	30
Sow thistle 155	53	Tannier	11	Water cress 155	5.5
Spear wort	47	Tansey	53	Water hemlock	14
Speedwell 5	58	Tare	22		34
	56		7	Water horehound	
		Tarragon	21	Water lily 3 =	38
Spikenard 74	7	Teasel		Watermelon	18
Spinach	54	Tea tree	55	Water oats	60
Spindle tree	22	Thistle 196 12, 13,	16	Water parsnep 67	53
Spleen wort 25-4	8	Thorn apple 57	20	Water pepper .) 3	44
Sponge tree	1	Thorough wax	10	Water pimpernel	50
Sprat 0.1/	28	Thoroughwort 120		Water plantain 87	3
Spruce 234	43	Three thorned acacia		Water radish	53
Spurge //5	28	Thrift	54	Wheat	57
Spurrey ///	54	Thyme	56	Wheat grass	5 <i>7</i>
Squash		Ticksced sunflowersa		Whin	52
Squill	51	Timothy grass	42	White cedar 18,	, 55
Staff tree 57	13	Toad flax /5-/	6	White poplar	SS
Star apple	14	Tobacco	38	White wood	33
Star grass	3	Tomatoes	13	Whitlow grass	21
Star of Bethlehem	39	Tonka bean	21	Whortleberry 32	57
Star wort	8	Tooth-ache tree	60	Widow wail	16
Stavesacre	20	Torch thistle	11	Wild alspice	32
Stinking horehound	9	Tower mustard	57	Wild bugloss	34
Stock	14	Tree mallow	32	Wild chamomile	35
Stone crop	51	Tree primrose 93	39	Wild chervil	14
Stork's bill geranium	41	Trumpet flower	10		7
Strawberry /25	23	Tubeflower	52	Wild ginger Wild hemp	2
Strawberry blite	10	Tuberose ·	44	Wild indigo 104	44
Succory /SZ	14	Tulip	57	Wild ivy	5
Succotrine aloe	5	Tulip tree	33	Wild liquorice	1
Sugar cane	49	Tupelo tree 248	38	Wild potatoe	18 .
Sumach 7/	48	Turmeric	19	Willow 239	50
Summer cypress	14	Tarnep	10	Willow herb Go	21
Summer savory	51	Turn sole	27	Wind flower	5
Sandew 75	21	Tyger flower	56	Winter berry	45
Sunflower 203	26	Valerian	58	Winter cherry	45
Superb lily	25	Van tol	57	Winter green	- 46 <i>I 93</i>
Swallow wert	7	Varnish tree	48	Wire grass	14
Swamp hellehore	58	Venus' comb	51	Witch hazel 40	26
Swamp sassairas	35	Venus fly trap	20	Wood	30
Sweet basil	39	Venus' looking-glass	12	Wolf's bane	2
Sweet fern 219	16	Vernal grass	6	Woodbine	33
Sweet flag 53	2	Vervain /4 2	58	Wood sorrel /52	40
Sweet guin	33	Vetch	58	Wool grass	20
Sweet pea	31	Vine 50	59	Worm grass	54
Sweet potatoe	16	Violet FG	59	Worm seed	14
Sweet scented shrub		Viper's bugloss 27	21	Wormwood	7
Sweet sultan	13	Viper's grass	51	Yam	ည်
Sweet-william	20	Virgin's hower /33	15	Yarrow _J.	20
Syringa	42	Umbrella tree	35	Yellow eyed grass /	
Tacamahac	44		9	Yellow root	₽0 . 00
Tallow tree	55	Upright honey-suckle Walking leaf	8	TCHOW LOUE	• • • •
Tanow tree Tamarind	55	Wall cress	-		
) amaring	33	TO ALL CICES	9		

Since the foregoing Catalogue has been printed, I have received from that distinguished Botanist, M. Thouin, Professor of Agriculture and Botany at Paris, a third collection of seeds, amounting to 300 species, of such plants as are not contained in this collection. The unceasing exertions of that gentleman, for the promotion of science in this country, as well as his own, deserve a greater tribute of praise than I am able to bestow.

The improvements which may hereafter take place in this institution, and the additions which may be required to the collection of plants, will in future be regularly published, as an annual report to the Legislature, and the Regents of the University.

D. H.

Digitized by Google

IPR 13 81

Bookbinding Co., Inc. 100 Cambridge St. Charlestown, MA 02129

Digitized by GOOSIG